Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.





Swan River Nursery

Patchogue, L. I., N. Y.

W)

1935



Swan River Nursery

CAn Invitation to Swan River

Those interested in trees and plants out-of-doors are always cordially welcome. The Swan River Nursery is located one mile east of Patchogue, Long Island, on Mortauk Highway. Our large nursery is on both sides of the highway and you will note a white display fountain on the south side of the road and a large Sales Building on the north side of the road.

SALES DEPARTMENT

We maintain a special SALES DEPARTMENT for the convenience of those who want a few plants in a hurry. Whatever you select is ready for shipment and can be placed in your car with no delay. We have here everything for the garden that is worthwhile, including fertilizers, peat moss, garden tools, flower seeds and Scott's lawn seed.

THE PLANTING SEASON

Transplanting can be done successfully as soon as the frost is out of the ground in the spring until early June. Evergreens and herbaceous perennials can be successfully transplanted until early July. We usually begin to dig about March 20th.

begin to dig about March 20th.

Evergreens may be transplanted successfully during August, September and October; herbaceous perennials during September and until the middle of October. Deciduous trees, shrubs, vines, fruit trees transplant best during March, April, May, October and November.

Pot grown roses can be planted all through the summer.

SHIPPING DIRECTIONS

In ordering nursery stock our customers are requested to state explicitly the mode of conveyance by which they wish their stock forwarded. We make shipments by express, freight, or motor truck. When no route or method is designated, we exercise our judgment. When losses occur by detention or mishandling, claim should at once be made on the transportation company by the consignee.

PLANT NAMES

We have endeavored to list our plants in accordance with the names as given in "Standardized Plant Names," which has been officially adopted by the American Association of Nurserymen.

If you have difficulty in finding in our price list any varieties you wish, write us and we will give you an immediate reply as to whether or not we can furnish them.

CONDITIONS OF SALE

The articles herein listed will be furnished in accordance with the following schedule:

1 to 4 plants of one kind will be priced at the each rate, whatever the aggregate of a list made up in

numbers of less than 5 plants of a specific sort may be. 5 to 24 plants of one kind and size will be priced at the ten rate.

25 or more plants of one kind will be furnished at the hundred rate, when hundred rates are given.

FROM THIS SCHEDULE WE WILL NOT VARY because of the fact that considerable time is required to assemble an order made up of small lots of a kind that are scattered over the nursery.

We make no charge for packing retail orders, except on very large evergreens and large shade trees.

WE GUARANTEE our plants to grow and will replace all sold retail that fail to thrive within one year from date of purchase, with the following understanding: That the bill is to be paid within one month after the stock has been received and that our planting suggestions, as outlined in this catalogue, are followed. The customer will be expected to assume a small delivery charge. If the planting was carried out by us the customer is to pay for delivery and planting at cost. If we do not have the tree or trees of question in stock, other plants with the same expenditure are to be selected from our nursery. We assume no responsibility for trees we transplant that belongs to an owner on his property.

TERMS

Our terms are cash, unless by special agreement. Charge accounts may be opened upon receipt of the names of a bank and two or more parties with whom the customer has credit relations, allowing us time for investigation. We can ship by express C. O. D. when desired, with charges for collection added to the bill—provided 20 per cent of the amount of the order accompanies the same as a guarantee.

BALL AND BURLAP

An extra charge is made to ball and burlap plants, unless specified in catalogue. Charges are based as follows:

2-3 ft. @ 15c. 3-4 ft. @ 20c. 4-5 ft. @ 30c. 5-6 ft. @ 40c. 6-8 ft. @ 60c. 8-10 ft. @ 75c. For larger plants the charge will be in proportion.

PRUNING SERVICE

Our service experts will help you preserve your plant material, for a nominal charge. They will do only the necessary work which may include Pruning, Fertilizer, Peat Moss, Water Cultivation or Spraying.

PLANTING SERVICE

If desired, we will send experienced men to plant the trees and shrubs, charging for such service at actual cost.

Respectfully yours,

SWAN RIVER NURSERY

PATCHOGUE, L. I., N. Y.

GRACE A. AVERY

HUMPHREY R. AVERY

Owner

Manager

Telephone: Patchogue 1200

Suggestions for Planting

Preparing Holes

Dig the hole not less than 1 foot wider than the root area of the specimen it is to hold and from a foot to 2 feet in depth, according to the depth of its root system. If the soil is poor a few inches of rotted litter should be thrown into the bottom of the hole and dug in to the depth of 6 inches or more. If the soil at the bottom is hard, it should be broken up in a pulverized state to a depth of a foot or so.

Setting Tree

To prepare the tree for setting go over the root system carefully and cut all the broken or bruised portions of the roots with a clean, sharp knife or pruning shears. In setting the tree spread the roots out naturally so that they will not be twisted or crowded, then fill in gradually with fine soil, working it carefully under and about the roots, so that no holes or air spaces will be left. If it is a deciduous plant, shake the tree or shrub up and down so as to pack the soil layer by layer, carefully tramping it down until it is firmly packed about the roots. Continue this process until the hole is filled within 2 inches from the top. The remainder of the soil should be used in a way to form a small basin around the tree. This is to keep the water from running away when applied.

Mulching

In the Fall, place a mulch of dry leaves, hay or well rotted stable litter about the base of each tree. This mulch should be 6 inches deep and extend 2 to 3 feet beyond the natural spread of the roots.

Weigh down with dirt, light slats or boards to prevent wind from blowing off during Winter. If well rotted straw, hay or stable litter has been used, spade in well around the base of each tree in the Spring. Any mulch that is of no value should be removed in early Spring as soon as the frost is out of the ground.

Watering

When dry weather comes on in the latter part of June, July, August and early September, it will be necessary to water newly planted evergreens, especially for the first two or three years after transplanting. A thorough watering twice a week is far more beneficial than a daily sprinkling of the topsoil.

Cultivation

Don't wait for your evergreens to begin to show signs of suffering before you start cultivation. Start keeping the soil stirred up immediately after planting. Frequent cultivation is the secret of moisture conservation. The ground must be kept loose and mellow by cultivating weekly.

Evergreens and Conifers

• • •

Evergreens are used in many ways, some of which are as follows: Specimens on a lawn, foundation plantings around houses, windbreaks, hedges and as screens for objectionable objects.

Our evergreens are thrifty, well-rooted and have been several times transplanted.

All evergreens will be balled and burlapped without charge.

We recommend planting during April, May and June, August, September and October.

	Each Per 10
ABIES Concolor (White Fir). Ta	
needles and symmetrical gro	wth. Used for speci-
men or group.	
2 to 2½ ft	
2½ to 3 ft	3.00 25.00
3 to 4 ft	4.00 35.00
4 to 5 ft	6.00 55.00
* 5 to 6 ft	7.50 70.00
* 6 to 8 ft. specimens	15.00
* 8 to 10 ft. specimens	25.00
*10 to 15 ft. specimens \$5	
*15 to 20 ft. specimens \$7	
*20 to 25 ft. specimens \$15	
20 to 20 it. Specimens with	0.00 το φ200.00
ABIES fraseri (Fraser Fir). Als	o known as Southorn
Balsam Fir. It is hardy nor	rth and a very satis-
factory tree.	tur and a very babis
3 to 4 ft	4.50 —
4 to 5 ft	
5 to 6 ft	8.00 ——
A. homolepsis (Nikko Fir). Ha	as dark green leaves,
silver white on the lower	surface, with purple
cones.	
3 to 4 ft	
4 to 5 ft	
5 to 6 ft	
6 to 8 ft	10.00
A. nordmanniana (Nordman F	Tall tree clear
A. nordmanniana (Nordman F growing. Dark, glossy gree	
specimen.	ii ioiiage. Osca ioi
* 4 to 5 ft	5.00
* 5 to 6 ft. specimens	
* 6 to 7 ft. specimens	
* 7 to 8 ft. specimens	
* 9 to 10 ft engaimens	16.00

* 8 to 10 ft. specimens

16.00

Ea	ch F	Per 10
A. veitchi (Veitch Fir). Tall, symmetrical tr		
dark green above, silvery beneath. specimen.	Used	for
	2.00	
2½ to 3 ft	2.70	25.20
3 to 4 ft	3.60	33.00
	5.40	51.00
	7.20	69.00
* 6 to 8 ft 10	0.00	
BUXUS (Boxwood). See Evergreen Shrubs.		
cedrus atlantica glauca (Blue Atlas Cedar tree of open growth. Fine steel-blue needs as specimen. *Specimens	edles.	Used
C. deedora (Deedar Cedar). Graceful branches of silver gray foliage.	pend	dulus
	2.50	
	3.00	
C. libani (Lebanon Cedar). Dark or bluish iage; horizontal branches forming broad	l head	
	3.00	
	3.00	65.00
	0.00	85.00
	2.00 1 5.00	00.00
6 to 7 ft	.00	
	carab	
press). Pyramidal tree, silvery blue for distinct.		
	.00	9.00
	1.35 2.00	12.50
	1.00	15.00
- /	2.00	15.00
	3.00	27.00
	1.00	27.00 37.50
5 to 6 ft	00.5	27.00
5 to 6 ft	1.00 5.00 7.50	27.00 37.50 45.00
5 to 6 ft	1.00 5.00 7.50 slow-g	27.00 37.50 45.00 ——
5 to 6 ft	1.00 5.00 7.50 slow-g	27.00 37.50 45.00 ——
5 to 6 ft	6.00 6.00 7.50 slow-g	27.00 37.50 45.00
5 to 6 ft. 6 to 7 ft. C. obtusa (Hinoki Cypress). Medium size, sing. Rich, dark green, fern-like folias beautiful specimen. 18 to 24 in. 2 to 2½ ft. 2½ to 3 ft.	1.00 5.00 7.50 slow-g ge. F 00 50	27.00 37.50 45.00
5 to 6 ft. 6 to 7 ft. C. obtusa (Hinoki Cypress). Medium size, sing. Rich, dark green, fern-like folias beautiful specimen. 18 to 24 in. 2 to 2½ ft. 2½ to 3 ft. 3 to 4 ft.	8.00 6.00 7.50 slow-g ge. F 00 50 2.25 8.00	27.00 37.50 45.00
5 to 6 ft	8.00 6.00 7.50 slow-g ge. F 00 50 2.25 8.00	27.00 37.50 45.00
5 to 6 ft	8.00 6.00 7.50 slow-g ge. F 00 50 8.25 8.00 8.50	27.00 37.50 45.00
5 to 6 ft	8.00 6.00 7.50 slow-g ge. F 00 50 8.25 8.00 8.50 8.00	27.00 37.50 45.00
5 to 6 ft. 6 to 7 ft. C. obtusa (Hinoki Cypress). Medium size, sing. Rich, dark green, fern-like foliase beautiful specimen. 18 to 24 in. 2 to 2½ ft. 2½ to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. * 6 to 7 ft. * 7 to 8 ft.	8.00 6.00 7.50 slow-g ge. F 00 50 2.25 8.00 8.50 8.00	27.00 37.50 45.00
5 to 6 ft. 6 to 7 ft. C. obtusa (Hinoki Cypress). Medium size, ing. Rich, dark green, fern-like folias beautiful specimen. 18 to 24 in. 2 to 2½ ft. 2½ to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. * 6 to 7 ft. * 7 to 8 ft. * 8 to 10 ft.	3.00 5.00 7.50 slow-g ge. F 3.00 3.50 3.50 3.50 3.00 3.00	27.00 37.50 45.00
5 to 6 ft. 6 to 7 ft. C. obtusa (Hinoki Cypress). Medium size, sing. Rich, dark green, fern-like folias beautiful specimen. 18 to 24 in. 2 to 2½ ft. 2½ to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. * 6 to 7 ft. * 7 to 8 ft. * 8 to 10 ft. * 12 * 8 to 10 ft. * 6 cobtusa compacta (Football Cypress).	3.00 5.00 7.50 slow-g ge. F 3.00 3.50 3.50 3.50 3.00 3.00	27.00 37.50 45.00
5 to 6 ft. 6 to 7 ft. C. obtusa (Hinoki Cypress). Medium size, sing. Rich, dark green, fern-like folias beautiful specimen. 18 to 24 in. 2 to 2½ ft. 2½ to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. * 6 to 7 ft. * 7 to 8 ft. * 8 to 10 ft. C. obtusa compacta (Football Cypress). compact grower. Pyramidal.	3.00 5.00 7.50 slow-g ge. F 3.00 3.50 3.50 3.50 3.00 3.00	27.00 37.50 45.00
5 to 6 ft. 6 to 7 ft. C. obtusa (Hinoki Cypress). Medium size, sing. Rich, dark green, fern-like foliase beautiful specimen. 18 to 24 in. 2 to 2½ ft. 2½ to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. * 6 to 7 ft. * 7 to 8 ft. * 8 to 10 ft. C. obtusa compacta (Football Cypress). compact grower. Pyramidal. 18 to 24 in. 2 to 2½ ft.	8.00 6.00 7.50 slow-g ge. F 00 5	27.00 37.50 45.00
5 to 6 ft. 6 to 7 ft. C. obtusa (Hinoki Cypress). Medium size, sing. Rich, dark green, fern-like foliage beautiful specimen. 18 to 24 in. 2 to 2½ ft. 2½ to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. * 6 to 7 ft. * 7 to 8 ft. * 8 to 10 ft. C. obtusa compacta (Football Cypress). compact grower. Pyramidal. 18 to 2½ ft. 2 to 2½ ft. 2 to 2½ ft. 2 to 3 ft.	8.00 6.00 7.50 Slow-g ge. F 00 50 2.25 3.00 8.00 8.00 Very 50 8.25 8.35 8.30 8.00 8.0	27.00 37.50 45.00
5 to 6 ft. 6 to 7 ft. C. obtusa (Hinoki Cypress). Medium size, sing. Rich, dark green, fern-like foliage beautiful specimen. 18 to 24 in. 2 to 2½ ft. 2½ to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. * 6 to 7 ft. * 7 to 8 ft. * 8 to 10 ft. 18 to 24 in. 2 to 2½ ft. 2 2½ to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. 5 to 6 ft. 7 to 8 ft. 7 to 8 ft. 7 to 8 ft. 8 to 10 ft. 12 to 2½ ft. 2 to 2½ ft. 2 to 3 ft. 3 to 3½ ft.	8.00 6.00 7.50 Slow-g ge. F 00 50 2.25 3.00 8.00 8.00 8.00 Very 50 8.25 8.3	27.00 37.50 45.00
5 to 6 ft. 6 to 7 ft. C. obtusa (Hinoki Cypress). Medium size, sing. Rich, dark green, fern-like foliage beautiful specimen. 18 to 24 in. 2 to 2½ ft. 2½ to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. * 6 to 7 ft. * 7 to 8 ft. * 8 to 10 ft. 18 to 24 in. 2 to 2½ ft. 2½ to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. 5 to 6 ft. 7 to 8 ft. 7 to 8 ft. 7 to 8 ft. 8 to 10 ft. 12 to 2½ ft. 2½ to 3 ft. 3 to 3½ ft. 3 to 3½ ft. 3½ to 4 ft.	8.00 6.00 7.50 Slow-g ge. F 00 50 2.25 3.00 8.00 8.00 Very 50 8.25 8.35 8.30 8.00 8.0	27.00 37.50 45.00

CHAMAECYPARIS—Contin	ued	
	Each	Per 10
C. obtusa crippsi (Cripps Golden Cyp	ress).	A slow
growing golden leaved form. Brigh seasons.		
*18 to 24 in	2.00	
* 2 to 2½ ft	2.50	
* 2½ to 3 ft	3.50	30.00
* 3 to 4 ft	5.00	45.00
* 4 to 5 ft	8.50	
* 5 to 6 ft	12.00	
C. obtusa gracilis (Slender Hinoki Cypirregular pyramid, rich dark green grower—picturesque.		
18 to 24 inc	2.50	22.50
2 to 2½ ft	3.75	31.00
2½ to 3 ft	5.00	45.00
3 to 4 ft	6.00	55.00
4 to 5 ft	7.50	70.00
5 to 6 ft	9.50	-
C. obtusa nana (Dwarf Hinoki Cypre dwarf, forming dense, irregular m for rock garden.		
10 to 12 in	2.50	
12 to 15 in	3.50	31.50
15 to 18 in	5.50	50.00
18 to 24 in	8.00	70.00
24 to 30 in	11.00	100.00
30 to 36 in	15.00	
C. pisifera (Sawara Cypress). Quick g		
midal. Broad, flat foliage of deep,		_
1½ to 2 ft	1.00	9.00
2 to 2½ ft	1.40 1.80	12.50 16.50
3 to 4 ft	2.50	22.50
4 to 5 ft	3.00	27.00
5 to 6 ft	4.50	42.00
* 6 to 7 ft	6.00	
* 7 to 8 ft.	8.00	
C. pisifera aurea (Golden Sawara Cyp	ress).	Bright
yellow foliage. Habit same as pisifer		
1½ to 2 ft	1.25	10.00
2 to 2½ ft	1.50	12.50
2½ to 3 ft	1.80	16.50
3 to 4 ft	2.50 3.50	22.50 30.00
* 5 to 6 ft.	4.50	42.50
* 6 to 7 ft.	7.00	65.00
* 7 to 3 ft.	10.00	
* 8 to 10 ft.	15.00	
C. pisifera filifera (Thread Retinospora)		green
foliage. Long, string-like, drooping	branche	s.
2½ to 3 ft	2.25	20.00
3 to 4 ft	3.00	27.00
4 to 5 ft	4.50	40.00
0 0 0 10	6.00	50.00
	7.50	
* 7 to 8 ft	12.00	

CHAMAECYPARIS—Continued

Eac	eh Per 10
C. pisifera filifera aurea (Golden-thread Ret	
Bright golden yellow foliage. Slow grow	ing.
	25 20.00
	00 27.00
	00 35.00
3 to 3½ ft 6.	.00
C. pisifera plumosa (Plume Retinospora).	Forms a
dense cone of fine texture. Useful for	shearing
into formal shapes.	
	90
	25 —— 50 12.50
	.00 18.00
	00 27.00
	50 40.00
	.00 65.00
8 to 10 ft	
C. pisifera plumosa aurea (Golden Plume	Cymrogg)
Dense mass of yellow foliage.	Cypress).
	.25 10.00
	.50 12.50
	.00 15.00
	75 22.50
	.50 41.00
	.00 55.00
	.00
8 to 10 ft	
10 to 12 ft 20.00 to 40.	
C. pisifera plumosa lutescens (Sulphur Plumosa l	
Retinospora. Low, dwarf, round-topp Yellow-tipped branches.	eu busii.
	.25 10.00
	.25 20.00
	75 25.00
* 3 to 4 ft 4.	.00 37.50
* 4 to 5 ft	.50 ——
* 5 to 6 ft 10.	
C. pisifera squarrosa veitchi (Moss Retinospo	ora). Foli-
age blue-gray, feathery and dense.	
2/2	.25 10.00
2 00 2/2 200 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	.50 12.50
= 72 00 0 0000	.00 18.00
0 00 = 200 0000000000000000000000000000	50 22.50 00 35.00
1 00 0 20. 00.000	
C. triomphe de Boskoop (Triomphe de Bos	skoop Cy-
press). Blue-green foliage. Slightly p	Jenuulous.
Used as specimen. * 4½ to 5 ft	.50 42.50
* 5 to 5½ ft	.50 50.00
0 00 0 12 000 000	50 60.00
0 /2 00 0 200 0000000000000000000000000	.00 75.00
* 7 to 8 ft	
* 8 to 9 ft	.00
* 9 to 10 ft	
*10 to 15 ft. specimen100.00	to 150.00

	Each	Per 10
CRYPTOMERIA japonica compacta (Jaj	oanese (Cedar).
Large tree, forming narrow, irreg	gular c	olumn.
Compact and picturesque. Rich, h		
color.		
2½ to 3 ft	1.85	16.50
3 to 4 ft	3.00	27.50
4 to 5 ft	4.50	40.00
5 to 6 ft	6.00	55.00
6 to 7 ft	8.00	75.00
* 7 to 8 ft	11.00	100.00
* 8 to 10 ft	16.00	150.00
JUNIPERUS chinensis (Chinese Junip		Formal
columnar-type, having gray-green fo	_	
3 to 4 ft	3.35	
4 to 5 ft	4.50	40.00
5 to 6 ft	5.50	50.00
6 to 7 ft	7.50	65.00
7 to 3 ft	11.00	
w 1 · · · · · · · · · · · · · · · · · ·	~\ ·	
J. chinensis alba variegata (White Leaf		
per). Symmetrical low growing ever	green.	Bluish
foliage interspersed with creamy bra		
18 to 24 in	1.50	
2 to 2½ ft	2.00	17.50
2½ to 3 ft	2.50	22.50
3 to 4 ft	3.00	27.00
4 to 5 ft	4.50	40.00
5 to 6 ft	6.00	
* 1: : :	-	
J. chinensis pfitzeriana (Pfitzer Juniper).		
habit, with horizontally spreading bra		
green foliage. One of the best dwar:		•
18 to 24 in	1.50	15.00
2 to 2½ ft	2.00	15.00
2½ to 3 ft	2.50	22.50
3 to 3½ ft	3.50	32.50
3½ to 4 ft	5.00	45.00
4 to 5 ft	6.00	50.00
5 to 6 ft	8.00	70.00
6 to 7 ft	12.00	110.00
7 to 8 ft	18.00	160.00
I chinencia columnatia (Columna Chin	1000 T	
J. chinensis columnaris (Columnar Chir Very rapid growing spire-like evergro	iese Ju	mper).
4 to 5 ft		20.50
5 to 6 ft	3.50 4.50	32.50 40.00
and the same and t		
	6.00 7.00	55.00
		65.00
	9.00	85.00
	11.00	100.00
10 to 12 ft	15.00	140.00
12 to 14 ft	19.00	
I chinancie famina (Doores Tunings) Ci	d	
J. chinensis femina (Reeves Juniper). Sle	ender s	pread-
ing branches. Low growing type. * 3½ to 4 ft	0.00	
	6.00	07.50
4 to 5 ft	7.00	67.50
	8.00	77.50
	9.00	
7 to 8 ft	12.00	

		Each	Per 10
J.	chinensis fortunei. A broad irregular	pyrami	id with
	attractive gray-green foliage.	•	
	* 3½ to 4 ft	3.25	
	4 to 5 ft	4.50	40.00
	5 to 6 ft	6.00	55.00 85.00
	0 00 110	9.00	00.00
J.	chinensis neaboriensis (Conical Chin	nese .Tu	niner)
٠.	Very formal, narrow pyramid. F	rickly	leaves.
	Useful accent plant.		
	* 2 to 2½ ft	2.00	17.50
	* 2½ to 3 ft	2.50	22.50
	* 3 to 4 ft	3.00	27.00
J.	chinensis sargenti (Sargent Juniper)	. A pr	ostrate
	evergreen with long, creeping brance		-502.000
	12 to 15 in	1.50	12.50
	15 to 18 in	1.75	15.00
	18 to 24 in	2.25	20.00
	2 to 2½ ft	3.00	27.50
	2½ to 3 ft	4.00	
	3 to 4 ft	5.50	
J	communis (Common Juniper). Low, de	ense fas	stigiate
٠.	form. Gray-green foliage.	Jiloo, Im	30181440
	18 to 24 in	1.10	9.00
	2 to 2½ ft	1.35	11.00
	2½ to 3 ft	2.25	20.00
	3 to 4 ft	3.00	27.00
	4 to 5 ft	4.00	37.50
	5 to 6 ft	5.00	47.00
	6 to 8 ft	7.00	
J.	communis aurea (Douglas Golden Ju	niper).	Low-
	spreading type. Bright golden folia		
	18 to 24 in	1.50	
	2 to 2½ ft	2.25	
	$2\frac{1}{2}$ to 3 ft	3.00	
	3 to 3½ ft	4.00	
	3½ to 4 ft	5.00	
	4 to 5 ft	7.00	
J.	communis canadensis (Canada Junip	er). Fo	orms a
	low vase-shaped bush. Leaves dark	green	above,
	bluish underneath.	0.00	45.00
	2 to 2½ ft	2.00	15.00
	2½ to 3 ft	2.50	20.00
	3 to 3½ ft	3.00 3.50	25.00 30.00
	4 to 5 ft	5.00	45.00
	4 10 0 10	3.00	40.00
J.	communis depressa (Common Spread	ding Ju	niper).
	Spreading type with light bluish foli	age.	
	2 to 2½ ft	1.50	
	2½ to 3 ft	2.25	
	3 to 3½ ft	2.75	
	3½ to 4 ft	3.50 4.00	
	4 to 4½ ft	4.00	

JUNIPERUS—Continued		
	Each	Per 10
J. communis hibernica (Irish Juniper).	A verv	narrow
pyramid of spire-like effect.	11 1013	11011011
1½ to 2 ft	.90	6.50
2 to 2½ ft	1.10	9.00
2½ to 3 ft	1.50	12.50
3 to 4 ft	2.25	20.00
4 to 5 ft	3.25	
J. communis oblonga Evergreen of b	road ir	regular
growth. Grayish foliage.		
18 to 24 in	1.50	12.50
2 to 2½ ft	2.00	18.00
2½ to 3 ft	2.50	22.50
3 to 4 ft	3.50	32.50
4 to 5 ft	4.50	40.00
5 to 6 ft	5.50	
J. communis suecica nana (Swedish Jur	inor) I	Modium
size, quick growing, narrow, upright		wiediuiii
15 to 18 in	1.10 1.50	
2 to 2½ ft	2.00	
2 to 2 72 1t	2.50	
3 to 3½ ft	3.50	
J. excelsa stricta (Spiny Greek Cedar).		et, well-
shaped pyramid. Foliage gray-green	n.	
15 to 18 in	1.00	9.00
18 to 24 in	1.25	11.00
2 to 2½ ft	1.75	15.00
2 ½ to 3 ft	2.25	20.00
3 to 3½ ft	3.00	27.00
J. horizontalis (Creeping Savin). Brand	phas tra	il along
ground. Adapted to rockwork and gr		
2 to 2½ ft	2.75	Jvci IIIg.
2 to 2 ½ 1t	3.50	
3 to 3½ ft	4.50	
3½ to 4 ft	5.50	
J. hudsonica (Hudson Juniper). Exc	cellent	trailing
plant useful for rock work.	0.0#	00.00
2 to 2½ ft	2.25	
2½ to 3 ft	3.00	
3 to 3½ ft	4.50 7.50	
5 to 6 ft	9.00	80.00
J. japonica (Japanese Juniper). Low-g	rowing	spread-
ing type. Dark green foliage.		
15 to 18 in	1.75	
18 to 24 in	2.00	
2 to 2½ ft	2.75	
2½ to 3 ft	3.50	32.50
J. japenica (Trimmed globes). (Japa	nese J	miner)
Low-growing spreading type. Dark	green	foliage.
	1.75	15.00
15 to 18 in	3.00	26.00
10 (0 24 111	0.00	20.00

	JUNIPERUS—Continued		
		Each	Per 10
J.	japonica aurea (Golden Japanese Ju	miper).	Low.
	slow-growing, spreading plant. Gold-age.	en-tinte	ed foli-
	18 to 24 in	2.75	
	2 to 2½ ft	3.00	
	2½ to 3 ft	4.50	
J.	Sabina (Savin Juniper). Dense, dark irregular spreading branches.	green	foliage,
	18 to 24 in	1.50	12.50
	2 to 2½ ft	1.75	15.00
	2½ to 3 ft	2.25	20.00
	3 to 3½ ft	2.75	25.00
	3½ to 4 ft	3.25	30.00
J.	squamata meyeri (Meyer Juniper).	Upright	ever-
	green shrub. Very dense habit. H foliage.	andsom	e blue
	15 to 18 in	1.25	10.00
	18 to 24 in	2.00	17.50
	2 to 2½ ft	2.75	25.00
	2½ to 3 ft	3.50	32.50
	3 to 3½ ft	5.00	
J.	virginiana (Red Cedar). Tall and sle in formal plantings.	ender.	Useful
	* 2 to 3 ft. sheared specimens	1.50	
	* 3 to 4 ft. " "	2.00	
	* 4 to 5 ft. " "	3.00	
	* 5 to 6 ft. " "	5.00	45.00
	* 6 to 8 ft. " "	7.50	72.50
	0 10 10 11.	12.00	110.00
	*10 to 12 1t.	18.00 26.00	170.00
	*12 to 14 it. *14 to 16 ft. " "	35.00	
J.	virginiana albospicata (Whitetip Redc branches white. Medium height.	edar).	Tips of
	2 to 2½ ft	3.00	
	2½ to 3 ft	3.50	
	3 to 4 ft	4.50	
	4 to 5 ft	5.50	
J.	virginiana cannarti. (Cannart Ceda height, dense growing, columnar for rich green foliage.		ledium Deep
	* 3 to 4 ft	3.25	30.00
	* 4 to 5 ft	3.⊿5 4.50	41.00
	* 5 to 6 ft	6.00	
	* 6 to 8 ft	8.00	
	* 8 to 10 ft	12.00	
	*10 to 12 ft	15.00	
J.	virginiana elegantissima (Goldtip Redo yellow-tipped branches. Bronze in V		Bright
	* 3 to 4 ft	3.35	30.00
	* 4 to 5 ft	4.50	41.00
	* 5 to 6 ft	6.00	
	* 6 to 8 ft	8.00	
	* 8 to 10 ft	12.00	

	Each	Per 10
J. virginiana glauca (Silver Redcedar).	Forms	
column. Bluish-gray foliage. Used		
* 2 to 3 ft	2.50	
* 3 to 4 ft	3.25	
	4.50	40.00
* 5 to 6 ft	5.50 8.00	50.00 77. 50
* 8 to 10 ft	12.00	115.00
*10 to 12 ft	16.00	110.00
*12 to 14 ft.	20.00	-
22 00 22 20,	20.00	
J. virginiana Keteleeri. Upright. column	ar tree	; com-
pact and formal. Deep green foliage		
4 to 5 ft	4.50	
5 to 6 ft	6.00	52.50
6 to 8 ft	7.50	67.50
8 to 10 ft	12.00	115.00
PICEA canadensis (White Spruce). I	arge t	ree of
symmetrical growth. Dense, silvery		
1½ to 2 ft	1.00	9.00
2 to 2½ ft	1.25	10.00
2½ to 3 ft	1.75	15.00
3 to 4 ft	2.50	22.50
4 to 5 ft	3.50	32.50
5 to 6 ft	5.00	47.50
6 to 8 ft	7.00	67.50
*20 to 25 ft. Specimen 75.00 to	110.00	
P. engelmani (Engelmann Spruce). Broform with soft gray-green foliage.	ad pyra	amidal
2 to 2½ ft	2.50	
2½ to 3 ft	3.00	
3 to 4 ft	5.50	
P. excelsa (Norway Spruce). Large	ree of	
growth. Dark green foliage. Excelle	nt wind	break.
growth. Dark green foliage. Excelle 1½ to 2 ft	nt wind .75	break.
growth. Dark green foliage. Excelle 1½ to 2 ft	nt wind .75 1.00	7.00 9.00
growth. Dark green foliage. Excelle 1½ to 2 ft	nt wind .75	break.
growth. Dark green foliage. Excelle 1½ to 2 ft. 2 to 2½ ft. 2½ to 3 ft.	nt wind .75 1.00 1.25	7.00 9.00 11.00
growth. Dark green foliage. Excelle 1½ to 2 ft. 2 to 2½ ft. 2½ to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft.	nt wind .75 1.00 1.25 2.25	7.00 9.00 11.00 20.00
growth. Dark green foliage. Excelle 1½ to 2 ft. 2 to 2½ ft. 2½ to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. * 6 to 8 ft.	nt wind .75 1.00 1.25 2.25 3.50 5.00 7.00	7.00 9.00 11.00 20.00 30.00
growth. Dark green foliage. Excelle 1½ to 2 ft. 2 to 2½ ft. 2½ to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. * 6 to 8 ft. * 8 to 10 ft.	nt wind .75 1.00 1.25 2.25 3.50 5.00 7.00 9.00	7.00 9.00 11.00 20.00 30.00 45.00
growth. Dark green foliage. Excelle 1½ to 2 ft. 2 to 2½ ft. 2½ to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. * 6 to 8 ft. * 8 to 10 ft. *10 to 12 ft.	nt wind .75 1.00 1.25 2.25 3.50 5.00 7.00 9.00 14.00	7.00 9.00 11.00 20.00 30.00 45.00 65.00
growth. Dark green foliage. Excelle 1½ to 2 ft. 2 to 2½ ft. 2½ to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. * 6 to 8 ft. * 8 to 10 ft. * 10 to 12 ft. * 12 to 14 ft.	nt wind .75 1.00 1.25 2.25 3.50 5.00 7.00 9.00 14.00 18.00	7.00 9.00 11.00 20.00 30.00 45.00 65.00
growth. Dark green foliage. Excelle 1½ to 2 ft. 2 to 2½ ft. 2½ to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. * 6 to 8 ft. * 8 to 10 ft. * 10 to 12 ft. * 12 to 14 ft. * 14 to 16 ft.	nt wind .75 1.00 1.25 2.25 3.50 5.00 7.00 9.00 14.00 18.00 25.00	7.00 9.00 11.00 20.00 30.00 45.00 65.00
growth. Dark green foliage. Excelle 1½ to 2 ft. 2 to 2½ ft. 2½ to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. * 6 to 8 ft. * 8 to 10 ft. * 10 to 12 ft. * 12 to 14 ft. * 14 to 16 ft. * 16 to 20 ft.	nt wind .75 1.00 1.25 2.25 3.50 5.00 7.00 9.00 14.00 18.00 25.00 30.00	7.00 9.00 11.00 20.00 30.00 45.00 65.00 ———————————————————————————————————
growth. Dark green foliage. Excelle 1½ to 2 ft. 2 to 2½ ft. 2½ to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. * 6 to 8 ft. * 8 to 10 ft. *10 to 12 ft. *12 to 14 ft. *14 to 16 ft. *16 to 20 ft. Large specimens 50.00 to P. excelsa aurea (Golden Norway Spruce)	nt wind .75 1.00 1.25 2.25 3.50 5.00 7.00 9.00 14.00 18.00 25.00 30.00 100.00	7.00 9.00 11.00 20.00 30.00 45.00 65.00 ———————————————————————————————————
growth. Dark green foliage. Excelle 1½ to 2 ft. 2 to 2½ ft. 2½ to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. * 6 to 8 ft. * 8 to 10 ft. *10 to 12 ft. *12 to 14 ft. *14 to 16 ft. *16 to 20 ft. Large specimens 50.00 to P. excelsa aurea (Golden Norway Spruc golden yellow. Likes partial shade.	nt wind .75 1.00 1.25 2.25 3.50 5.00 7.00 9.00 14.00 18.00 25.00 30.00 100.00	7.00 9.00 11.00 20.00 30.00 45.00 65.00 225.00 270.00
growth. Dark green foliage. Excelle 1½ to 2 ft. 2 to 2½ ft. 2½ to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. * 6 to 8 ft. * 8 to 10 ft. * 10 to 12 ft. * 12 to 14 ft. * 14 to 16 ft. * 16 to 20 ft. Large specimens 50.00 to P. excelsa aurea (Golden Norway Sprudgolden yellow. Likes partial shade. * 2 to 2½ ft.	nt wind .75 1.00 1.25 2.25 3.50 5.00 7.00 9.00 14.00 18.00 25.00 30.00 100.00 ee). Le	7.00 9.00 11.00 20.00 30.00 45.00 65.00 225.00 270.00
growth. Dark green foliage. Excelle 1½ to 2 ft. 2 to 2½ ft. 2½ to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. * 6 to 8 ft. * 8 to 10 ft. *10 to 12 ft. *12 to 14 ft. *14 to 16 ft. *16 to 20 ft. Large specimens 50.00 to P. excelsa aurea (Golden Norway Spruc golden yellow. Likes partial shade. * 2 to 2½ ft. * 2½ to 3 ft.	nt wind .75 1.00 1.25 2.25 3.50 5.00 7.00 9.00 14.00 18.00 25.00 30.00 100.00 ee). Le	225.00 270.00 20.00 30.00 45.00 65.00 225.00 270.00
growth. Dark green foliage. Excelle 1½ to 2 ft. 2 to 2½ ft. 2½ to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. * 6 to 8 ft. * 8 to 10 ft. * 10 to 12 ft. * 12 to 14 ft. * 14 to 16 ft. * 16 to 20 ft. Large specimens 50.00 to P. excelsa aurea (Golden Norway Spruc golden yellow. Likes partial shade. * 2 to 2½ ft. * 2½ to 3 ft. * 3 to 3½ ft.	nt wind .75 1.00 1.25 2.25 3.50 5.00 7.00 9.00 14.00 18.00 25.00 30.00 100.00 ee). Le 3.00 4.00 6.00	100 20.00 30.00 45.00 65.00 270.00 aves a
growth. Dark green foliage. Excelle 1½ to 2 ft. 2 to 2½ ft. 2½ to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. * 6 to 8 ft. * 8 to 10 ft. *10 to 12 ft. *12 to 14 ft. *14 to 16 ft. *16 to 20 ft. Large specimens 50.00 to P. excelsa aurea (Golden Norway Spruc golden yellow. Likes partial shade. * 2 to 2½ ft. * 2½ to 3 ft. * 3 to 3½ ft. * 3½ to 4 ft.	nt wind .75 1.00 1.25 2.25 3.50 5.00 7.00 9.00 14.00 18.00 25.00 30.00 100.00 ee). Le 3.00 4.00 6.00 8.00	225.00 270.00 20.00 30.00 45.00 65.00 225.00 270.00
growth. Dark green foliage. Excelle 1½ to 2 ft. 2 to 2½ ft. 2½ to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. * 6 to 8 ft. * 8 to 10 ft. *10 to 12 ft. *12 to 14 ft. *14 to 16 ft. *16 to 20 ft. Large specimens 50.00 to P. excelsa aurea (Golden Norway Spruce golden yellow. Likes partial shade. * 2 to 2½ ft. * 2½ to 3 ft. * 3 to 3½ ft. * 3½ to 4 ft. * 4 to 5 ft.	nt wind .75 1.00 1.25 2.25 3.50 5.00 7.00 9.00 14.00 18.00 25.00 30.00 100.00 ee). Le 3.00 4.00 6.00 8.00 10.00	100 20.00 30.00 45.00 65.00 270.00 aves a
growth. Dark green foliage. Excelle 1½ to 2 ft. 2 to 2½ ft. 2½ to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. * 6 to 8 ft. * 8 to 10 ft. * 10 to 12 ft. * 12 to 14 ft. * 14 to 16 ft. * 16 to 20 ft. Large specimens 50.00 to P. excelsa aurea (Golden Norway Spruce golden yellow. Likes partial shade. * 2 to 2½ ft. * 2½ to 3 ft. * 3 to 3½ ft. * 3½ to 4 ft. * 4 to 5 ft.	nt wind .75 1.00 1.25 2.25 3.50 5.00 7.00 9.00 14.00 18.00 25.00 30.00 100.00 ee). Le 3.00 4.00 6.00 8.00	225.00 270.00 20.00 30.00 45.00 65.00 270.00 aves a

PICEA—Continued

	PICEA—Continued		
		Each	Per 10
P	excelsa conica (Arrowhead Norway		
	compact, symmetrical type. Very slo	_	
	* 3½ to 4 ft	_	_
	* 4 to 5 ft	8.00 10.00	
	± 00 0 10	10.00	
P.	excelsa maxwelli (Maxwell Spruce).	Round	l, com-
	pact, dwarf. Very formal.		
	*15 to 18 in	6.00	
	*18 to 24 in	10.00	
	* 2½ to 3 ft	15.00	
	* 3 to 3½ ft	20.00	
Ъ	excelsa pendula (Weeping Norway Spr	1100)	An in
1.			
	teresting and unique type, hav	mg n	ivertea
	branches.		
	*18 to 24 in	3.50	
	* 2 to 2½ ft	4.50	
	* 2½ to 3 ft	5.50 6. 00	
	* 3 to 4 ft * 4 to 5 ft	7.50	
	* 5 to 6 ft	9.00	
	* 6 to 8 ft	12.00	
			_
P.	excelsa pygmea (Pygmy Norway Spr	uce).	Dwarf,
	slow growing evergreen.		
	*18 to 24 in	6.00	55.00
	* 2 to 2½ ft	7.50	65.00
	* 2½ to 3 ft	10.00	
P	excelsa pyramidalis (Pyramidal Nor	way S	nruce)
	The very erect branches form a nar		
	* 3 to 4 ft	4.00	
	* 4 to 5 ft	5.00	
	* 5 to 6 ft	6.00	
	* 6 to 8 ft	9.00	
m	excelsa remonti (Remont Spruce). D		of
r.	Norway Spruce. Dense, formal grow		orni oi
	* 2 to 2½ ft	8.00	
	* 2½ to 3 ft	10.00	
	* 3 to 3½ ft	12.50	
	* 3½ to 4 ft	16.00	
	* 4 to 5 ft	25.00	
10	glauca conica (Dwarf Elberta Spruce)	Trom	ı com
Ρ.	pact, slow growing type.	. Ver	y COIII-
		1.75	
	*12 to 15 in	2.25	
	*18 to 24 in	4.00	37.50
	*24 to 30 in	6.00	57.50
	*30 to 36 in	8.00	
	* 3 to 3½ ft	10.00	
		D1 ~	
Р.	pungens glauca moerheimi (Moerheim		
	A symmetrical grafted type of blue sp ior in color and compactness.	ruce.	super-
		F 00	
	15 to 18 in	5.00	

18 to 24 in. 7.50 —

PICEA—Continued

	PICEA—Continued		
		Each	Per 10
P.	omorika (Servian Spruce). Handsome		
	narrow habit. Very hardy.		
	* 2 to 2½ ft	5.00	
	* 2½ to 3 ft	7.50	
	* 3 to 4 ft	10.00	
	* 4 to 5 ft	13.50	-
P.	orientalis (Oriental Spruce). Mediumidal tree. Dark green foliage. Slov		
		_	1.
	* 7 to 8 ft	20.00	
	* 8 to 10 ft	35.00	
	*10 to 12 ft	45.00	
	*12 to 14 ft	50.00	
Ρ.	polita (Tigertail Spruce). Light gree age. Useful as specimen.		
	* 2 to 3 ft	4.00	
	* 3 to 4 ft	6.00	
	* 4 to 5 ft	8.00	
	* 5 to 6 ft	10.00	
	* 6 to 7 ft	14.00	
	* 7 to 8 ft	16.50	
	* 8 to 9 ft	20.00	
	* 9 to 10 ft	25.00	
Ρ.	pungens (Colorado Spruce). Symmet specimen or windbreak. Foliage light		
	2 to 2½ ft	1.50	12.50
	2½ to 3 ft	2.00	17.50
	3 to 4 ft	3.50	30.00
	4 to 5 ft	5.00	45.00
	* 5 to 6 ft	7.50	67.50
	* 6 to 7 ft	10.00	
Ρ.			Sym-
	metrical tree for specimen. Blue fol		19.50
	15 to 18 in		12.50
	18 to 24 in	2.40	22.50
	2 to 2½ ft	3.25	30.00
	2½ to 3 ft	4.00	37.00
	* 3 to 4 ft	5.00	45.00
	* 4 to 5 ft	7.50	70.00
	* 5 to 6 ft	12.00	110.00
	* 6 to 8 ft	16.00	150.00
P.	pungens kosteri (Koster Blue Spruce). foliage, giving distinct color tone.		y-blue
	*18 to 24 in	4.00	
	* 2 to 2½ ft	6.00	
	* 2½ to 3 ft	8.00	
	* 3 to 3½ ft	10.00	
	* 3½ to 4 ft	12.00	
	* 4 to 5 ft	15.00	
	* 5 to 6 ft	22.00	· ·
	* 6 to 7 ft	30.00	
	* 7 to 8 ft	36.00	
	* 8 to 10 ft 50.00 to		
	*10 to 15 ft		
	*15 to 20 ft 150.00 to		
		200.00	

PICEA—Continued

PICEA—Continued		
	Each	Per 10
P. pungens kosteri pendula (Koster W		
Spruce). Very drooping type of	Koster	Blue
Spruce.		
* 5 to 6 ft	30.00	
* 6 to 7 ft	35.00	
* 7 to 8 ft	40.00	
* 8 to 10 ft	60.00	
*10 to 12 ft	75.00	
	.0.00	
PINUS flexilis (Limber Pine). Dark,	la land a la	
	Diuisii	-green
foliage. Very hardy.		
* 2 to 3 ft	3.00	27.00
* 3 to 4 ft	4.00	37.50
* 4 to 5 ft	5.50	50.00
* 5 to 6 ft	7.50	67.50
* 6 to 8 ft	9.00	87.50
* 8 to 10 ft	12.00	
P mentana muchus (Mucha Dina)	Tarr on	arrina
P. montana mughus (Mugho Pine). S	_	owing,
symmetrical, dwarf. Foliage dark gr	een.	
15 to 18 in	1.50	12.50
1½ to 2 ft.	2.50	22.50
2 to 2½ ft	3.50	32.50
2½ to 3 ft.	4.00	37.50
3 to 3½ ft	5.50	52.50
3½ to 4 ft	6.75	65.00
4 to 5 ft	8.00	75.00
5 to 6 ft	10.00	
P. nigra (Austrian Pine). Vigorous, d	മാമ അ	owing
tree. Foliage glossy, dark green. C	i000 10	r sea-
shore planting.		
2 to 3 ft. sheared	2.00	18.00
3 to 4 ft. sheared	3.00	27.00
4 to 5 ft. sheared	4.50	42.50
5 to 6 ft	6.00	55.00
* 6 to 7 ft	8.00	75.00
* 7 to 8 ft	12.00	115.00
* 8 to 10 ft	25.00	225.00
*10 to 12 ft	35.00	
10 00 12 10 11 11 11 11 11 11 11 11 11 11 11 11		
De la la la Company (Ded Dine) Vigeneus grant	motrico'	1 +200
P. resinosa (Red Pine). Vigorous, sym		
Long, rich green needles, reddish bro	own bar	K.
* 2 to 3 ft	2.00	-
* 3 to 4 ft	2.75	Green Market
4 to 5 ft	4.00	37.50
5 to 6 ft	5.00	45.00
6 to 8 ft	8.00	75.00
8 to 10 ft	15.00	140.00
10 to 12 ft	25.00	
12 to 14 ft	35.00	
15 to 20 ft	50.00	

PINUS—Continued		
	Each	Per 10
P. strobus (White Pine). Tall, straight tre		
tinted foliage. Group or screen plan		i biuc-
* 2 to 3 ft. sheared	1.50 2.25	20.00
4 to 5 ft. sheared	3.50	32.50
5 to 6 ft. sheared	5.00	45.00
6 to 8 ft	7.50	70.00
8 to 10 ft	12.00	105.00
10 to 12 ft	18.00	-
12 to 14 ft	25.00	
P. sylvestris (Scotch Pine). Hardy, qu	iick g	rowing
screen tree. Short blue-green twis		eedles.
Screen or specimen.		
6 to 8 ft	6.00	
8 to 10 ft	10.00	95.00
10 to 12 ft	14.00	
12 to 15 ft	20.00	•
P. tanyosho (Japanese Table Pine).	Low o	rowing
round, symmetrical type. Used as sp	_	_
	3.25	30.00
18 to 24 in	4.50	40.00
2½ to 3 ft	5.25	50.00
3 to $3\frac{1}{2}$ ft	7.50	
3 1/2 to 4 ft	9.00	
Specimens 40.00 to	100.00	
P. thunbergi (Japanese Black Pine). Exce	llent f	or sea-
shore, sandy, or windswept situations,		
2 to 3 ft	1.85	16.50
3 to 4 ft	3.00	27.50
4 to 5 ft	4.50	42.50
5 to 6 ft	6.00	55.00
6 to 8 ft	10.00	90.00
PSEUDOTSUGA douglasi (Douglas Fir)	. Pyr	amidal
tree of dense, graceful habit.	Ü	
2 to 3 ft	1.80	16.20
3 to 4 ft	2.70	22.50
* 4 to 5 ft	3.75	30.00
* 5 to 6 ft	5.25 7.50	45.00
* 8 to 10 ft	15.00	72.00
SCIADOPITYS verticillata (Umbrella-P		
growing Japanese tree. Pyramidal		nusual
dark green needles. Used as specime	n.	
*15 to 18 in	3.00	
* 1½ to 2 ft	5.00	
* 2 to 2½ ft * 2½ to 3 ft	7.00 9.00	
* 3 to 4 ft. specimens	12.00	
* 4 to 5 ft. specimens	18.00	
* 5 to 6 ft. specimens	22.50	
* 6 to 7 ft. specimens	27.00	
* 7 to 8 ft. specimens	35.00	

		Per 10
TAXUS baccata dovastoni aureovariegat		
vaston Yew). Low-growing, spread		
drooping at the end. Short green gated with yellow.	needles	varie-
*18 to 24 in	3.50	32.50
* 2 to 2½ ft	4.50	42.50
* 2½ to 3 ft	5.50	52.50
* 3 to 3½ ft	7.00	65.00
* 3½ to 4 ft	9.00	
T. baccata elegantissima (Variegated l	English	Yew).
Compact, symmetrical type. Folia	ge clos	e and
variegated.		
*18 to 24 in	3.50	32.50
* 2 to 2½ ft	4.50	42.50
* 2½ to 3 ft	5.50	
* 3 to 3½ ft	7.00	
* 3½ to 4 ft	9.00	
T. baccata hibernica (Irish Yew). Very		dense
branches. Dark glossy green foliag *12 to 18 in		
*18 to 24 in	$\frac{2.50}{3.25}$	
* 2 to 2½ ft	4.00	
2½ to 3 ft	6.00	
3 to 3½ ft	8.00	
T. baccata repandens (Spreading English	Yew).	Low-
growing, spreading branches, drooping		
Very dark green needles.	0	
1½ to 2 ft	2.00	18.00
2 to 2½ ft	3.00	25.00
* 2½ to 3 ft	5.00	45.00
* 3 to 3½ ft	7.50	70.00
* 3½ to 4 ft	10.00	95.00
* 4 to 5 ft	15.00	
T. baccata washingtoni (Washington Ye	ew). Vi	igorous
compact type. Partly colored golder	1 yellow 2.00	
*15 to 18 in *18 to 24 in	3.00	17.50
* 2 to 2½ ft	4.00	
		habit
T. canadensis (Canada Yew). Low sp Bronze in Winter. Prefers shade.	reading	Hauit
15 to 18. in	1.25	10.00
1½ to 2 ft	1.80	15.00
2 to 2½ ft	3.00	26.00
2½ to 3 ft	4.00	•
3 to 3½ ft	5.00	
3½ to 4 ft	6.00	
4 to 5 ft	7.50	
5 to 6 ft	12.00	
T. cuspidata (Spreading Japanese Yew).		rowing
bushy type. Foliage rich, dark gree		0.00
15 to 18 in	1.00	9.00
18 to 24 in	$\frac{1.50}{2.50}$	13.50 20.00
2 to 2½ ft	3.50	30.00
* 3 to 3½ ft	4.50	40.00
* 3½ to 4 ft.	6.50	60.00
* 4 to 5 ft	9.00	85.00
* 5 to 6 ft	12.00	110.00
4 0 1 P 64	00.00	

* 6 to 7 ft. 20.00 ----

TAXUS—Continued

	TAXUS—Continued		
		Each	Per 10
CHO	TT 4 A A ATTION OF THE TERM		
Т.	cuspidata capitata (Upright Japanese metrical, pyramidal growth. Foliagreen.		
	1½ to 2 ft	2.00	18.00
	2 to 2½ ft	3.00	27.00
	$2\frac{1}{2}$ to 3 ft	4.00	37.50
	3 to 3½ ft	5.00	47.50
	* 3½ to 4 ft	7.00	67.50
	* 4 to 4½ ft	8.00	75.00
	* 4½ to 5 ft	9.00	85.00
	* 5 to 6 ft	14.00	135.00
	* 6 to 7 ft	20.00	-
	* 7 to 8 ft	30.00	
	* 8 to 10 ft	50.00	
T.	cuspidata hatfieldi (Hatfield Yew). I pact perfectly furnished cone shap offers many possibilities in small gar 1½ to 2 ft	ed bush	
	2 to 2½ ft	6.00	52.50
T.	Slow-growing and similar to cuspida more compact.	ta, but	much
	15 to 18 in	2.00	17.50
	18 to 24 in	2.50	22.50
	2 to 2½ ft	3.75	33.00
	2½ to 3 ft	4.50	40.00
	* 3 to 3½ ft	6.00	
	* 3½ to 4 ft	9.00	
	1 00 1/2 10	14.00	
	* 4½ to 5 ft. * 5 to 6 ft.	18.00 30 .00	
	* 6 to 7 ft	50.00	
	0 00 110,	00.00	
T.	cuspidata nana (compacta) (Dwarf Ja Slow growing, irregular and spreading green, broad, thick leaves.	g. Very	dark
	15 to 18 in	2.25	20.00
	18 to 24 in	3.00	25.00
	2 to 2½ ft	5.00	45.00
	* 2½ to 3 ft * 3 to 3½ ft	7.50 10.00	70.00
	* 3½ to 4 ft	15.00	
	* 4 to 4½ ft.	20.00	
Т.	media hicksi (Hicks Japanese Yew). E upright grower. Short dark green formal.		
	18 to 24 in	2.25	20.00
	2 to 2½ ft	3.50	30.0
	3 to 3½ ft	6.00	55.00
	3½ to 4 ft	8.00	
Т.	cuspidata pyramidalis ovienda. Com yew. Dark green foliage		pright
	1½ to 2 ft	3.50	
	2 to 2½ ft	5.00	
	2 ¹ / ₂ to 3 ft	7.50	
	3 to 3½ ft	10.00	

Each Per 10

THUJA occidentalis (American Arborvitae). S	Slender
pyramid, broad at base. Foliage bronze in V	Winter.
Good for hedge or sheared specimen.	
18 to 24 in	5.50
2 to 3 ft	6.00

	18	to	24	in.	• • • • • • • • • • • • • • • • • • • •	.60	5.50
	2	to	3	ft.	• • • • • • • • • • • • • • • • • • • •	.75	6.00
	3	to	4	ft.	• • • • • • • • • • • • • • • • • • • •	1.35	11.00
	4	to	5	ft.	• • • • • • • • • • • • • • • • • • • •	2.00	18.00
	5	to	6	ft.	• • • • • • • • • • • • • • • • • • • •	3.50	30.00
						5.50	50.00
8	8	to	10	ft.		10.00	90.00
ן י	01	to	12	ft.	• • • • • • • • • • • • • • • • • • • •	14.00	130.00
1	12	to	14	ft.		18.00	`
٤]	14	to	16	ft.		25.00	

T.	occidentalis	caucasica	(Caucasian	Arborvitae).
----	--------------	-----------	------------	--------------

$2\frac{1}{2}$ to 3	ft.		4.00	
		• • • • • • • • • • • • • • • • • • • •	5.00	
		• • • • • • • • • • • • • • • • • • • •	6.00	

T. occidentalis Columbia (Columbia Arborvitae). Strong growing pyramid. Foliage tips have silvery variegation.

18 to 24 in	 1.50	
2 to 2½ ft	 2.00	18.00
2½ to 3 ft	 2.50	22.50
3 to 4 ft	 3.00	27.00
4 to 5 ft	 4.00	39.00
5 to 6 ft	 6.00	57.50
6 to 7 ft	 7.50	70.00
7 to 8 ft	 10.00	
8 to 10 ft	 15.00	p

T. occidentalis compacta (Parson's Dwarf Arborvitae). Formal globe-shape with bright green foliage.

	12 to 15	in.		.60	5.50
	15 to 18	in.		.80	7.50
	18 to 24	in.	••••••	1.00	9.00
*	2 to 2½	ft.		1.50	13.00
38	$2\frac{1}{2}$ to 3	ft.		1.85	15.00
			• • • • • • • • • • • • • • • • • • • •	2.00	

T. occidentalis globosa (Globe Arborvitae). Natural compact globe. Low growing.

12 to 15 in	.60	5.70
15 to 18 in	1.00	9.00
18 to 24 in	1.25	10.00
2 to 2½ ft	1.75	16.20
2½ to 3 ft	2.50	22.50

T. occidentalis hoveyi (Hovey Arborvitae). Dwarf oval type with dense, rich green foliage.

15 to 18 in	 1.00
1½ to 2 ft	 1.25
2 to 2½ ft	 1.80 16.20
2½ to 3 ft	 2.25 20.00
3 to 3½ ft	 2.75 25.00
3½ to 4 ft	 3.25
4 to 5 ft	 4.00 ——

THUJA—Continued

	THUJA—Continued		
		Foob	Per 10
T.			
	Strong-growing, pyramidal type with	prignt	yellow
	foliage.	1.15	0.00
	2 to 2½ ft	1.15	9.00
	2½ to 3 ft	1.50	13.00
	3 to 4 ft	2.25	20.00
	4 to 5 ft	2.65	22.50
	*5 to 6 ft	3.75	33.50
	*6 to 8 ft	5.25	
T.	occidentalis pyramidalis (Pyramidal	Arboi	vitae).
	Narrow, columnar type. Foliage		
	throughout Winter.	DIIGIIU	810011
	2 to 2½ ft	1.00	8.00
	2½ to 3 ft	1.25	10.00
		1.85	15.00
	3 to 4 ft		
	4 to 5 ft	2.65	24.00
	5 to 6 ft	4.00	35.00
	6 to 7 ft	5.50	50.00
	7 to 8 ft	7.00	60.00
	8 to 10 ft	12.00	110.00
T.	occidentalis rosenthali (Rosenthal	Arboi	vitae).
	Slow-growing pyramid. Good green,		
	1½ to 2 ft	1.25	9.00
	2 to 2½ ft	1.50	13.00
	2½ to 3 ft	1.85	16.50
	3 to 4 ft	2.75	25.00
	4 to 5 ft	4.00	37.50
	5 to 6 ft	5.00	45.00
T.	occidentalis spiralis (Douglas Pyran	กเสลา	Arhor-
	vitae). Formal pyramidal type. Sh		
	branches, deep green foliage.	1010 10	111 11110
	2 to 3 ft	1.25	10.00
	3 to 4 ft		
		1.50	12.50
		2.25	20.00
		3.75	35.00
		5.75	55.00
	7 to 8 ft	7.50	70.00
1	8 to 9 ft	12.00	
T.	occidentalis vervaeneana (Vervaene	Arbon	vitae).
	Broad pyramid. Foliage variegated		
	ing to bronze in Winter.	<i>J</i> · · ,	
	18 to 24 in	1.00	
	2 to 2½ ft	1.25	9.00
	2½ to 3 ft	1.50	13.00
	3 to 4 ft	1.85	16.50
	4 to 5 ft	2.65	22.50
		3.75	33.50
	6 to 8 ft	7.50	
T.	occidentalis wareana (Ware Arbory	itae).	Light
	green, dense foliage. Broad, pyram	idal ty	pe.
	1½ to 2 ft	1.00	9.00
	2 to 2½ ft	1.50	12.50
	2½ to 3 ft	1.85	
	3 to 4 ft	2.65	
	4 to 5 ft	3.35	30.00
		0.00	00.00

THUJA—Continued

Eac	h P	er :	10
-----	-----	------	----

T.	orientalis	aurea na	na (Berkman	's G	olden	Arbor-
	vitae).	Excellent	for	formal	use	and	edging.
	Compact	rounded,	dwa	rf type.	Fol	iage a	a warm
	golden y	ellow.					

12 to 15	in.	 	 . 1.00	9.00
15 to 18	in.	 	 . 1.50	13.00
18 to 21	in.	 	 . 2.25	20.00
21 to 24				27.50
24 to 30				37.50

T. orientalis aurea conspicua (Goldspire Arborvitae). Erect, golden yellow foliage.

*18 to 24 in.		1.50	
*2 to 2½ ft.	* * * * * * * * * * * * * * * * * * * *	2.00	17.50
		3.00	27.50
			35.00
*4 to 5 ft.		5.00	

T. orientalis elegantissima (Yellow Colum Arborvitae). Columnar type. Deep rich bronze in Winter.

*18 to 24 in.	 1.00	
*2 to 2½ ft.	 1.50	12.50
$*2\frac{1}{2}$ to 3 ft.	 2.25	20.00
	 3.00	27.50
*4 · to 5 ft.	 5.00	
*5 to 6 ft.	 7.50	

T. plicata atrovirens (Giant Arborvitae). Vigorous growth, rich shiny leaves.

4	to	5	ft.	• • • • • • • • • • • • • • • • • • • •	3.00	
					4.00	
6	to	8	ft.		6.00	
8	to	10	ft.		7.50	

T. standishi (Standish Arborvitae). Vigorous, upright growth forming a pyramid. Used in group or specimen plantings.

21/	2 to	3	ft.	n	1.85	
3	to	4	ft.		2.75	24.00
4	to	5	ft.		3.75	33.50
					5.25	48.50
					7.50	72.50

TSUGA canadensis (Canada Hemlock). Large growing tree of graceful habit. Spreading horizontal branches. May be used as clipped hedge.

4 10 272	IU.		1.00	13.00
2½ to 3	ft.		2.25	20.00
3 to 3½	ft.		3.00	27.50
3½ to 4	ft.		3.75	35.00
4 to 5	ft.		5.00	45.00
5 to 6	ft.		7.50	70.00
6 to 7	ft.		10.00	90.00
7 to 8	ft.		13.50	127.50
8 to 10	ft.		22.00	
10 to 12	ft.	30.00 to	40.00	

TSUGA—Continued

	Each	Per 10
T. canadensis pendula (Sargents Weepi	ng Hen	nlock).
A very desirable evergreen tree of w	eeping	habit.
Branches spreading.		
15 to 18 in	3.00	26.00
18 to 24 in	4.50	40.00
2 to 2½ ft	6.75	60.00
T. carolineanum. Evergreen of good ha	bit and	color.
2 to 2½ ft	2.50	20.00
2½ to 3 ft	3.50	30.00
3 to 4 ft	5.00	45.00
4 to 5 ft	6.50	60.00
5 to 6 ft	10.00	90.00
6 to 7 ft	15.00	
T. diversifolia (Japanese Hemlock). Gra		pread-
ing branches; dark green, glossy fo	-	
2 to 2½ ft	4.50	
2½ to 3 ft	5.50	
3 to 3½ ft	6.50	
3½ to 4 ft	8.50	
4 to 5 ft	10.00	
5 to 6 ft	14.00	-
6 to 8 ft	16.00	-

Evergreen Shrubs

In Winter, when the landscape is almost shorn of its beauty, the bright, glossy foliage of evergreen shrubs make a brave display, and are on this account, doubly valuable.

A deep, cool, moist subsoil with proper drainage is the ideal soil, and a shaded position is often preferable.

able.	Each 1	Per 10
AZALEA amoena (Japanese Azalea). Att ple-red flowers. April-May. Small, leaves in Summer, turning to a rich in Winter. 2-3 ft.	ractive bright bronze	, pur- green
10 to 12 in	.90	7.50
12 to 15 in	1.15	9.00
15 to 18 in	1.75	15.00
18 to 21 in	2.50	22.50
A. hinodegiri (Hinodegiri Azalea). Brig pink flowers. April-May. Leaves amoena and better habit. 3 to 4 ft *10 to 12 in.	larger	
*12 to 15 in	2.00	
*15 to 18 in	3.00	
BERBERIS julianae (Wintergreen Barberapid growth with broad spined leave		Fairly
15 to 18 in	1.50	
18 to 24 in	1.85	
2 to 2½ ft		
B. ilicifolia (Holly Barberry). Holly-like sisting until new foliage appears; fl 15 to 18 in		12.50 18.00
BUXUS japonica (Pyramidal Form, She	ared).	
*2 to 2½ ft	4.00	
*2½ to 3 ft	6.00	
*3 to 3½ ft	8.00	
B. sempervirens (Common Box). Slow-fashioned evergreen, very useful in colonial plantings. May be sheared into any form desired. 12-15 ft. 10 to 12 in. bushy	forma	al and rained
2 ½ to 3 ft. bushy	5.00	
B. sempervirens rotundifolia (Round-le hardy, strong-growing type, having a round leaf. 12-15 ft.	eaf Box	x). A green,

18 to 24 in.

2.25

3.50 4.50

1935

BUXUS—Continued

	Fach	Per 10
B. sempervirens suffruticosa (True Dwa	uri Box). Ex-
cellent for hedges in informal gard	en, 2 t	0 3 16.
6 to 8 in Per 100, \$30.00	.40 nh	3.50
8 to 10 in Per 100, \$60.00	1.20	
10 to 12 in	1.20	10.50
COTONEASTER horizontalis (Rock	Cotone	easter).
Low-spreading shrub. Small, shiny		
red berries. 1 to 1½ ft.	,	_
2 to 2½ ft	1.50	
2½ to 3 ft	2.00	18.00
3 to 4 ft	2.75	25.00
DAPHNE encorum (Garland Flower).	Flow	ers in
small pink clusters, fragrance resem		
Arbutus. May, June and often agai		
8 to 10 in	.75	
10 to 12 in	1.00	
12 to 15 in	1.50	
15 to 18 in	2.00	
FUONVMUE ignorieur (Joneses Euro		Duglar
EUONYMUS japonicus (Japanese Euon		Busny,
upright habit. Lustrous deep green 15 to 18 in	1.00	7.50
18 to 24 in	1.50	
E. radicans acutus. (Sharpleaf Winterch	reeper).	Habit
similar to radicans. Long, narrow	leaves,	purple
tinted underneath.		
4 years		5.00
5 years		6.00
6 years	.90	8.50
E. radicans vegetus (Bigleaf Wintercre	eper).	Strong
growing, shrubby vine. Handsome		
leaf. Abundant scarlet fruit.		_
3 years	.50	4.00
4 years		6.00
5 years	.90	8.50
HEDERA helix (English Ivy). Everg	reen c	linging
vine.	i ceri, e	
Medium plants	.35	3.00
Strong plants	.50	4.50
Extra strong plants	.80	7.50
ILEX crenata (Japanese Holly). Rapid		
green shrub. Glossy, dark green if fruit. Grows to 6 to 8 ft.	ieaves.	Black
15 to 18 in	1.85	15.00
18 to 24 in	2.25	20.00
2 to 2½ ft	3.00	27.50
2½ to 3 ft	4.00	37.50
3 to 3½ ft	5.50	
3½ to 4 ft.	6.50	
4 to 5 ft	10.00	
5 to 6 ft	14.00	
		D.C 1
I. CONVEXA (bullata) Convexed leaved	nolly.	makes
a distinctive specimen. 15 to 18 in	9.50	
18 to 24 in	2.50	27.50
2 to 2½ ft	3.00 3.50	27.50
2 00 2/2 10	0.00	

ILEX—Continued

	Each	Por 10
*		
I. glara (Inkberry). Dense growing sl		Shiny.
dark green leaves. Does well in shad		
12 to 15 in	1.25	10.00
15 to 18 in	1.50	12.50
18 to 24 in	2.00	18.00
2 to 2½ ft	3.00	26.50
2½ to 3 ft	4.00	35.00
3 to $3\frac{1}{2}$ ft	5.00	45.00
3½ to 4 ft	6.00	55.00
4 to 5 ft	7.00	65.0 0
I. opaca (American Holly). Slow-growin leaves, bright-red berries.	g tree,	spiny
2 to 3 ft	3.00	
3 to 4 ft	5.00	
4 to 5 ft	7.00	
KALMIA latifolia (Mountain-laurel). foliage and showy clusters of pink flo Likes shade. Grows to 5 to 7 ft.		green June.
15 to 18 in	1.00	9.00
1½ to 2 ft	1.50	14.00
2 to 2½ ft	2.50	24.00
2½ to 3 ft.	3.25	31.50
3 to 3½ ft	4.50	42.50
3½ to 4 ft	5.50	12.00
4 to 4½ ft:	7.00	
5 to 6 ft	9.50	
Laurel). A large shrub or small tre green, glossy foliage. Useful as spe- or for screens.	ee with	dark
2 to 2½ ft	3.00 4.00	
	1.00	
LEIOPHYLLUM buxifolium (Box Sandmy ly branched, low evergreen shrub, when produced in profusion.	rtle). I	Dense- ossoms
LEIOPHYLLUM buxifolium (Box Sandmy ly branched, low evergreen shrub, where the same shrub, which is the same s	rtle). I	Dense- ossoms
LEIOPHYLLUM buxifolium (Box Sandmy ly branched, low evergreen shrub, when produced in profusion. 12 to 18 in. 18 to 21 in.	rtle). I	Dense- ossoms
LEIOPHYLLUM buxifolium (Box Sandmy ly branched, low evergreen shrub, when produced in profusion. 12 to 18 in.	rtle). Inite blo	Dense- ossoms
LEIOPHYLLUM buxifolium (Box Sandmy ly branched, low evergreen shrub, wh produced in profusion. 12 to 18 in. 18 to 21 in. 2 to 2½ ft. LEUCOTHOE catesbaei (Drooping Leuco with spreading, slender branches. Lu leaves. Rich Autumn color. White fil	3.00 3.75 4.50 othoe).	ssoms ——————————————————————————————————
LEIOPHYLLUM buxifolium (Box Sandmy ly branched, low evergreen shrub, wh produced in profusion. 12 to 18 in. 18 to 21 in. 2 to 2½ ft. LEUCOTHOE catesbaei (Drooping Leuco with spreading, slender branches. Lu leaves. Rich Autumn color. White fi June. 3 to 4 ft.	3.00 3.75 4.50 othoe).	ssoms ——————————————————————————————————
LEIOPHYLLUM buxifolium (Box Sandmy ly branched, low evergreen shrub, when produced in profusion. 12 to 18 in. 18 to 21 in. 2 to 2½ ft. LEUCOTHOE catesbaei (Drooping Leucowith spreading, slender branches. Lu leaves. Rich Autumn color. White find June. 3 to 4 ft. 12 to 15 in.	3.00 3.75 4.50 thoe). astrous owers.	ssoms Shrub green May- 9.00
LEIOPHYLLUM buxifolium (Box Sandmy ly branched, low evergreen shrub, when produced in profusion. 12 to 18 in. 18 to 21 in. 2 to 2½ ft. LEUCOTHOE catesbaei (Drooping Leuco with spreading, slender branches. Lu leaves. Rich Autumn color. White fluore. 3 to 4 ft. 12 to 15 in. 15 to 18 in.	3.00 3.75 4.50 thoe). astrous owers.	ssoms Shrub green May- 9.00 11.00
LEIOPHYLLUM buxifolium (Box Sandmy ly branched, low evergreen shrub, when produced in profusion. 12 to 18 in. 18 to 21 in. 2 to 2½ ft. LEUCOTHOE catesbaei (Drooping Leuco with spreading, slender branches. Lu leaves. Rich Autumn color. White fluore. 3 to 4 ft. 12 to 15 in. 15 to 18 in. 18 to 24 in.	3.00 3.75 4.50 thoe). astrous owers. 1.00 1.25 1.50	ssoms ——————————————————————————————————
LEIOPHYLLUM buxifolium (Box Sandmy ly branched, low evergreen shrub, when produced in profusion. 12 to 18 in. 18 to 21 in. 2 to 2½ ft. LEUCOTHOE catesbaei (Drooping Leuco with spreading, slender branches. Lu leaves. Rich Autumn color. White fluore. 3 to 4 ft. 12 to 15 in. 15 to 18 in.	3.00 3.75 4.50 thoe). astrous owers.	ssoms Shrub green May- 9.00 11.00
LEIOPHYLLUM buxifolium (Box Sandmy ly branched, low evergreen shrub, when produced in profusion. 12 to 18 in. 18 to 21 in. 2 to 2½ ft. LEUCOTHOE catesbaei (Drooping Leuco with spreading, slender branches. Lu leaves. Rich Autumn color. White fluore. 3 to 4 ft. 12 to 15 in. 15 to 18 in. 18 to 24 in.	3.00 3.75 4.50 thoe). strous owers. 1.00 1.25 1.50 2.25). Even h are k y-June	Shrub green May- 9.00 11.00 13.50 20.00 rgreen oronze Does
LEIOPHYLLUM buxifolium (Box Sandmy ly branched, low evergreen shrub, when produced in profusion. 12 to 18 in. 18 to 21 in. 2 to 2½ ft. LEUCOTHOE catesbaei (Drooping Leuco with spreading, slender branches. Lu leaves. Rich Autumn color. White fluore. 3 to 4 ft. 12 to 15 in. 15 to 18 in. 18 to 24 in. 2 to 2½ ft. MAHONIA aquifolia (Oregon Hollygrape shrub having shiny green leaves which in Winter. Showy yellow flowers. Ma	3.00 3.75 4.50 thoe). strous owers. 1.00 1.25 1.50 2.25). Even h are k	Shrub green May- 9.00 11.00 13.50 20.00 rgreen bronze Does 9.00
LEIOPHYLLUM buxifolium (Box Sandmy ly branched, low evergreen shrub, when produced in profusion. 12 to 18 in. 18 to 21 in. 2 to 2½ ft. LEUCOTHOE catesbaei (Drooping Leuco with spreading, slender branches. Ludleaves. Rich Autumn color. White flyune. 3 to 4 ft. 12 to 15 in. 15 to 18 in. 18 to 24 in. 2 to 2½ ft. MAHONIA aquifolia (Oregon Hollygrape shrub having shiny green leaves which in Winter. Showy yellow flowers. Mawell in half shade. 4 to 5 ft.	3.00 3.75 4.50 thoe). strous owers. 1.00 1.25 1.50 2.25). Even h are k y-June 1.00 1.50	Shrub green May- 9.00 11.00 13.50 20.00 rgreen oronze Does
LEIOPHYLLUM buxifolium (Box Sandmy ly branched, low evergreen shrub, when produced in profusion. 12 to 18 in. 18 to 21 in. 2 to 2½ ft. LEUCOTHOE catesbaei (Drooping Leuco with spreading, slender branches. Lu leaves. Rich Autumn color. White fluore. 3 to 4 ft. 12 to 15 in. 15 to 18 in. 18 to 24 in. 2 to 2½ ft. MAHONIA aquifolia (Oregon Hollygrape shrub having shiny green leaves which in Winter. Showy yellow flowers. Mawell in half shade. 4 to 5 ft. 15 to 18 in.	3.00 3.75 4.50 3.thoe). astrous owers. 1.00 1.25 1.50 2.25). Even h are k y-June 1.00 1.50 2.00	Shrub green May- 9.00 11.00 13.50 20.00 rgreen bronze Does 9.00 12.50 17.50
LEIOPHYLLUM buxifolium (Box Sandmy ly branched, low evergreen shrub, when produced in profusion. 12 to 18 in. 18 to 21 in. 2 to 2½ ft. LEUCOTHOE catesbaei (Drooping Leuco with spreading, slender branches. Lu leaves. Rich Autumn color. White fluore. 3 to 4 ft. 12 to 15 in. 15 to 18 in. 18 to 24 in. 2 to 2½ ft. MAHONIA aquifolia (Oregon Hollygrape shrub having shiny green leaves which in Winter. Showy yellow flowers. Mawell in half shade. 4 to 5 ft. 15 to 18 in. 18 to 24 in.	3.00 3.75 4.50 thoe). strous owers. 1.00 1.25 1.50 2.25). Even h are k y-June 1.00 1.50	Shrub green May- 9.00 11.00 13.50 20.00 rgreen bronze Does 9.00 12.50 17.50 22.50
LEIOPHYLLUM buxifolium (Box Sandmy ly branched, low evergreen shrub, when produced in profusion. 12 to 18 in. 18 to 21 in. 2 to 2½ ft. LEUCOTHOE catesbaei (Drooping Leuco with spreading, slender branches. Lu leaves. Rich Autumn color. White fill June. 3 to 4 ft. 12 to 15 in. 15 to 18 in. 18 to 24 in. 2 to 2½ ft. MAHONIA aquifolia (Oregon Hollygrape shrub having shiny green leaves which in Winter. Showy yellow flowers. Mawell in half shade. 4 to 5 ft. 15 to 18 in. 18 to 24 in. 2 to 2½ ft.	3.00 3.75 4.50 3.thoe). astrous owers. 1.00 1.25 1.50 2.25). Even h are k y-June 1.00 1.50 2.00	Shrub green May- 9.00 11.00 13.50 20.00 rgreen bronze Does 9.00 12.50 17.50

	Fach	Per 10
DACHVSANDDA torminalia (Ionanasa		
PACHYSANDRA terminalis (Japanese Evergreen trailing vine. Dark green		
spikes of whitish flowers in May.		
cover in shade where grass will not		
Per 1000 Per 100)	
Medium plants \$100.00 \$12.00		1.50
Strong plants \$125.00 \$16.00	.25	2.00
PIERIS floribunda (Mountain Androme		
round, dwarf shrub. Dense dark		
masses of white flowers in early sp	oring.	Best in
partial shade. 4 ft. 15 to 18 in	2.50	22.50
18 to 24 in	3.25	
2 to 2½ ft.	4.50	
2½ to 3 ft	5.50	
P. japonica (Japanese Andromeda). I	Dense g	growing
shrub. Foliage rich green, graceful	white	flower
clusters. Partial shade. May. Grows		
15 to 18 in	2.25	
18 to 24 in	3.00	
2 to 2½ ft	4.00 5.25	
3 to 3½ ft	6.50	60.00
0 00 0/2 200	0.00	00.00
YUCCA filamentosa (Common Yucca).	Long	narrow.
leaves. Many creamy flowers on tal		
June. 2 to 3 ft.		•
Medium	.50	4.00
Strong plants	1.00	9.00
Extra strong plants	1.50	14.00
RHODODENDRON		
Rhododendron carolinianum (Carolina R	hodode	ndron)
Compact, bushy shrub. Bright pink		
June. 4 to 6 ft.		
*15 to 18 in	2.60	
*18 to 24 in	3.00	27.50
* 2 to 2½ ft	4.00 5.50	37.50
272 to 3 ft	0.00	
R. catawbiense (Catawba Rhododendron) Tara	o doon
rose flowers. May-June. 6 to 9 ft.). Larg	e, deep
2 to 2½ ft	3.75	35.00
2½ to 3 ft	4.85	46.00
3 to 4 ft	6.75	65.00
R. maximum (Rosebay Rhododendron).		
leaves with abundant white to light in June. 8 to 12 ft.	pink	biooms
2 to 2½ ft	2.60	24.00
2½ to 3 ft	3.35	31.50
3 to 4 ft	4.50	42.50
4 to 5 ft	6.50	
5 to 6 ft	9.00	
6 to 7 ft	12.00	

RHODODENDRON—Continued

	Each	Per 10
R. maximum. Heavy specimen plants.		
2 to 2½ ft	4.00	36.00
2½ to 3 ft	5.00	45.00
3 to 3½ ft	6.00	55.00
3½ to 4 ft	7.00	65.00
4 to 5 ft	8.00	75.00
5 to 6 ft	12.00	110.00

HYBRID RHODODENDRONS

Hybrid Rhododendrons. They are particularly cele-
brated for their very large clusters of handsome
flowers and clear color. Can furnish in shades
of pink, lavender, white and crimson.

	172 10 4	IU.	 5.00	
\$! k	2 to 2½	ft.	 6.00	

Deciduous Trees

Nothing can be planted which will grow so well and with so little attention and care as trees. The initial cost is small and paid for many times over by the beauty, pleasure and satisfaction which they bring.

Our collection includes trees adapted for all loca-

tions, climates and soils.

ACER dasycarpum (Silver Maple). Rapid growing,

	graceful, pendulous branches. Leave derneath. 60 to 80 ft.	es silve	ry un-
	derneatii. 00 to 00 10.	Each	Per 10
	2 to 2¼ in	2.75	22.50
	10 to 12 ft., 2½ to 2½ in	3.50	27.00
	12 to 16 ft., 2½ to 2¾ in	4.00	35.00
	2¾ to 3 in	4.75	37.50
	3 to 3½ in	7.50	72.50
	3½ to 4 in	10.00	12.00
	4 to 4½ in	12.50	
	4½ to 5 in	16.00	
	5 to 6 in	25.00	
	6 to 8 in	50.00	
A	· · · · · · · · · · · · · · · · · · ·		. 10 ft
PA.	ginnala (Amur Maple). Shrubby tree		
	Graceful and valuable for bright au		onage.
		$\frac{1.50}{2.00}$	
	5 to 6 ft	3.50	
		4.50	
	40 1 40 71	6.00	
			2.5
A.	S	ng tree	. Me-
	dium height.	0.05	
	8 to 10 ft., 1½ to 2 in	2.25	27.50
	2 to 2½ in	3.00	27.50
	$2\frac{1}{2}$ to 3 in	3.75 4.50	32.50 40.00
		6.00	40.00
		10.00	
			, ,
A.	Pennsylvanicum (Striped Maple).	Green	bark
	striped white. 6 to 8 ft	2.00	
		3.00	
	8 to 10 ft	4.00 5.00	
	and the second s	7.00	
Д.	platanoides (Norway Maple). Exceller		
	forming a round, symmetrical head.		75 ft.
	12 to 14 ft., 1¼ to 1½ in	2.25	20.00
	14 to 16 ft., 1½ to 1¾ in	2.75	22.50
	1¼ to 2 in	3.50	30.00
	_ 00 = /2 ==== 111111111111	4.25	37.50
	2½ to 2½ in	5.00	45.00
	2½ to 3 in	5.75	52.50

3 to 3½ in. 3½ to 4 in. 4 to 4½ in.

to 10 in.

in.

in.

4

*5

*6

*7

*8

*4½ to 5

to 6

to 7

to 8

8.00

11.00

16.00

20.00

30.00

60.00

75.00

40.00 380.00

75.00

100.00

150.00

180.00

275.00

ACER—Continued

	Eac	h	Pe	r	1	0
--	-----	---	----	---	---	---

A. platanoides argentea variegata (Variegated	Maple).
Somewhat slower growth than the type.	Leaves
have a silvery variegation. 40 to 60 ft.	

*6	to 8	ft.		5.00	
*8	to 10	ft.	• • • • • • • • • • • • • • • • • • • •	7.50	
			cal	10.00	

A. platanoides reitenbachi (Reitenbach Purple-leaved Maple). Leaves purple. Brilliant Fall coloring. 50 to 75 ft.

*12 to 14 ft., 134	to 2 in	6.00	
*2	to 21/4 in	7.50	
*21/4	to 2½ in	8.75	
*21/2	to 3 in	10.00	
*3	to 3½ in	15.00	

A. platanoides schwedleri (Schwedleri Purple-leaved Maple). Leaves a bronzy-purple in Spring turning to green in midsummer. 50 to 75 ft.

12	to	14	ft.,	13/4	to	2	in.	 6.00	52.50
				2	to	$2\frac{1}{4}$	in.	 7.00	60.00
				$2\frac{1}{4}$	to	$2 \! \! \! \! \! \! \! \! \! \! \! \! \! \! \! \! \! \! \!$	in.	 9.00	75.00
				$2\frac{1}{2}$	to	3	in.	 11.25	93.00
				3	to	$3\frac{1}{2}$	in.	 15.00	125.00
				$3\frac{1}{2}$	to	4	in.	 20.00	190.00
				4	to	$4\frac{1}{2}$	in.	 25.00	
				41/2	to	5	in.	 30.00	
				5	to	6	in.	 45.00	
				6	to	7	in.	 60.00	

A. platanoides spaethi (Spaeth Pink-leaved Maple). Leaves slightly smaller than Norway Maple. Purple-pink. 40 to 60 ft.

10 to 12	ft., 1½	to 13/4	in	6.00	
	*13/4	to 2	in	7.50	
	*2	to 2½	in	10.00	
	*21/2	to 3	in	12.00	
	*3	to 3½	in	15.00	

A. pseudoplatanus (Sycamore Maple). Large, vigorous growing tree. Symmetrical rounded head. 50 to 75 ft.

*10 to 14	ft 1%	to 2	in	4.50	37.50
	2		in	5.00	47.50
	$2\frac{1}{2}$		in	7.50	72.50
			in	9.50	92.50
			in	12.50	
			in	16.00	
	*41/2	to 5	in	20.00	
	*5		in	25.00	—
	*6	to 7	in	40.00	
	*7	to 8	in	60.00	
	*8	to 10	in	75.00	

ACER-Continued

Each	Per	10
	_	

A.	rubrum	(Red	Maple).	Larg	e ti	ree w	ith de	ense
	foliage.	Scarlet	flowers	in ear	ly S	pring.	Brilli	ant
	Autumn	colorin	g. Will	grow	in	moist	place.	50
	to 75 ft.							

		11/4	to	11/2	in.	 2.50	
		$1\frac{1}{2}$	to	1%	in.	 3.50	28.00
						 4.50	35.00
*12 to	0 16	ft., 2	to	21/2	in.	 5.50	45.00
						 7.50	65.00
						 10.00	90.00
						 15.00	140.00
						 22.00	

A. saccharum (Sugar Maple). Good street tree. More erect growth than Norway Maple. 50 to 75 ft.

ere	CU	gr	nuwc	UH	un	TAOL	way	/ 1/	rapit	e. ou	10 19	10.
10	to	12	ft.,	$1\frac{1}{2}$	to	1 3/4	in.				3.00	27.50
12	to	14	ft.,	1%	to	2	in.				4.00	37.50
											5.25	48.50
											7.50	67.50
			*	3	to	31/2	in.				9.75	90.00
			**	$3\frac{1}{2}$	to	4	in.				12.50	
			非	4	to	41/2	in.				16.00	
			*	$4\frac{1}{2}$	to	5	in.				20.00	
			*	5	to	6	in.				30.00	
			1	6	to	7	in.				40.00	
			1	7	to	8	in.				60.00	
				8	to	10	in				75.00	

JAPANESE MAPLES

Accr japonicum aureum. (Goldenmoon Maple). Very slow growing dwarf tree having a good golden foliage. 6 to 8 ft.

*3	to	4	ft.	 B. & B.	 18.00	
*4	to	5	ft.	 66	 25.00	
*5	to	6	ft.	 66	 35.00	

A. palmatum dissectum (Threadleaf Maple). Dwarf tree; slow growth, forming flat round head. Foliage is very lacy and attractive. 6 to 8 ft.

»įs	4	to	5	ft.		B. & B.	 30.00	
*	5	to	6	ft.		66	 40.00	
計	6	to	7	ft.	, .	66	 50.00	

A. palmatum atropurpureum (Grafts) (Bloodleaf Japanese Maple). Rich purple leaves all Summer. Makes splendid lawn specimen. 6 to 8 ft.

18 to 24 in.	 B. & B.	 2.25	20.00
2 to 2½ ft.	46	 3.50	30.00
$2\frac{1}{2}$ to 3 ft.		 4.50	40.00
3 to 4 ft.	 66	 6.00	

A. palmatum atropurpureum (Selected seedlings).
Brilliant coloring in early Spring, which later becomes tinged with green.

×	3	to	4	ft.	 B. & B.	 4.50	42.50
計	4	to	5	ft.	 66		
>)(0	5	to	6	ft.	 66	 7.50	72.50
\$;	6	to	7	ft.	 66	 10.00	
3/5	7	to	8	ft.	 66	 15.00	

Park	Day 10
	Per 10
AESCULUS hippocastanum (Horsechestnut)	
symmetrical tree. A profusion of white	nowers
on long panicles in May. 50 to 75 ft.	
$1\frac{1}{4}$ to $1\frac{1}{2}$ in 3.00	
$1\frac{1}{2}$ to $1\frac{3}{4}$ in 4.00	
8 to 10 ft., 1¾ to 2 in 5.00 2 to 2½ in 6.00	
$2 \text{ to } 2\frac{1}{2} \text{ In.} \dots 0.00$	
3 to 3½ in 10.00	
3½ to 4 in 12.00	
4 to 5 in 20.00	
5 to 6 in 30.00	
6 to 7 in 40.00	
7 to 8 in 60.00) —
A. hippocastanum carnea (Red Horse Chestr	nut). A
very fine slow growing tree, with bright re	ed flow-
ers, foliage dark green.	
5 to 6 ft 4.00	
6 to 8 ft 5.00	
AILANTHUS glandulosa (Tree of Heaven). Ve growing tree. Large leaves. Thrives un verse city conditions. 50 to 60 ft.	ry rapid der ad-
6 to 8 ft 1.65	13.00
8 to 10 ft 2.25	19.00
10 to 12 ft 2.75	
ALNUS incana pendula (Weeping Alder). Of drooping tree. Good green foliage. 20 ft.	
*12 to 14 ft., 2½ to 3 in	
*3 to 3½ in	
*4 to 5 in 25.00	
*5 to 6 in 35.00	
AMYGALUS persica (Flowering Peach). A post of double pink, red or white blossoms between leaves appear. 8 to 10 ft.	
3 to 4 ft B. & B 1.00	
4 10 5 11, 1.30	
5 to 6 ft " 2.00	-
A. persica atropurpurea (Blood Leaf Flowering Similar in habit to the Persica. Dark red all summer.	
5 to 6 ft B. & B 2.00 6 to 7 ft 2.75	
ARALIA Spinosa (Devil's-walkingstick). Stou covered with thorns. Large foliage gives effect. Clusters of white blossoms in Augulowed by dark purple berries. 18 to 20 ft.	tropical
3 to 4 ft	
4 to 5 ft	
5 to 6 ft	
8 to 10 ft	
10 to 12 ft	

		Per 10
BETULA alba (European White Birch).	Tall,	grace-
ful tree with thin drooping branche	s. Bar	k very
white. Does well in poor soil. 30 to	50 ft.	
6 to 8 ft	1.25	11.00
8 to 10 ft	2.00	15.00
10 to 12 ft., $1\frac{1}{4}$ to $1\frac{1}{2}$ in	3.00	25.00
1½ to 1¾ in	3.75 4.50	32.50 37.50
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	5.50	51.50
2½ to 3 in	6.50	
3 to 3½ in	8.50	
$3\frac{1}{2}$ to 4 in	12.00	
4 to 5 in	15.00	
6 to 7 in	50.00	
B. alba laciniata (Cutleaf Weeping B	irch).	Grace-
fully drooping tree. Suitable for la	wn pl	anting.
30-40 ft.		
6 to 8 ft	2.00	
8 to 10 ft	2.75	
8 to 10 ft., 1¼ to 1½ in	3.50	
10 to 12 ft., 1½ to 1¾ in	4.00	
1¾ to 2 in	5.00	
B. lutea (Yellow Birch). Quick-growing	tree to	50 ft.
8 to 10 ft., 1½ to 1½ in	3.00	
10 to 12 ft., $1\frac{1}{2}$ to $1\frac{3}{4}$ in	3.75	
1¾ to 2 in	5.00	
2 to 2½ in	6.00	
$2\frac{1}{2}$ to 3 in	8.00 15.00	
CARPINUS betulus (European Hornbe		
slow growing tree. Smooth, gray bark		30 ft.
6 to 8 ft	2.25	
8 to 10 ft	5.00 7.50	
10 to 12 it	10.00	
14 to 16 ft	14.00	
		\
CATALPA bignonioides nana (Umbrella		_
grafted on straight ends, 4-6 ft. hig		
cal, round head makes this a useful	tree i	or for-
mal planting. 10 to 15 ft.		
4 to 6 ft. stems \$2.50 to	\$6.00	
C. speciosa (Western Catalpa). Tall, tree. Useful for seashore planting.		
6 to 8 ft	.60	4.70
8 to 10 ft	.90	7.50
1½ to 1¾ in	1.25	10.00
1¾ to 2 in	1.50	12.50
2 to 2½ in	2.00	15.00
$2\frac{1}{2}$ to 3 in	3.00	25.00
3 to $3\frac{1}{2}$ in $3\frac{1}{2}$ to 4 in	3.50 5.00	30.00 45.00
4 to 5 in	8.00	75.00
6 to 7 in	25.00	

6

4.50

6.00

42.50

CRATÆGUS—Continued

CIMITE COS—Continue	ι	
	Each	Per 10
C. oxycantha splendens (Pauls Double	Scarle	t Haw-
thorn). Abundant showy scarlet flow		
4 to 5 ft B. & B	2.50	24.00
5 to 6 ft. "	3.00	27.00
6 to 8 ft "	4.50	42.00
8 to 10 ft "	6.00	
FAGUS americana (American Beech).	Large	nread_
ing tree. Smooth gray bark is espec		
in Winter. 80 to 90 ft.	adaay au	1400110
* 6 to 8 ft	8.00	
* 8 to 10 ft	12.00	
*10 to 12 ft	18.00	
*12 to 14 ft	25.00	
*14 to 16 ft	38.00	
16 to 18 ft	50.00	
F. sylvatica (European Beech). A tree	hranchir	g verv
close to the ground. Retains leaves r		
ter. 40 to 50 ft.		
3 to 4 ft B. & B	3.00	25.00
4 to 5 ft "	3.50	30.00
5 to 6 ft "	5.00	40.00
6 to 8 ft "	6.50	55.00
8 to 10 ft "	10.00	90.00
*15 to 18 ft "	40.00	
F. sylvatica pendula (Weeping Beech).	A sturd	y, pic-
turesque tree with drooping bran		
nearly to the ground. Lustrous g	reen lea	ves in
masses. 25 to 30 ft.		
*12 to 14 ft	75.00	
*14 to 16 ft	100.00	
*16 to 18 ft	125.00	
F. sylvatica purpurea (Purple-leaved :		Low-
branching, symmetrical tree. Brigh	it, glossy	, red-
dish-purple leaves. 40 to 50 ft. * 8 to 10 ft B. & B	25.00	
	35.00 45.00	
*10 to 12 ft " *12 to 14 ft "	60.00	
*14 to 16 ft., specimens "	75.00	
*16 to 18 ft., specimens "	90.00	
*18 to 20 ft., specimens "	125.00	
F. sylvatica rosomarginata (Rose-pink		Svm-
metrical tree. Foliage has unusu		
variegations. 30 to 40 ft.		•
* 8 to 10 ft B. & B	40.00	
*10 to 12 ft "	50.00	
*12 to 14 ft "	75.00	
*14 to 16 ft "	85.00	
*16 to 20 ft "	125.00	
FRAXINUS americana (White Ash). F	apid gr	owing,
native tree with clean, straight tr	unk. Go	ood in
moist soils. 70 to 80 ft.		
1½ to 1½ in	2.00	
1½ to 1¾ in	3.00	
1¾ to 2 in	4.00	
2 to 2½ in	5.00	
2½ to 3 in	6.00 7.50	
3 to 3½ in	1.50	

	Each	Per 10
GINKGO biloba (Maidenhair Tree). Upr		
attractive open, irregular head. Resis		ts and
unfavorable city conditions. 50 to 78 * 6 to 8 ft., 1 to $1\frac{1}{4}$ in	3.00	27.50
* 8 to 10 ft., 1 1/4 to 11/2 in	4.50	40.00
*10 to 12 ft., 1½ to 1¾ in	6.00	55.00
*1¾ to 2 in	9.00	85.00
*2 to 2½ in	11.00	100.00
*2½ to 3 in	14.00	
*3 to 3½ in	20.00 35. 00	
2 00 0 1111		
GLEDITSIA triacanthos (Common Hone thorny tree. Very fragrant, white		
Thrives in gravelly soil. 60 to 70 ft.	nowers.	way.
6 to 8 ft	1.25	9.00
8 to 10 ft	2.00	14.50
10 to 12 ft., 1¾ to 2 in	3.00	25.00
12 to 14 ft., 2 to 2½ in	4.00	35.00
2½ to 2½ in	5.00	
2½ to 3 in	6.00 7.00	
3 to 3½ in	8.00	
4 to 5 in	9.00	
HALESIA tetraptera (Great Silverbell).		roo or
shrub. Very attractive white flowers.	Siliail	aree or
6 to 8 ft	1.80	
8 to 10 ft	2.50	
KOELREUTERIA paniculata (Varnish		
tree of irregular outline. Produces a r		bright
yellow flowers. June-July. 25 to 30 * 5 to 6 ft		
* 5 to 6 ft	$2.25 \\ 2.75$	25.00
* 8 to 10 ft.	3.50	32.50
*10 to 12 ft	4.50	42.50
*12 to 14 ft	6.00	
LARIX europaea (European Larch). R		
symmetrical tree. Attractive light gre	een folia	age. 60
to 75 ft. 5 to 6 ft B. & B	3.00	
6 to 8 ft "	4.00	
8 to 10 ft "	5.00	
10 to 12 ft "	7.50	
L. leptolepis (Japanese Larch). A very	fast g	cowing
tree. Extremely attractive, light gre		
5 to 6 ft B. & B	2.75	25.00
0 10 0 10	4.00 5.00	37.50 45.00
8 to 10 it "	7.50	
12 to 14 ft "	10.00	
LIQUIDAMBAR styraciflua (Sweet-gum	1). Ta	ll tree
having corky bark and glossy, star-s	haped :	leaves.
Attractive Autumn coloring. Thri	ves in	moist
places. 50 to 60 ft. * 8 to 10 ft.,	4.50	
*1½ to 1½ in	5.50	
*2½ to 2½ in	7.50	
*2½ to 3 in	10.00	
*3 to 3½ in	15.00	

8 to 10 ft., specimens

5.50

MALUS—Continued

MALUS—Continued	
Each	Per 10
M. neidzwetzkyana (Red Vein Crab). Attractive pink flowers.	
6 to 8 ft 4.00	
8 to 10 ft., specimens 5.00	
M. sargenti (Sargent Crab). Pure white, very coand dwarf. Small scarlet fruits hang on till Spring. Distinct.	
3 to 4 ft	
4 to 5 ft 2.40	
5 to 6 ft 3.00	
M. scheideckeri (Scheideckeri Crab). Double dee flowers. Large yellow fruit. 10 to 15 ft. 4 to 5 ft 1.50	p pink
5 to 6 ft	
6 to 8 ft 4.00	
8 to 10 ft., specimens 5.50	
5 to 10 1tt., specimens 5.50	
MORUS alba pendula (Teas Weeping Mull Small weeping tree with dense growing bra drooping to the ground. 6 to 10 ft.	
4 to 6 ft. stems, 5-yr. head 3.75	
6-yr. head 4.00	
7-yr. head 5.00	
8-yr. head 6.00	
PAULOWNIA tomentosa (Royal Paulownia). Regrowing tree to 30 ft. Very large leaves. 3 to 3½ in. cal	
1 00 1/2 111, 0011	
PLATANUS orientalis (Oriental Plane). Rapid ing tree with wide spreading, symmetrical	head.
Excellent tree for city planting as it with	
both insect pests and city conditions. 70 to	
*10 to 12 ft., 1½ to 1¾ in	
	27.00
2 to 2½ in 3.75	
2½ to 2½ in 5.00	40.00
$2\frac{1}{2}$ to 3 in 7.00	65.00
3 to $3\frac{1}{2}$ in 9.50	90.00
$3\frac{1}{2}$ to 4 in	120.00
POPULUS nigra italica (Lombardy Poplar). narrow, upright tree, branching to the g	Tall, round.
60 to 75 ft	= 00
6 to 8 ft	5.00
	9.00
10 to 12 ft 1.50	12.50
PRUNUS armeniaca siberica pendula (Weeping ian Apricot, Pendulous branches bearing a fusion of attractive light pink flowers and	a pro-
fusion of attractive light pink flowers, app	сатиц
before the leaves. 6 ft. stem, 5-yr. head B. & B 7.50	
P. cerasifera (Myrabalan Plum). Flowering Blossoms white tinted pink.	plum,
4 to 5 ft	
5 to 6 ft 4.00	

PRUNUS—Continued

1101100 Commaca		
	Each	Per 10
D		
P. cerasifera pissardi (Purple-leaf Plun	II). DIIIR	ill litte
with dark purple leaves and small,	pinkisi	1-WIIIVE
flowers. 12 to 15 ft.	1.05	
5 to 6 ft	1.25	
6 to 8 ft	2.50	22.50
8 to 10 ft	3.00	27.50
10 to 12 ft	4.00	37.50
P. cistena. Pink flowers; upright growing		
4 to 5 ft	2.65	
5 to 6 ft	3.35	
6 to 8 ft	4.50	
P. Kanzan. Pink flowering Japanese C	harry	
	2.00	
4 to 5 ft		27.00
5 to 6 ft	3.00	27.00
7 to 8 ft	4.50	42.50
8 to 10 ft., specimens	7.50	72.50
P. Kofugen. Double pink flowering Jap	anese (Cherry.
3 to 4 ft	1.85	
4 to 5 ft	2.65	
	3.35	
5 to 6 ft		
6 to 8 ft	4.50	
P. Onaden. Semi-double rose pink buds.	White f	lowers.
4 to 5 ft	2.25	
5 to 6 ft	3.00	27.00
6 to 8 ft	4.50	
	7.50	
8 to 10 ft., specimens	1.50	
P. sieboldi pendula (Weeping Japan	nese C	herry).
To the state of th		
Graceful, weeping tree, completely	covere	
Graceful, weeping tree, completely pink blossoms in early Spring. 12 to	covered to 15 ft.	d with
Graceful, weeping tree, completely pink blossoms in early Spring. 12 to *6 to 8 ft. stem, 5-yr. heads	covered 15 ft. 7.50	d with
Graceful, weeping tree, completely pink blossoms in early Spring. 12 to *6 to 8 ft. stem, 5-yr. heads Specimens \$25.00 to	covered 15 ft. 7.50 \$75.00	d with
Graceful, weeping tree, completely pink blossoms in early Spring. 12 to *6 to 8 ft. stem, 5-yr. heads Specimens	covered 15 ft. 7.50 \$75.00	d with
Graceful, weeping tree, completely pink blossoms in early Spring. 12 to *6 to 8 ft. stem, 5-yr. heads Specimens \$25.00 to PTELIA trifoliata (Common Hoptree). headed tree to 20 ft.	covered 5 15 ft. 7.50 \$75.00 Small,	d with
Graceful, weeping tree, completely pink blossoms in early Spring. 12 to *6 to 8 ft. stem, 5-yr. heads Specimens	covered 15 ft. 7.50 \$75.00	d with
Graceful, weeping tree, completely pink blossoms in early Spring. 12 to *6 to 8 ft. stem, 5-yr. heads Specimens \$25.00 to PTELIA trifoliata (Common Hoptree). headed tree to 20 ft.	covered 15 ft. 7.50 \$75.00 Small, .75	d with
Graceful, weeping tree, completely pink blossoms in early Spring. 12 to *6 to 8 ft. stem, 5-yr. heads Specimens \$25.00 to PTELIA trifoliata (Common Hoptree). headed tree to 20 ft. 5 to 6 ft	covered 15 ft. 7.50 \$75.00 Small, .75	d with
Graceful, weeping tree, completely pink blossoms in early Spring. 12 to *6 to 8 ft. stem, 5-yr. heads Specimens \$25.00 to PTELIA trifoliata (Common Hoptree). headed tree to 20 ft. 5 to 6 ft. 6 to 8 ft. 8 to 10 ft.	covered 15 ft. 7.50 \$75.00 \$8 mall, .75 1.25 1.50	d with
Graceful, weeping tree, completely pink blossoms in early Spring. 12 to *6 to 8 ft. stem, 5-yr. heads Specimens \$25.00 to PTELIA trifoliata (Common Hoptree). headed tree to 20 ft. 5 to 6 ft	covered 15 ft. 7.50 \$75.00 \$75.00 \$mall, .75 1.25 1.50 ply cut	d with
Graceful, weeping tree, completely pink blossoms in early Spring. 12 to *6 to 8 ft. stem, 5-yr. heads Specimens \$25.00 to PTELIA trifoliata (Common Hoptree). headed tree to 20 ft. 5 to 6 ft	covered 15 ft. 7.50 \$75.00 \$875.00 \$1.25 1.50 \$1	d with round- leaves
Graceful, weeping tree, completely pink blossoms in early Spring. 12 to *6 to 8 ft. stem, 5-yr. heads Specimens \$25.00 to PTELIA trifoliata (Common Hoptree). headed tree to 20 ft. 5 to 6 ft 6 to 8 ft 8 to 10 ft QUERCUS coccinea (Scarlet Oak). Dee beautiful Autumn coloring. Tall gr *1½ to 1½ in	covered 15 ft. 7.50 \$75.00 \$875.00 \$1.25 1.50 \$1	round- leaves 42.50
Graceful, weeping tree, completely pink blossoms in early Spring. 12 to *6 to 8 ft. stem, 5-yr. heads Specimens	covered 15 ft. 7.50 \$75.00 \$mall, .75 1.25 1.50 ply cut owing. 4.50 5.00	round- leaves 42.50 45.00
Graceful, weeping tree, completely pink blossoms in early Spring. 12 to *6 to 8 ft. stem, 5-yr. heads Specimens \$25.00 to PTELIA trifoliata (Common Hoptree). headed tree to 20 ft. 5 to 6 ft. 6 to 8 ft. 8 to 10 ft. QUERCUS coccinea (Scarlet Oak). Deed beautiful Autumn coloring. Tall graphs and the step of	covered 15 ft. 7.50 \$75.00 \$mall, .75 1.25 1.50 ply cut towing. 4.50 5.00 6.00	round- leaves 42.50
Graceful, weeping tree, completely pink blossoms in early Spring. 12 to *6 to 8 ft. stem, 5-yr. heads Specimens	covered 15 ft. 7.50 \$75.00 \$mall, .75 1.25 1.50 ply cut towing. 4.50 5.00 6.00	round- leaves 42.50 45.00
Graceful, weeping tree, completely pink blossoms in early Spring. 12 to *6 to 8 ft. stem, 5-yr. heads Specimens \$25.00 to PTELIA trifoliata (Common Hoptree). headed tree to 20 ft. 5 to 6 ft 8 to 10 ft 8 to 10 ft 9UERCUS coccinea (Scarlet Oak). Dee beautiful Autumn coloring. Tall graphs and the step in	covered 15 ft. 7.50 \$75.00 \$75.00 \$mall, .75 1.50 ply cut towing. 4.50 5.00 6.00 7.50	round- leaves 42.50 45.00 55.00
Graceful, weeping tree, completely pink blossoms in early Spring. 12 to *6 to 8 ft. stem, 5-yr. heads Specimens \$25.00 to PTELIA trifoliata (Common Hoptree). headed tree to 20 ft. 5 to 6 ft 6 to 8 ft 8 to 10 ft 9 to 10 ft 9 to 10 ft 9 to 10 ft 9 to 11½ in 11½ to 1½ to 1½ in 11½ to 1½ in 11½ to 1½	covered 15 ft. 7.50 \$75.00 \$75.00 \$mall, .75 1.50 ply cut towing. 4.50 5.00 6.00 7.50 yramids	d with
Graceful, weeping tree, completely pink blossoms in early Spring. 12 to *6 to 8 ft. stem, 5-yr. heads Specimens \$25.00 to PTELIA trifoliata (Common Hoptree). headed tree to 20 ft. 5 to 6 ft 6 to 8 ft 8 to 10 ft 9 to 10 ft. 9	covered 15 ft. 7.50 \$75.00 \$75.00 \$mall, .75 1.50 ply cut towing. 4.50 5.00 6.00 7.50 yramida Foliage	d with round- leaves 42.50 45.00 55.00 al tree deeply
Graceful, weeping tree, completely pink blossoms in early Spring. 12 to *6 to 8 ft. stem, 5-yr. heads Specimens \$25.00 to PTELIA trifoliata (Common Hoptree). headed tree to 20 ft. 5 to 6 ft 6 to 8 ft 8 to 10 ft 9 to 10 ft. 9	covered 15 ft. 7.50 \$75.00 \$75.00 \$mall, .75 1.50 ply cut rowing. 4.50 5.00 6.00 7.50 yramids foliage to 80 ft	round- leaves 42.50 45.00 55.00 al tree deeply
Graceful, weeping tree, completely pink blossoms in early Spring. 12 to *6 to 8 ft. stem, 5-yr. heads Specimens \$25.00 to PTELIA trifoliata (Common Hoptree). headed tree to 20 ft. 5 to 6 ft 6 to 8 ft 8 to 10 ft PUERCUS coccinea (Scarlet Oak). Deer beautiful Autumn coloring. Tall graph and the state of the search of the s	covered 15 ft. 7.50 \$75.00 \$75.00 \$mall, .75 1.25 1.50 ply cut cowing. 4.50 5.00 6.00 7.50 yramida foliage to 80 ft 3.00	round- leaves 42.50 45.00 55.00 — al tree deeply .
Graceful, weeping tree, completely pink blossoms in early Spring. 12 to *6 to 8 ft. stem, 5-yr. heads Specimens \$25.00 to PTELIA trifoliata (Common Hoptree). headed tree to 20 ft. 5 to 6 ft. 6 to 8 ft. 8 to 10 ft. QUERCUS coccinea (Scarlet Oak). Dee beautiful Autumn coloring. Tall gr *1½ to 1½ in. *1½ to 1¾ in. *1½ to 1¾ in. *1½ to 2 in. *2 to 2½ in. Q. palustris (Pin Oak). Symmetrical, p with graceful, drooping branches. For cut. Fine lawn or street tree. 75 to 10 to 12 ft., *1½ to 1¾ in. *1½ to 1¾ in. *1½ to 1¾ in.	covered 15 ft. 7.50 \$75.00 \$75.00 \$mall, .75 1.25 1.50 ply cut rowing. 4.50 5.00 6.00 7.50 yramidates 80 ft 3.00 4.00	d with
Graceful, weeping tree, completely pink blossoms in early Spring. 12 to *6 to 8 ft. stem, 5-yr. heads Specimens \$25.00 to PTELIA trifoliata (Common Hoptree). headed tree to 20 ft. 5 to 6 ft. 6 to 8 ft. 8 to 10 ft. QUERCUS coccinea (Scarlet Oak). Dee beautiful Autumn coloring. Tall gr *1½ to 1½ in. *1½ to 1¾ in. *1½ to 1¾ in. *1½ to 2 in. *2 to 2½ in. Q. palustris (Pin Oak). Symmetrical, p with graceful, drooping branches. For cut. Fine lawn or street tree. 75 to 10 to 12 ft., *1½ to 1¾ in.	covered 15 ft. 7.50 \$75.00 \$75.00 \$8 mall, .75 1.25 1.50 ply cut rowing. 4.50 5.00 6.00 7.50 yramidates 80 ft 3.00 4.00 5.00	d with
Graceful, weeping tree, completely pink blossoms in early Spring. 12 to *6 to 8 ft. stem, 5-yr. heads Specimens \$25.00 to PTELIA trifoliata (Common Hoptree). headed tree to 20 ft. 5 to 6 ft. 6 to 8 ft. 8 to 10 ft. 6 to 8 ft. 7 to 10 ft. 7 to 10 ft. 7 to 10 ft. 7 to 10 ft. 8 to 10 ft. 8 to 10 ft. 9 to 10 ft. 10 ft	covered 15 ft. 7.50 \$75.00 \$75.00 \$8 mall, .75 1.50 ply cut rowing. 4.50 5.00 6.00 7.50 yramida 5.00 4.00 5.00 6.00 6.00	d with
Graceful, weeping tree, completely pink blossoms in early Spring. 12 to *6 to 8 ft. stem, 5-yr. heads Specimens \$25.00 to PTELIA trifoliata (Common Hoptree). headed tree to 20 ft. 5 to 6 ft. 6 to 8 ft. 8 to 10 ft. QUERCUS coccinea (Scarlet Oak). Dee beautiful Autumn coloring. Tall gr *1½ to 1¾ in. *1½ to 1¾ in. *1½ to 2 in. *2 to 2½ in. Q. palustris (Pin Oak). Symmetrical, p with graceful, drooping branches. Four cut. Fine lawn or street tree. 75 to 10 to 12 ft., *1½ to 1¾ in. *1½ to 3 in.	covered 15 ft. 7.50 \$75.00 \$75.00 \$8 mall, .75 1.50 ply cut rowing. 4.50 5.00 6.00 7.50 yramida foliage to 80 ft 3.00 4.00 5.00 6.00 9.00	d with
Graceful, weeping tree, completely pink blossoms in early Spring. 12 to *6 to 8 ft. stem, 5-yr. heads Specimens \$25.00 to PTELIA trifoliata (Common Hoptree). headed tree to 20 ft. 5 to 6 ft. 6 to 8 ft. 8 to 10 ft. QUERCUS coccinea (Scarlet Oak). Dee beautiful Autumn coloring. Tall graphs and the step in	covered 15 ft. 7.50 \$75.00 \$75.00 \$8 mall, .75 1.50 ply cut rowing. 4.50 5.00 6.00 7.50 yramida 5.00 4.00 5.00 6.00 6.00	d with
Graceful, weeping tree, completely pink blossoms in early Spring. 12 to *6 to 8 ft. stem, 5-yr. heads Specimens \$25.00 to PTELIA trifoliata (Common Hoptree). headed tree to 20 ft. 5 to 6 ft 8 to 10 ft 8 to 10 ft 9 to 10 ft 8 to 10 ft 9 to 10 ft 9 to 10 ft 9 to 10 ft 9 to 10 ft. 9 ft	covered 15 ft. 7.50 \$75.00 \$75.00 \$8 mall, .75 1.50 ply cut rowing. 4.50 5.00 6.00 7.50 yramida foliage to 80 ft 3.00 4.00 5.00 6.00 9.00	d with
Graceful, weeping tree, completely pink blossoms in early Spring. 12 to *6 to 8 ft. stem, 5-yr. heads Specimens \$25.00 to PTELIA trifoliata (Common Hoptree). headed tree to 20 ft. 5 to 6 ft 8 to 10 ft 8 to 10 ft 9 to 2½ in 9 to 2½ in 9 to 10 ft. , *1½ to 1¾ in 9 to 10 ft. , *1½ to 1½ in 9 to 10 ft. , *1½ to 1½ in 9 to 10 ft. , *1½ to 1½ in 9 to 2½ in 9 to 2½ in 9 to 2½ to 2½ in 9 to 2½ to 3 in 9 to 3½ to 4 in 9 to 5 in 9 to	covered 15 ft. 7.50 \$75.00 \$75.00 \$75.00 \$1.25 1.50 \$1.	d with
Graceful, weeping tree, completely pink blossoms in early Spring. 12 to *6 to 8 ft. stem, 5-yr. heads Specimens \$25.00 to PTELIA trifoliata (Common Hoptree). headed tree to 20 ft. 5 to 6 ft 8 to 10 ft 8 to 10 ft 9 to 10 ft 8 to 10 ft 9 to 10 ft 9 to 10 ft 9 to 10 ft 9 to 10 ft. 9 ft	covered 15 ft. 7.50 \$75.00 \$75.00 \$75.00 \$1.25 1.50 \$1.	d with
Graceful, weeping tree, completely pink blossoms in early Spring. 12 to *6 to 8 ft. stem, 5-yr. heads Specimens \$25.00 to PTELIA trifoliata (Common Hoptree). headed tree to 20 ft. 5 to 6 ft 8 to 10 ft 8 to 10 ft 9 to 2½ in 9 to 2½ in 9 to 10 ft. , *1½ to 1¾ in 9 to 10 ft. , *1½ to 1½ in 9 to 10 ft. , *1½ to 1½ in 9 to 10 ft. , *1½ to 1½ in 9 to 2½ in 9 to 2½ in 9 to 2½ to 2½ in 9 to 2½ to 3 in 9 to 3½ to 4 in 9 to 5 in 9 to	covered 15 ft. 7.50 \$75.00 \$75.00 \$75.00 \$mall, .75 1.50 ply cut rowing. 4.50 5.00 6.00 7.50 yramida foliage to 80 ft 3.00 4.00 5.00 6.00 9.00 12.00 15.00 20.00	d with

OHERCUS—Continued

QUERCUS—Continued
Each Per 10
Q. rubra (Red Oak). Comparatively quick growth; rich
Autumn coloring in green and reds.
*1½ to 1½ in 5.50 50.00
*1½ to 1¾ in 6.50 60.00
*1¾ to 2 in 7.50 67.50 *2¼ to 2½ in 9.00 80.00
ROBINIA pseudoacacia (Common Locust). Tall, rapid
growing tree. Fragrant white flowers in early
Summer. Thrives under city conditions. 60 to 70 ft.
8 to 10 ft., 1¼ to 1½ in
2 to 2½ in 3.50 32.50
2½ to 3 in 4.50 42.50
3 to 3½ in 5.00
SALIX Babylonica (Babylon Weeping Willow). Long graceful drooping branches. Thrives in any good soil, but particularly appropriate for waterside. 50 to 60 ft.
*6 to 8 ft 2.00 —
*8 to 10 ft 2.50
S. caprea (Pussy Willow). Bush which is attractive for early Spring effect. Thrives in any good soil 15 to 20 ft.
*6 to 8 ft
S. elegantissima (Thurlow Weeping Willow). Wide
spreading tree of drooping habit. 50 to 60 ft.
*6 to 8 ft 2.00 22.50
*8 to 10 ft 2.50 22.50
S. pentandra (Laurel Willow). Shining rich dark green leaves; valuable for seashore planting.
2 to 2½ in 4.50 ——
2½ to 3 in 6.00 —
3 to 3½ in 7.50
SORBUS aucuparia (European Mountain Ash). Medium size tree. Brilliant orange-scarlet berries.
Good border or lawn tree. 25 to 30 ft.
6 to 8 ft
8 to 9 ft
$1\frac{1}{2}$ to $1\frac{3}{4}$ in 2.75 23.50
1¾ to 2 in 3.00 25.00
$\frac{2}{2}$ to $\frac{2}{2}$ in 4.00 35.00
$2\frac{1}{2}$ to 3 in 6.00 —— 3 to $3\frac{1}{2}$ in 7.50 ——
3 to 3½ in 7.50 ————————————————————————————————————
S. quercifolia (Oak-leaf Mountain Ash). A hybrid form similar to type in general character, but with larger leaves resembling that of the oak.
6 to 0 ft

6 to 8 ft. 2.00 —— 8 to 10 ft. 3.00 ——

3.00

8 to 10 ft.

ULMUS—Continued

Eac	h	Per	10
-----	---	-----	----

U. pumila (Asiatic Elm). A vigorous gro		good
habit. Forms dense symmetrical head		
* 8 to 10 ft.,	1.85	15.00
*1¼ to 1½ in	2.40	20.00
*1½ to 1¾ in	3.00	25.00
*1¾ to 2 in	3.75	31.00
*2 to 2½ in	4.50	40.00
$2\frac{1}{2}$ to 3 in	6.50	60.00
3 to 3½ in	8.00	

Deciduous Shrubs

Hardy, flowering shrubs develop more quickly than any class of trees, and are, therefore, indispensable for filling a new lawn where it is desirable to get something to make a show as quickly as possible.

It is our aim to produce everything in flowering shrubbery that is useful, hardy and worthy of culti-

vation.

ABELIA grandiflora (Glossy Abelia). Glossy green foliage; abundant pink bloom continuously from July to fro 12 to 18 in. 18 to 24 in. 2 to 2½ ft.	flowers 5 st. 3 to \$.50 1.00	shrub. which 4 ft. 4.00 9.00
ACANTHOPANAX pentaphyllum (Bush growing shrub, graceful arching br green foliage. 7 to 8 ft. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. Transplanted specimens.	.35 .50 .60	dark 2.50 4.00 5.00
4 to 5 ft. 5 to 6 ft. AMELANCHIER canadensis (Downy Sha flowers in early Spring before leaves 15 ft. 2 to 3 ft.	appear.	12 to
AMYGDALUS communis (Flowering Al ble-flowering pink blooms before leave 2 to 3 ft	es. 8 to .75	Dou-
ARONIA arbutifolia (Red Chokeberry). I attractive for its bright red berries 3 to 4 ft	.70 .90	8 ft. 6.00
AZALEA Daybreak (Kurume Azalea). Profilements in dense clusters. 15 to 18 in	3.00	
flowers, in May. 4 to 5 ft. *18 to 24 in. *2 to 2½ ft. *2½ to 3 ft. *3 to 3½ ft. *3½ to 4 ft.	3.00 4.00 5.00 6.50 8.00	
A. mollis (Chinese Azalea). Large, ora flowers. May-June, 4 to 5 ft. *12 to 15 in. *15 to 18 in. *18 to 24 in. *2 to 2½ ft.	1.85 2.65 3.75 5.00	16.50 24.00
A. mollis J. C. Van Tol. 1½ to 2 ft. 2 to 2½ ft.	4.00 7.50	36.00

	Each Per 10
AZALEA mollis, Louisa Hunnewell.	Orange-yellow
shading to salmon. Very hardy.	
15 to 18 in	3.00 27.50
18 to 24 in	4.00
A. pontica (Pontica Azalea). Flowers vatored. 6 to 8 ft.	ary from white
*12 to 15 in	2.25 18.00
*15 to 18 in	3.00 27.50
*18 to 24 in	4.00 36.00
*2 to 2½ ft	5.50
A. poukhanensis (Korean Azalea). Sing flowers in May. Very hardy.	
12 to 15 in	3.00 26.50
15 to 18 in	3.75 32.50
18 to 24 in	4.50 42.50 5.25 —
2 to 2½ ft	0.20
A. Sunstar (Kurume Azalea). Single, flower with carmine stripe.	
15 to 18 in	3.00
A. yodogawa (Yodogawa Azalea). Do flowers, spotted with purple. Profu	
to 4 ft. *15 to 18 in	3.00 26.00
*18 to 24 in	3.75 31.00
*2 to 2½ ft	4.50
NIATELY AZZAT E AC	
NATIVE AZALEAS	t milita flamous
A. arborescens (Sweet Azalea). Fragran in June. Autumn foliage, bright red	
18 to 24 in	2.50 22.50
2 to 2 ½ft	3.50
2½ to 3 ft	4.00
A. calendulacea (Flame Azalea). A morange-red blossoms in June. 8 to 3	
15 to 18 in	2.00 17.50
18 to 24 in	2.50 20.00
2 to 2½ ft	3.00 35.00
A. nudiflora (Pinxterbloom). Sweet-scen flowers. June. 6 to 8 ft.	
12 to 18 in	2.00 18.00
18 to 24 in	2.50 22.50
2 to 2½ ft	3.00
A. viscosa (Swamp Azalea). Fragrant w July. Likes moist situation. 4 to 5	ft.
15 to 18 in	2.00 —— 2.50 22.50
2 to 2½ ft	3.00 25.00
BERBERIS thunbergi (Japanese Barber plant or for masses; scarlet berries	ry). Low hedge
Autumn coloring. 4 to 5 ft.	
*12 to 15 inPer 100 10.00	
*15 to 18 inPer 100 12.50	
*18 to 24 inPer 100 15.00	
*24 to 30 inPer 100 20.00	.30 2.50

BERBERT'S THUNBERGI—Continued

DERDERTS THOUBERGY—Continue	=u
Eac	h Per 10
B. thunbergi atropurpurea (Purpleleaf Japan	
berry). Similar in habit to the thunbers	gi. Purple
foliage all Summer. 4 to 5 ft.	
	22 2.00
	30 2.50
18 to 24 in	40 3.50
2 to 2½ ft	50 4.00
2½ to 3 ft	75 6.50
3 to 3½ ft 1.	00 9.00
B. thunbergi minor (Box Barberry). Compa	
Japanese Barberry. Excellent for form	ial dwarf
hedge. 2 to 3 ft.	
9 to 12 in	30 2.25
12 to 15 in	40 3.00
15 to 18 in	50 4.50
	75 5.00
B. vulgaris (European Barberry). Vigorous	
shrub. Small yellow flowers in May. Dull	red fruit
in clusters. 7 to 8 ft.	
2 to 3 ft	40 3.50
3 to 4 ft	50 —
4 to 5 ft	75 —
B. vulgaris atropurpurea (Purple Barberry).	
in habit to Vulgaris. Purple foliage. 7 t	
	40 3.00
3 to 4 ft	50 4.00
4 to 5 ft	75
What was a way	
BUDDLEIA davidi veitchiana (Veitch Butte	
Gray green foliage and long spikes of	
flowers. June to September. 7 to 8 ft.	
	35 2.50
	50 4.00
	60 5.00
5 to 6 ft	90 —
CALYCANTHUS floridus (Sweetshrub). Upri	aht ahruh
good foliage. Reddish-brown, swee flowers. June to September. 4 to 5 ft.	:t-Scented
	35 3.00
	50 4.00
	75 6.00
4 to 5 ft 1.	.00
CLETHRA alnifolia (Summersweet). Med	ium size
shrub, thriving in damp, shady spots.	
fragrant white flowers, July-September.	
	50 4.50
	60 5.00
	75 6.00
	.00
CORNUS alba spaethi (Yellow-leaved Dogwo	ood). Yel-
low and green foliage. 12 to 15 ft.	
2 to 3 ft	60 5.00
	75 6.50
	.00 9.00
5 to 6 ft —	

CORNUS—Continued

CORNUS-Continued	
Each P	er 10
-	
C. sanguinea (Bloodtwig Dogwood). Upright, b	
red branches. Blue-black berries. 12 to 15	
	3.00
3 to 4 ft	4.00
4 to 5 ft	
CRATAEGUS, Hawthorn. (See Deciduous Trees).
CORYLUS avellana (European Filbert). An attra	ctive
shrub which bears its nuts abundantly in Aut	
4 to 5 ft	
	11.00
	14.00
COTONEASTER bullata macrophylla, Sprea	
shrub with white flowers in May to June.	Bod
	nea
berries. 5 to 6 ft. 18 to 24 in 2.00	10.00
	18.00
2 to 2½ ft	
C. dielsiana (Diels Cotoneaster). Slender shrub	
spreading and arching branches. Red berrie	es in
June. 6 to 7 ft.	
1½ to 2 ft 1.00	7.50
2 to $2\frac{1}{2}$ ft	12.50
2½ to 3 ft	
3 to $3\frac{1}{2}$ ft	
3½ to 4 ft 3.00	
C. hupehensis. Slender branches, white flowers in Red fruit. 5 to 6 ft.	May.
2 to 3 ft 1.75	15.00
CYDONIA japonica (Flowering Quince). Me	edium
growing shrub, useful in masses or hedges. M	
of scarlet flowers in May. 4 to 5 ft.	100000
1½ to 2 ft	3.00
2 to 3 ft	4.50
3 to 4 ft	6.60
4 to 5 ft 1.00	9.00
DEUTZIA gracilis (Slender Deutzia). Dwarf.	Pure
white flowers cover the plant. May. 3 ft.	Luic
12 to 15 in	1.50
15 to 18 in	3.00
18 to 24 in	4.00
D. scabra candidissima (Snowflake Deutzia). Gra	
vigorous growing shrub. Double white flow	ers in
June. 9 to 10 ft. 2 to 3 ft	2.00
	3.00 5.00
0 00	
4 to 5 ft	6.50
5 to 6 ft	9.00
6 to 7 ft	10.00
D. scabra crenata fl. pl. (Double Pink Deutzia).	
soms white tinted with pink. June. 6 to 8 i	
2 to 3 ft	3.00
3 to 4 ft	5.00
4 to 5 ft	6.50
D. scabra, Pride of Rochester (Pride of Roche	ester).
2 to 3 ft	3.00
3 to 4 ft	5.00
4 to 5 ft	6.50
5 to 6 ft 1.00	9.00
0 00 0 10	0.00

													17 1-	TD 10
1875 78	NT WZ	TAT	NT/ITTE	***	c			T	_	(D)	d			Per 10
ET														nthus). t pale
										prin		1100	andan	o parc
			to	24	in.								1.75	
		2	to	3	ft.				• • •			•	2.50	
EU														eresting
												utu	mn c	oloring.
	1/	лак 2	to										.50	4.50
		3		4	ft.	LIAU.	<i>i a i</i>	"	v y				.75	
		4			ft.	6	6	66					1.25	12.00
		5	to	6	ft.	6	6	66				•	1.50	13.50
FC														Bright
					vers	in	ear	ly S	Spri	ing 1	befo	re l	eaves	unfold.
	0	2	8 to		ft								.40	3.00
		3	to	_									.50	
		4 -	to	5	ft.								.75	6.50
		5	to	6	ft.						• • • •	•	1.00	
F.														rooping
												baı	nks or	hang-
	0	_	re to							5 f			95	2.00
		2	to										.35 .45	
F.	S.	_												anches.
	B	rig	ht	vel	low	flo	wer	s e	arl	v in	Sp	ring	7 t	to 8 ft.
		2	to	3	It.								.35	2.50
		3	to									•	.50	4.00
		4 5	to to										.75	6.50
To.	***	_												-grow-
r.	ir	i iui 1g.	111 111	na Trie	tht.	ha	hit.	:111 †.}	nick	rsyu.	na). ark	, K 27	,een on ons	leaves;
	fl	. 0 W	ers	lat	er 1	thai	n of	the	r V	ariet	ies.	7	to 8	ft.
		2	to										.35	3.00
		3								• • • •				4.00
		4 5	to to	6 6	IU.	• • •	• • •		• • • •			•	.75 1. 0 0	5.00
H A	TVI													shrub.
11/													15 ft	
		2	to	3	ft.							•	.50	
		3	to	4	ft.							•	.75	
		4 5								• • • •			1.00 1.25	9.00 11.00
		6	to										1.50	12.50
ні	BI	_												known
														formal
	sl	nea	rin	g.	Bloo	oms	in	la	ıte	Sur	nme			12 ft.
H.	s.									y-re				
													.35	
YY		3	to									•	.50	4.00
н.	S.				Fe ft.					e a.			.35	3.00
		3											.50	4.00
		4	to										.75	6.50
H.	s.				. S									
														3.00
		3	to	4	It.	• • •	• • • •	• • •	• • •	• • • •	• • • •		.50	4.00

HIBISCUS—Continued

	11111111111111111111111111111111111111		
		Each	Per 10
H.	s. Jeanne d'Arc. Double White.		
	2 to 3 ft	.35	3.00
	3 to 4 ft	.50	4.50
	4 to 5 ft	.75	6.50
	5 to 6 ft	.90	
H.	s. Lady Stanley. White shaded red.		
	2 to 3 ft	.35	3.00
	3 to 4 ft	.50	4.00
	4 to 5 ft	.75	
н	s. meehani. Variegated foliage.		
11.	3 to 4 ft	.75	
	4 to 5 ft	1.00	9.00
	5 to 6 ft	1.50	12.50
	6 to 7 ft	2.00	17.50
TT	s. paeoniaeflora. White with cherry	aantan	_
п.	2 to 3 ft	.35	3.00
	3 to 4 ft:	.50	4.00
		.00	7.00
H.	s. totus albus. Single white.		
	2 to 3 ft		3.00
	3 to 4 ft	.50	4.00
	4 to 5 ft	.75	
Hil	oiscus (Tree form Althaea). In variety	y. Ver	y large
	crown.		0
	3 to 5 ft. stems (specimens)	5.00	
TOTAL	DRANGEA arborescens grandiflora	(Smoot	h Un
11.1	drangea). Large, pure white flower		
	Use in border or mass planting. 4		
	2 to 3 ft	.50	4.00
	3 to 4 ft	.75	6.50
H.			
	hardy Hydrangea; blossoms pink to	blue.	3 to
	4 ft.	2.50	
	18 to 24 in	2.50	
		3.00	
H.	paniculata grandiflora (Peegee). L	arge,	showy
	blooms in August. 8 to 9 ft.		
	2 to 3 ft	.40	3.50
	3 to 4 ft	.60	5.00
	4 to 5 ft	.90	
H.	paniculata grandiflora. Tree form.		
3	3 to 4 ft	.60	5.00
	4 to 5 ft	.90	8.00
HZ	PERICUM aureum (Golden St. John	nswort'	Vel-
***	low flowers, blue-green foliage; dense		
	August.		0 4-3
	2 to 3 ft	.50	
	3 to 4 ft	.75	
77.1			1 010
ILI	EX serrata (Finetooth Holly). Symr		
	growing shrub. Small, bright red		
	each twig, remaining until Midwinte 2 to 3 ft		0 0 10.
	3 to 4 ft	1.50 2.00	
	4 to 5 ft	2.50	
	5 to 6 ft	3.00	
	0 00 0 10	0.00	

ILEX—Continued

1DE21—Continued		
E	ach	Per 10
I. verticillata (Winterberry). Bright red i	ne rri e	s ner-
sisting to Midwinter. Prefers moist soil		
2 to 3 ft	.55	4.50
3 to 4 ft	.75	6.75
4 to 5 ft	1.00	9.00
5 to 6 ft	1.25	
0 00 0 10	1.20	
KERRIA Japonica (Single Kerria): Flo		globe
shaped, golden yellow. June to Sept.		
1½ to 2 ft		
2 to 2½ ft	.80	7.00
WOLVILLEY A amabilia (Decute Duch)	lo = ==	daoma
KOLKWITZIA amabilis (Beauty Bush). A		
new shrub from Korea, making long		
graceful foliage and completely buried pink flowers.	m a	encate
3 to 4 ft	.75	
4 to 5 ft	1.00	
5 to 6 ft	1.25	
0 00 0 10	1.20	
LESPEDEZA bicolor (Shrub Bushclover)). S	lender,
graceful shrub. Clover-like foliage.	Ros	e and
white flowers in August. 6 to 8 ft.		
2 to 3 ft		
6 to 8 ft	1.00	
V france (Duml- Duch-lane) Day	- I ave	A
L. formosa (Purple Bushclover). Rosy, pu		
conspicuous in September. An attract	ive,	nerba-
ceous shrub. 3 to 4 ft	.50	
4 to 5 ft	.60	
4 (0 5 1)	.00	
LIGUSTRUM ibota (Ibota Privet). A com	pact	shrub
having good foliage. Abundant black	berr	ries in
Fall. 9 to 10 ft.		
2 to 3 ft	.25	1.80
3 to 4 ft	.40	3.00
4 to 5 ft	.50	4.20
5 to 6 ft	.75	
I that manuficanama (Dagel Privat) Com		
L. ibota regelianum (Regel Privet). Com		
metrical, drooping habit. Black berr	ies II	n ran.
5 to 6 ft. 2 to 2½ ft	.35	3.00
2 ½ to 3 ft	.40	
3 to 4 ft	.60	5.00
4 to 5 ft	.75	
1 00 0 10	.10	0.50
L. ovalifolium (California Privet). Stir	Œ, υ	pright
shrub; (See also Hedge Plants).		
3 to 4 ft. Ex. hvy. cut back plants	.40	3.50
4 to 5 ft. " " " " " " 5 to 6 ft. " " " " " " " " " " " " " " " " " " "	.50	4.50
3 00 0 10.	1.00	9.00
6 to 8 ft. " " " "	1.50	12.50
8 to 10 ft. " " " "	3.50	
L. ovafolium (Pyramidal). Sheared plants.	0.00	
6 to 8 ft 1	0.00	
L. ovafolium (Standard Privet). Plants g	rowr	on 4
to 5 ft. stem; round heads.		
4 to , 5 ft	1.50	

LIGUSTRUM—Continued

L. ovafolium aureum (Golden Privet). Rather slow-growing type. Leaves brilliantly colored with yellow. 8 to 9 ft. 12 to 18 in	Covafolium aureum (Golden Privet) Rather slowgrowing type. Leaves brilliantly colored with yellow. 8 to 9 ft. 12 to 18 in.	<u> </u>	
growing type. Leaves brilliantly colored with yellow. 8 to 9 ft. 12 to 18 in	growing type. Leaves brilliantly colored with yellow. 8 to 9 ft. 12 to 18 in		Each Per 10
yellow. 8 to 9 ft. 12 to 18 in. .25 2.00 18 to 24 in. .30 2.50 2 to 3 ft. .50 — L. ovafolium nana (Lodense Privet). Dense, compact and dwarf. Excellent compact hedge for gardens. Each Per 10 Per 100 12 to 15 in. .25 2.00 15.00 15 to 18 in. .35 2.50 20.00 18 to 24 in. .40 3.00 25.00 2 to 2½ ft. .50 3.75 — 18 to 24 in. specimens 1.00 — 2 to 2½ ft. specimens 1.50 — 2½ to 3 ft. specimens 2.00 — Each Per 10 Each Per 10 LONICERA fragrantissima (Winter Honeysuckle). Slightly drooping habit. Fragrant white flowers in May. 6 to 8 ft. 2 to 3 ft. .40 3.00 3 to 4 ft. .50 3.75 4 to 5 ft. .75 — L. maacki podocarpa (Late Honeysuckle). Small pink flowers. Vigorous growth. .50 — 2 to 3 ft. .60 — 4 to 5 ft. .75 6.50 L. morrowi (Morrow Honeysuckle). Wide spreading branches; flowers white. May-June. Bright red berries. 7 to 8 ft. 2 to 3 ft. .35 3.00 3 to 4 ft. .50 4.00	yellow. 8 to 9 ft. 12 to 18 in		
12 to 18 in.	12 to 18 in.	growing type. Leaves brilliantly	colored with
18 to 24 in.	18 to 24 in.	yellow. 8 to 9 ft.	
L. ovafolium nana (Lodense Privet). Dense, compact and dwarf. Excellent compact hedge for gardens. Each Per 10 Per 100	L. ovafolium nana (Lodense Privet). Dense, compact and dwarf. Excellent compact hedge for gardens. Each Per 10 Per 100		
L. ovafolium nana (Lodense Privet). Dense, compact and dwarf. Excellent compact hedge for gardens. Each Per 10 Per 100	L. ovafolium nana (Lodense Privet). Dense, compact and dwarf. Excellent compact hedge for gardens. Each Per 10 Per 100		
Pack and dwarf. Excellent compact hedge for gardens.	Pack and dwarf. Excellent compact hedge for gardens. Each Per 10 Per 100	2 to 3 ft	.50
Pack and dwarf. Excellent compact hedge for gardens.	Pack and dwarf. Excellent compact hedge for gardens. Each Per 10 Per 100	L. ovafolium nana (Lodense Privet).	Dense, com-
Each Per 10 Per 100	Each Per 10 Per 100	pact and dwarf. Excellent compa	act hedge for
12 to 15 in	12 to 15 in.		
15 to 18 in	15 to 18 in		Per 10 Per 100
18 to 24 in	18 to 24 in. .40 3.00 25.00 2 to 2½ ft. .50 3.75 — 18 to 24 in. specimens . 1.00 — 2 to 2½ ft. specimens . 1.50 — 2½ to 3 ft. specimens . 2.00 — Each Per 10 LONICERA fragrantissima (Winter Honeysuckle). Slightly drooping habit. Fragrant white flowers in May. 6 to 8 ft. 2 to 3 ft. .40 3.00 3 to 4 ft. .50 3.75 4 to 5 ft. .75 — L. maacki podocarpa (Late Honeysuckle). Small pink flowers. Vigorous growth. .50 — 2 to 3 ft. .60 — 3 to 4 ft. .60 — 4 to 5 ft. .75 6.50 L. morrowi (Morrow Honeysuckle). Wide spreading branches; flowers white. May-June. Bright red berries. 7 to 8 ft. .35 3.00 2 to 3 ft. .35 3.00 3 to 4 ft. .50 4.00 4 to 5 ft. .60 5.00 5 to 6 ft. .75 — 6 to 8 ft. .90 — L. ruprechtiana (Manchurian Honeysuckle). Tall bush,		
2 to 2½ ft	2 to 2½ ft		
18 to 24 in. specimens 1.00 — — — 2 to 2½ ft. specimens 1.50 — — — — 2½ to 3 ft. specimens . 2.00 — — — — Each Per 10 LONICERA fragrantissima (Winter Honeysuckle). Slightly drooping habit. Fragrant white flowers in May. 6 to 8 ft. 2 to 3 ft	18 to 24 in. specimens 1.00 — — 2 to 2½ ft. specimens 1.50 — — 2½ to 3 ft. specimens 2.00 — — — Each Per 10 LONICERA fragrantissima (Winter Honeysuckle). Slightly drooping habit. Fragrant white flowers in May. 6 to 8 ft. 2 to 3 ft		
2 to 2½ ft. specimens 1.50 — — — — — — — — — — — — — — — — — — —	2 to 2½ ft. specimens 1.50 — — — — — — — — — — — — — — — — — — —		3.75 ——
## Each Per 10 LONICERA fragrantissima (Winter Honeysuckle). Slightly drooping habit. Fragrant white flowers in May. 6 to 8 ft. 2 to 3 ft	Each Per 10		
Each Per 10	Each Per 10		
LONICERA fragrantissima (Winter Honeysuckle). Slightly drooping habit. Fragrant white flowers in May. 6 to 8 ft. 4 to 3.00 2 to 3 ft. .40 3.00 3 to 4 ft. .50 3.75 4 to 5 ft. .75 — L. maacki podocarpa (Late Honeysuckle). Small pink flowers. Vigorous growth. 2 to 3 ft. .50 — 3 to 4 ft. .60 — — 4 to 5 ft. .75 6.50 L. morrowi (Morrow Honeysuckle). Wide spreading branches; flowers white. May-June. Bright red berries. 7 to 8 ft. 2 to 3 ft. .35 3.00 2 to 3 ft. .35 3.00 .50 4.00	LONICERA fragrantissima (Winter Honeysuckle). Slightly drooping habit. Fragrant white flowers in May. 6 to 8 ft. 2 to 3 ft. .40 3.00 3 to 4 ft. .50 3.75 4 to 5 ft. .75 — L. maacki podocarpa (Late Honeysuckle). Small pink flowers. Vigorous growth. .50 — 2 to 3 ft. .60 — 3 to 4 ft. .60 — 4 to 5 ft. .75 6.50 L. morrowi (Morrow Honeysuckle). Wide spreading branches; flowers white. May-June. Bright red berries. 7 to 8 ft. .35 3.00 3 to 4 ft. .50 4.00 4 to 5 ft. .60 5.00 5 to 6 ft. .75 — 6 to 8 ft. .90 — L. ruprechtiana (Manchurian Honeysuckle). Tall bush,	2½ to 3 it. specimens 2.00	
Slightly drooping habit. Fragrant white flowers in May. 6 to 8 ft. 2 to 3 ft.	Slightly drooping habit. Fragrant white flowers in May. 6 to 8 ft. 2 to 3 ft. .40 3.00 3 to 4 ft. .50 3.75 4 to 5 ft. .75 —		Each Per 10
Slightly drooping habit. Fragrant white flowers in May. 6 to 8 ft. 2 to 3 ft	Slightly drooping habit. Fragrant white flowers in May. 6 to 8 ft. 2 to 3 ft. .40 3.00 3 to 4 ft. .50 3.75 4 to 5 ft. .75 —	LONICERA fragrantissima (Winter	Honeysuckle).
in May. 6 to 8 ft. 2 to 3 ft	in May. 6 to 8 ft. 2 to 3 ft	Slightly drooping habit. Fragrant	white flowers
3 to 4 ft	3 to 4 ft	in May. 6 to 8 ft.	
4 to 5 ft	4 to 5 ft	2 to 3 ft	
L. maacki podocarpa (Late Honeysuckle). Small pink flowers. Vigorous growth. 2 to 3 ft	L. maacki podocarpa (Late Honeysuckle). Small pink flowers. Vigorous growth. 2 to 3 ft		
flowers. Vigorous growth. 2 to 3 ft	flowers. Vigorous growth. 2 to 3 ft	4 to 5 ft	.75 ——
flowers. Vigorous growth. 2 to 3 ft	flowers. Vigorous growth. 2 to 3 ft	L. maacki podocarpa (Late Honevsuckle	e). Small pink
2 to 3 ft	2 to 3 ft		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
4 to 5 ft	4 to 5 ft		.50 ——
L. morrowi (Morrow Honeysuckle). Wide spreading branches; flowers white. May-June. Bright red berries. 7 to 8 ft. 2 to 3 ft	L. morrowi (Morrow Honeysuckle). Wide spreading branches; flowers white. May-June. Bright red berries. 7 to 8 ft. 2 to 3 ft	3 to 4 ft	.60 ——
branches; flowers white. May-June. Bright red berries. 7 to 8 ft. 2 to 3 ft	branches; flowers white. May-June. Bright red berries. 7 to 8 ft. 2 to 3 ft	4 to 5 ft	.75 6.50
branches; flowers white. May-June. Bright red berries. 7 to 8 ft. 2 to 3 ft	branches; flowers white. May-June. Bright red berries. 7 to 8 ft. 2 to 3 ft	I. morrowi (Morrow Honeysuckle) W	Jide spreading
berries. 7 to 8 ft. 2 to 3 ft	berries. 7 to 8 ft. 2 to 3 ft		
2 to 3 ft	2 to 3 ft		0. 2215110 - 04
3 to 4 ft	3 to 4 ft50 4.00 4 to 5 ft60 5.00 5 to 6 ft75 — 6 to 8 ft90 — L. ruprechtiana (Manchurian Honeysuckle). Tall bush,		.35 3.00
4 4- 5.64	5 to 6 ft		.50 4.00
4 to 5 it 5.00	6 to 8 ft	4 to 5 ft	.60 5.00
5 to 6 ft	L. ruprechtiana (Manchurian Honeysuckle). Tall bush,	5 to 6 ft	.75 ——
6 to 8 ft		6 to 8 ft	.90 —
L. ruprechtiana (Manchurian Honevsuckle). Tall bush.		L. ruprechtiana (Manchurian Honevsuck	de). Tall bush.
white flowers. Orange-red fruit. 8 to 9 ft.			
2 to 3 ft			
3 to 4 ft		3 to 4 ft	.50 4.00
4 to 5 ft			
5 to 6 ft	3 to 4 ft		
	3 to 4 ft. .50 4.00 4 to 5 ft. .60 5.00 5 to 6 ft. .75 6.50	6 to 7 ft	1.00
6 to 7 ft 1.00 —	3 to 4 ft. .50 4.00 4 to 5 ft. .60 5.00 5 to 6 ft. .75 6.50	L. tatarica (Tatarian Honeysuckle).	Symmetrical
	3 to 4 ft. .50 4.00 4 to 5 ft. .60 5.00 5 to 6 ft. .75 6.50 6 to 7 ft. 1.00 —		
L. tatarica (Tatarian Honeysuckle). Symmetrical	3 to 4 ft. .50 4.00 4 to 5 ft. .60 5.00 5 to 6 ft. .75 6.50 6 to 7 ft. 1.00 — L. tatarica (Tatarian Honeysuckle). Symmetrical	to 10 ft.	
L. tatarica (Tatarian Honeysuckle). Symmetrical shrub. Abundant pink flowers and red fruit. 9 to 10 ft.	3 to 4 ft	2 to 3 ft	.35 3.00
L. tatarica (Tatarian Honeysuckle). Symmetrical shrub. Abundant pink flowers and red fruit. 9 to 10 ft. 2 to 3 ft	3 to 4 ft	3 to 4 ft	.50 4.00
L. tatarica (Tatarian Honeysuckle). Symmetrical shrub. Abundant pink flowers and red fruit. 9 to 10 ft. 2 to 3 ft	3 to 4 ft	4 to 5 ft	.60 5.00
L. tatarica (Tatarian Honeysuckle). Symmetrical shrub. Abundant pink flowers and red fruit. 9 to 10 ft. 2 to 3 ft	3 to 4 ft		
L. tatarica (Tatarian Honeysuckle). Symmetrical shrub. Abundant pink flowers and red fruit. 9 to 10 ft. 2 to 3 ft	3 to 4 ft		
L. tatarica (Tatarian Honeysuckle). Symmetrical shrub. Abundant pink flowers and red fruit. 9 to 10 ft. 2 to 3 ft	3 to 4 ft	2 to 3 ft	.35 ——
L. tatarica (Tatarian Honeysuckle). Symmetrical shrub. Abundant pink flowers and red fruit. 9 to 10 ft. 2 to 3 ft	3 to 4 ft		.50 ——
L. tatarica (Tatarian Honeysuckle). Symmetrical shrub. Abundant pink flowers and red fruit. 9 to 10 ft. 2 to 3 ft	3 to 4 ft		
L. tatarica (Tatarian Honeysuckle). Symmetrical shrub. Abundant pink flowers and red fruit. 9 to 10 ft. 2 to 3 ft	3 to 4 ft	5 to 6 it	.75 —
4 to 5 ft		4 to 5 ft	.60 5.00
5 to 6 ft	3 to 4 ft	5 to 6 ft	.75 6.50
	3 to 4 ft		
6 to 7 ft	3 to 4 ft. .50 4.00 4 to 5 ft. .60 5.00 5 to 6 ft. .75 6.50		
6 to 7 ft 1.00 —	3 to 4 ft. .50 4.00 4 to 5 ft. .60 5.00 5 to 6 ft. .75 6.50	L. tatarica (Tatarian Honeysuckle)	Symmetrical
	3 to 4 ft. .50 4.00 4 to 5 ft. .60 5.00 5 to 6 ft. .75 6.50 6 to 7 ft. 1.00 —	shrub. Abundant pink flowers and to 10 ft.	l red fruit. 9
L. tatarica (Tatarian Honeysuckle). Symmetrical	3 to 4 ft. .50 4.00 4 to 5 ft. .60 5.00 5 to 6 ft. .75 6.50 6 to 7 ft. 1.00 — L. tatarica (Tatarian Honeysuckle). Symmetrical		
L. tatarica (Tatarian Honeysuckle). Symmetrical shrub. Abundant pink flowers and red fruit. 9	3 to 4 ft	2 to 3 ft	
L. tatarica (Tatarian Honeysuckle). Symmetrical shrub. Abundant pink flowers and red fruit. 9 to 10 ft.	3 to 4 ft		
L. tatarica (Tatarian Honeysuckle). Symmetrical shrub. Abundant pink flowers and red fruit. 9 to 10 ft. 2 to 3 ft	3 to 4 ft	3 to 4 ft	.50 4.00
L. tatarica (Tatarian Honeysuckle). Symmetrical shrub. Abundant pink flowers and red fruit. 9 to 10 ft. 2 to 3 ft	3 to 4 ft		
L. tatarica (Tatarian Honeysuckle). Symmetrical shrub. Abundant pink flowers and red fruit. 9 to 10 ft. 2 to 3 ft	3 to 4 ft	4 to 5 ft	.60 5.00
L. tatarica (Tatarian Honeysuckle). Symmetrical shrub. Abundant pink flowers and red fruit. 9 to 10 ft. 2 to 3 ft	3 to 4 ft	4 10 3 11	.00 5.00
L. tatarica (Tatarian Honeysuckle). Symmetrical shrub. Abundant pink flowers and red fruit. 9 to 10 ft. 2 to 3 ft	3 to 4 ft		
L. tatarica (Tatarian Honeysuckle). Symmetrical shrub. Abundant pink flowers and red fruit. 9 to 10 ft. 2 to 3 ft	3 to 4 ft		
L. tatarica (Tatarian Honeysuckle). Symmetrical shrub. Abundant pink flowers and red fruit. 9 to 10 ft. 2 to 3 ft	3 to 4 ft	ilar to preceding, with white flower	rs. 9 to 10 ft
L. tatarica (Tatarian Honeysuckle). Symmetrical shrub. Abundant pink flowers and red fruit. 9 to 10 ft. 2 to 3 ft	3 to 4 ft		
L. tatarica (Tatarian Honeysuckle). Symmetrical shrub. Abundant pink flowers and red fruit. 9 to 10 ft. 2 to 3 ft	3 to 4 ft		
L. tatarica (Tatarian Honeysuckle). Symmetrical shrub. Abundant pink flowers and red fruit. 9 to 10 ft. 2 to 3 ft	3 to 4 ft	3 to 4 It	.50 ——
L. tatarica (Tatarian Honeysuckle). Symmetrical shrub. Abundant pink flowers and red fruit. 9 to 10 ft. 2 to 3 ft	3 to 4 ft	4 to 5 ft.	.60
L. tatarica (Tatarian Honeysuckle). Symmetrical shrub. Abundant pink flowers and red fruit. 9 to 10 ft. 2 to 3 ft	3 to 4 ft		
L. tatarica (Tatarian Honeysuckle). Symmetrical shrub. Abundant pink flowers and red fruit. 9 to 10 ft. 2 to 3 ft	3 to 4 ft	5 to 6 it	.75 —
L. tatarica (Tatarian Honeysuckle). Symmetrical shrub. Abundant pink flowers and red fruit. 9 to 10 ft. 2 to 3 ft	3 to 4 ft		

	Each	Per 10
LYCIUM barbarum (Matrimony-vine)		
shrub suitable for banks or retaining		
ple flowers in June. Red fruit. 10	to 12	ft.
2 to 3 ft	.40	
MYRICA carolinensis (Northern Baybe rich green foliage. Gray berries in c	lusters	along
the stem. Does well in poor or sar	_	
	.60	5.00 6.50
2 to 2½ ft	.19	7.50
3 to 3½ ft		
M. cerifera (Bayberry). Useful in sand	y soil.	Good
foliage plant.		
2 to 2½ ft	.75	6.50
2½ to 3 ft	.90	
3 to 4 ft	1.20	
4 to 5 ft	1.50	
5 to 6 ft	2.00	17.50
PHILADELPHUS coronarius (Sweet 1	Mocko	ange).
Erect shrub. Fragrant white flowers	in Ju	ine. 9
to 10 ft.	0.0	
2 to 3 ft	.30	
3 to 4 ft	.40	-
4 to 5 ft	.50 .60	3.75 5.25
6 to 8 ft	.90	
Transplanted specimens.	.00	
	.90	8.00
6 to 8 ft		
P. coronarius foliis aureis (Golden 1	Maalras	
Dwarf type. Golden leaves. 4 to 5	ft.	
18 to 24 in		
2 to 3 ft	.75	7.00
P. falconeri (Star Mockorange). Shrub	with s	lender.
arching branches. Fragrant white flo		
7 to 8 ft.		
4 to 5 ft	.75	
5 to 6 ft	.90	8.00
6 to 8 ft	1.25	10.00
Transplanted specimens.	4.05	
5 to 6 ft	1.25	
6 to 8 ft	1.50	
P. gordonianus (Gordon Mockorange). Franklich shrub; white flowers in July. 10 to 1		oming
2 to 3 ft	.30	2 .25
3 to 4 ft	.40	3.00
4 to 5 ft	.50	3.75
5 to 6 ft	.60	5.25
6 to 8 ft	.90	8.00
Transplanted specimens.		
5 to 6 ft	.90	8.00
6 to 8 ft	1.25	11.50

PHILADELPHUS—Continued

THEREDELL HOS COMMITTEE	•	
	Each	Per 10
P. grandiflorus (Big Scentless Mockorange		l, very
large white flowers in June. 8 to 1		
4 to 5 ft	.60	
5 to 6 ft	.75 .90	8.00
	.50	0.00
Transplanted specimens. 5 to 6 ft	1.25	
6 to 8 ft	1.50	
0 00 0 10	2.00	
HYBRID MOCKORANGE		
PHILADELPHUS Avalanche (Avalanche I	Mockor	ange).
Tall, graceful shrub. White blosson	ms in	June.
8 to 10 ft.	40	0.00
2 to 3 ft	.40	3.00
3 to 4 ft	.50	3.75
P. lemoinei erectus (Juno Mockorange).	More	com-
pact than Lemoinei, but similar othe	rwise.	June.
8 to 10 ft.		0.00
2 to 3 ft	.50	
3 to 4 ft	.60	4.80
P. Mont Blanc (Dwarf Mockorange). V	ery fra	agrant
white blossoms in profusion. June.	3 ft.	
2 to 3 ft		
3 to 4 ft	.60	4.80
P. virginalis (Virginal Mockorange). Bea	utiful,	semi-
double flowers produced intermittent		
mer.		
2 to 3 ft	.40	3.00
3 to 4 ft	.50 .60	4.00
PHYSOCARPUS opulifolius (Common Erect vigorous shrub. White flowers	Nine	bark).
Erect vigorous shrub. White flowers	in Ju	ily. 9
to 10 ft. 3 to 4 ft	.35	
4 to 5 ft		4.00
5 to 6 ft		6.00
Transplanted specimens.		0.00
4 to 5 ft	.75	6.50
5 to 6 ft	.90	8.00
6 to 7 ft	1.25	11.50
P. opulifolius aureus (Goldleaf Nineba	rk)	White
flowers; showy yellow foliage. 9 to		AATHTE
2 to 3 ft	.30	2.25
3 to 4 ft	.40	3.00
4 to 5 ft	.50	3.75
PRUNUS. (Also see Trees.)		
PRUNUS maritima (Beach Plum). Small v		
April. Purple fruit. Good for sandy	soil o	r sea-
shore planting. 8 to 10 ft.	C.F.	
2 to 3 ft	.65 .90	8.00
4 to 5 ft	1.25	10.00
5 to 6 ft	1.50	12.50
6 to 8 ft	2.50	

	Per 10
PYRACANTHA lalandi (Laland Firethorn). with slender branches. White flowers and orange fruit.	
orange fruit. 2 to 3 ft	
RHODOTYPOS kerrioides (Jetbead). Good shrub. Single white flowers in June. S black berries all Winter. 4 to 5 ft.	
2 to 3 ft	4.50
4 to 5 ft	
R. glabra laciniata (Shredded Sumac). Leaver finely cut, giving attractive feathery appears to 3 ft	arance.
3 to 4 ft	
4 to 5 ft	
ROBINIA hispida (Rose-acacia). Strong g shrub. Rose-colored flowers in June. Do into a mass. 5 to 6 ft.	evelops
2 to 3 ft	6.50 7.50
4 to 5 ft 1.25	
5 to 6 ft 1.50	
SAMBUCUS canadensis (American Elder). Use swampy places; fragrant flowers, June-Jul	у.
2 to 3 ft	
4 to 5 ft	
S. canadensis aurea (Golden American Elder). golden foliage. 10 to 12 ft. 2 to 3 ft	
2 to 3 ft	
SPIRAEA arguta (Garland Spirea). Small, fe light green leaves. Arching branches covere fine white flowers in May. 5 to 6 ft.	d with
2 to 3 ft	4.00 5.00
S. bumalda, Anthony Waterer (Waterer Spirea) rose pink flowers all Summer.	
1½ to 2 ft	4.00 5.00
S. fortunei (Fortune Spirea). Pink-flowering, ous shrub. 3 ft.	
2 to 2½ ft	
2½ to 3 ft	A hun-
dant white flowers in June-July. 3 ft.	
1½ to 2 ft	2.40 3.00
2½ to 3 ft	3.75
S. nipponica rotundifolia (Big Nippon Spirea), green round leaves; white flowers in June. 9 ft.	
2 to 3 ft	3.75
3 to 4 ft	4. 50 6. 00
5 to 6 ft	8.00

SPIRAEA—Continued

	SPIRAEA—Continued	
	Eac	h Per 10
S. pruni	ifolia plena (Double Bridal-Wreath	
_	n foliage. Flowers white. May. 7	
4	to 5 ft	
5	to 6 ft	
S mooning	siana (Reeves Spirea). Graceful archi	no chruh
	e white, double flowers. May-June.	
2	to 3 ft	
3		50 4.50
4	to 5 ft	75
S. thunb	oergi (Thunberg Spirea). Small feath	ery, light
	n leaves. Arching branches clothed v	
whit	te flowers. 4 to 5 ft.	
	- · · · ·	35
		50 75 6.50
3	to 4 ft	75 6.50
	ntosa (Hardhack). Rose-pink flowe	
Sept	tember. Good in low ground. 3 to	
2	to 3 ft	
3 4		50 3.75 75 ——
C wamba		
	outtei (Vanhoutte Spirea). Graceful, t. Profusion of white flowers. M	
	9 ft.	tay-June.
		35 3.00
3		50 4.00
4	to 5 ft	75 5.00
STEPHA	NANDRA flexuosa (Cutleaf Stepha	anandra).
Com	pact, graceful, drooping branches.	Excellent
folia	ge. 5 to 6 ft.	
	to 3 ft	
3 4	to 4 ft	30 5. 0 0 75 6.0 0
_		
STYRAN	X japonica (Japanese Snowbell). Syn	
15 ft	* · · · · · · · · · · · · · · · · · · ·	y. 12 to
3	to 4 ft	75
4	to 5 ft	90
5 6	to 6 ft. 1.2 to 8 ft. 2.0	
· ·		
	ORICARPOS racemosus (Common	
	y). Good foliage. Abundant white d for moist half shady places. 5 to	
		30 2.50
2	to 3 ft	10 3.50
3	to 4 ft	50 ——
	ris (Coralberry). Compact growths.	
	persisting through the Winter. 4 t	
2 3		40 3.50
3	to 4 ft	50 4.00

						30 - 3 0
~ 7		~ .	. 7. *	ot. (Olatera villa v. A.)		Per 10
S				sis (Chinese Lilac). A g		
	ft.	rıng	abuno	dant purple flowers in I	мау. ≀	3 to 10
	2	to			.40	
	3	to		• • • • • • • • • • • • • • • • • • • •	.60	5.00
	4 5	to			.75 .90	6.50 8.00
			_			
S.		vth.		garian Lilac). Tall o p green foliage. Purp		
	3	to			.60	5.00
	4	to			.75	6.50
	5	to	6 ft.		.90	
S. persica (Persian Lilac). Free blooming shrub; lavender flowers. June. 9 to 10 ft.						
	2	to			.50	4.50
	3	to			.75	6.50
	4	to			.90	
S.				lac). Vigorous growth, s. June. 7 to 8 ft.	fragran	it light
	2	to	3 ft.		.40	3.00
	3	to			.55	4.50
	4	to			.70	6.00
	5	to	6 It.		.90	
S.				mon Lilac). The well ac. May. 15 to 18 ft.	-known	ı, old-
	2	to			.30	2.25
	3	to			.40	3.00
	4 5	to	5 ft. 6 ft.		.55 .70	4.50 6.00
	6	to			.90	0.00
~						4
				Common White Lilac). May. 12 to 15 ft.	wnite v	variety
	2	to	3 ft.		.40	3.00
	3 4	to to	4 ft. 5 ft.		.55 .70	4.50 6.00
	5	to	6 ft.		.90	8.00
	6	to	7 ft.		1.25	11.50
)		
				HYBRID LILACS		
S.	alba	gra	ndiflor	a. Double white.		
	2	to			1.00	
	3	to	4 ft.		1.50	
s.				enth. Single, reddish		
	2	to			.75 1.25	6.50
	ა 4	to			1.25	12.50
	5	to			2.50	22.50
S.	Claud	le E	Bernard	I. Semi-double, bright		
	4				2.50	22.50
	5	to		• • • • • • • • • • • • • • • • • • • •	3.00	27.50
	6	to	8 ft.		4.50	

SYRINGA—Continued

			Each	Per 10
S.	Dr. Mast	ers. Double, clear Lilac.		
	2 to	3 ft	.75	6.50
	3 to	4 ft	1.25	
S.	Emondi.			
~.	3 to	4 ft	1.80	16.50
	4 to	5 ft	2.50	22.50
	5 to	6 ft	3.00	
g	Hugo Ko	ster. Single Lilac, reddish	tinge	
ν.	2 to	3 ft	.75	6.50
	3 to	4 ft	1.00	9.00
~				
S.		Spaeth. Single, dark purpl		
	2 to	3 ft	.75	
	3 to 4 to		1.00 1.50	12.50
	5 to	6 ft	2.00	17.50
			_,,,	
S.	Marechal	Lannei. Semi-double, bluis		t.
	2 to		2.00	
	3 to		3.00	
	4 to	5 ft	4.00	
S.	Marie Le	graye. Single white.		
	2 to	3 ft	.75	6.50
	3 to	4 ft	1.00	9.00
	4 to	5 ft	1.50	
S.	Miss Eller	n Wilmot. Double snow-whi	ite.	
	2 to	3 ft	1.65	15.00
	3 to	4 ft	2.25	21.00
s.	Mme. Len	noine. Double white.		
	2 to	3 ft	.60	5.25
	3 to	4 ft	.90	7.50
	4 to	5 ft	1.25	
S.	Montaign	e. Double pinkish-mauve.		
	3 to	4 ft	2.25	
	4 to	5 ft	2.75	25.00
	5 to	6 ft	3.25	
	6 to	7 ft	4.50	
S.	nigrans.	Single, violet purple.		
	1½ to	2 ft	1.20	10.50
	2 to	3 ft	1.75	15.00
S.	President	Fallieres. Double pale la	vender.	
	2 to	3 ft	1.65	15.00
	3 to	4 ft	2.25	21.00
S.	President	Gravy. Large double blue.		
	2 to	3 ft	.60	5.25
	3 to	4 ft	.90	7.50
	4 to	5 ft	1.50	12.50
	5 to	6 ft	2.50	
	6 to	8 ft	4.00	35.00
S.	rubra ins	ignia. Single red.		
		2 ft	1.20	10.50

SYRINGA—Continued

Each F	er 10
S. William Robinson. Double violet-mauve.	
1½ to 2 ft	5.50
2 to 3 ft	
TAMARIX africana (African Tamarix). Feat	hery,
light green foliage. Pink flowers. May. Th	rives
near seashore. 12 to 15 ft.	
3 to 4 ft	
5 to 6 ft	
6 to 8 ft	
0 00 0 20	
VACCINUM corymbosum (Highbush Bluebe	erry).
Shrub of good habit, to 5 or 6 ft. Attra-	ctive,
white, bell-shaped flowers and edible fruit.	
2 to 3 ft 1.00	9.00
3 to 4 ft 1.25	10.50
4 to 5 ft 1.65	15.00
VIBURNUM carlesi (Fragrant Viburnum). Sym	
rical spreading shrub; very fragrant; pin	nkish
white flowers. May. 4 to 5 ft.	
$1\frac{1}{2}$ to 2 ft. (B & B) 1.50	12.75
2 to 2½ ft. " 200	17.50
2½ to 3 ft. " 2.50	22.50
3 to 3½ ft. " 3.00	27.50
$3\frac{1}{2}$ to 4 ft. " 3.50	30.00
V dentatum (Arrowwood) Large symmetrical sl	hruh
V. dentatum (Arrowwood). Large, symmetrical si	
white flowers. Thrives in moist ground.	
white flowers. Thrives in moist ground 10 to 12 ft.	June.
white flowers. Thrives in moist ground. 10 to 12 ft. 2 to 3 ft	June. 3.00
white flowers. Thrives in moist ground. 10 to 12 ft. 2 to 3 ft	June. 3.00 5.00
white flowers. Thrives in moist ground. 10 to 12 ft. 2 to 3 ft. .40 3 to 4 ft. .60 4 to 5 ft. .75	June. 3.00
white flowers. Thrives in moist ground. 10 to 12 ft. 2 to 3 ft	June. 3.00 5.00
white flowers. Thrives in moist ground. 10 to 12 ft. 2 to 3 ft. .40 3 to 4 ft. .60 4 to 5 ft. .75 5 to 6 ft. .90	3.00 5.00 6.50
white flowers. Thrives in moist ground. 10 to 12 ft. 2 to 3 ft. .40 3 to 4 ft. .60 4 to 5 ft. .75 5 to 6 ft. .90 V. lantana (Wayfaring-tree). White flowers,	3.00 5.00 6.50 dark
white flowers. Thrives in moist ground. 10 to 12 ft. 2 to 3 ft. .40 3 to 4 ft. .60 4 to 5 ft. .75 5 to 6 ft. .90 V. lantana (Wayfaring-tree). White flowers, green, wrinkled leaves. Berries red, changing	3.00 5.00 6.50 dark
white flowers. Thrives in moist ground. 10 to 12 ft. 2 to 3 ft. .40 3 to 4 ft. .60 4 to 5 ft. .75 5 to 6 ft. .90 V. lantana (Wayfaring-tree). White flowers, green, wrinkled leaves. Berries red, changing black.	3.00 5.00 6.50 dark
white flowers. Thrives in moist ground. 10 to 12 ft. 2 to 3 ft. .40 3 to 4 ft. .60 4 to 5 ft. .75 5 to 6 ft. .90 V. lantana (Wayfaring-tree). White flowers, green, wrinkled leaves. Berries red, changing black. 2 to 3 ft. .50	3.00 5.00 6.50 dark ng to
white flowers. Thrives in moist ground. 10 to 12 ft. 2 to 3 ft. .40 3 to 4 ft. .60 4 to 5 ft. .75 5 to 6 ft. .90 V. lantana (Wayfaring-tree). White flowers, green, wrinkled leaves. Berries red, changing black. 2 to 3 ft. .50 3 to 4 ft. .60	3.00 5.00 6.50 dark ng to 4.00 5.50
white flowers. Thrives in moist ground. 10 to 12 ft. 2 to 3 ft. .40 3 to 4 ft. .60 4 to 5 ft. .75 5 to 6 ft. .90 V. lantana (Wayfaring-tree). White flowers, green, wrinkled leaves. Berries red, changing black. 2 to 3 ft. .50 3 to 4 ft. .60 4 to 5 ft. .75	3.00 5.00 6.50 dark ng to 4.00 5.50
white flowers. Thrives in moist ground. 10 to 12 ft. 2 to 3 ft. .40 3 to 4 ft. .60 4 to 5 ft. .75 5 to 6 ft. .90 V. lantana (Wayfaring-tree). White flowers, green, wrinkled leaves. Berries red, changing black. 2 to 3 ft. .50 3 to 4 ft. .60	3.00 5.00 6.50 dark ng to 4.00 5.50
white flowers. Thrives in moist ground. 10 to 12 ft. 2 to 3 ft. .40 3 to 4 ft. .60 4 to 5 ft. .75 5 to 6 ft. .90 V. lantana (Wayfaring-tree). White flowers, green, wrinkled leaves. Berries red, changing black. 2 to 3 ft. .50 3 to 4 ft. .60 4 to 5 ft. .75	3.00 5.00 6.50 dark ng to 4.00 5.50
white flowers. Thrives in moist ground. 10 to 12 ft. 2 to 3 ft	3.00 5.00 6.50 dark ng to 4.00 5.50
white flowers. Thrives in moist ground. 10 to 12 ft. 2 to 3 ft	3.00 5.00 6.50 dark ng to 4.00 5.50 hrub.
white flowers. Thrives in moist ground. 10 to 12 ft. 2 to 3 ft	3.00 5.00 6.50 dark ng to 4.00 5.50 hrub.
white flowers. Thrives in moist ground. 10 to 12 ft. 2 to 3 ft	3.00 5.00 6.50 dark ng to 4.00 5.50 hrub.
white flowers. Thrives in moist ground. 10 to 12 ft. 2 to 3 ft. .40 3 to 4 ft. .60 4 to 5 ft. .75 5 to 6 ft. .90 V. lantana (Wayfaring-tree). White flowers, green, wrinkled leaves. Berries red, changing black. 2 to 3 ft. .50 3 to 4 ft. .60 .60 4 to 5 ft. .75 V. opulus (European Cranberrybush). Upright standard fruit in Midsummer. 8 to 9 ft. 2 to 3 ft. .50 3 to 4 ft. .60 4 to 5 ft. .75 V. opulus nanum (Dwarf Viburnum). Very company	3.00 5.00 6.50 dark ng to 4.00 5.50 hrub. 4.00 6.50 pact;
white flowers. Thrives in moist ground. 10 to 12 ft. 2 to 3 ft	3.00 5.00 6.50 dark ng to 4.00 5.50 hrub. 4.00 6.50 pact;
white flowers. Thrives in moist ground. 10 to 12 ft. 2 to 3 ft	3.00 5.00 6.50 dark ng to 4.00 5.50 hrub. 4.00 6.50 pact;
white flowers. Thrives in moist ground. 10 to 12 ft. 2 to 3 ft	3.00 5.00 6.50 dark ng to 4.00 5.50 hrub. 4.00 5.00 6.50 pact; to 2
white flowers. Thrives in moist ground. 10 to 12 ft. 2 to 3 ft	3.00 5.00 6.50 dark ng to 4.00 5.50 hrub. 4.00 5.00 6.50 pact; to 2
white flowers. Thrives in moist ground. 10 to 12 ft. 2 to 3 ft	3.00 5.00 6.50 dark ng to 4.00 5.50 hrub. 4.00 6.50 pact; to 2
white flowers. Thrives in moist ground. 10 to 12 ft. 2 to 3 ft	3.00 5.00 6.50 dark ng to 4.00 5.50 hrub. 4.00 5.00 6.50 pact; to 2

VIBURNUM—Continued

			VII	BURNUM—Con	tinued		
						Each	Per 10
W 7		4		G G	hall) D		
٧.				Common Snow		-	
			I snov	-white flowers.	May	or June.	. 9 to
	10 f	t.					
	2	to				.40	3.00
	3	to				.60	5.00
	4	to				.75	6.50
	5	to	6 ft.		• • • • • •	.90	8.00
W.7	40	m 4 a c	· /1	Doublofield Wib		C	otwice 1
٧.				Doublefield Vib		-	
			_	oliage; flat he	ads of	wnite n	owers.
	Jun	e. '	7 to 8				
	2	to				.50	4.00
	3	to				.60	5.00
	4	to	5 ft.		• • • • •	.90	8.00
V.	tome	ntos	um pl	icatum (Japane	ese Snov	vhall). I	Ouble
•			_	handsome pu			
				_	ipic Mu	cumm 1	onage.
			7 to 8			**	4.00
	2	to				.50	4.00
	3	to				.60	5.00
	4	to	5 16.		• • • • •	.75	6.50
WE	EIGE	LA,	Abel	Carriere (Carr	iere We	eigela).	Rose-
	colo	red:	bloor	ns in June. 7	to 8 ft	t.	
	2	to				.40	3.50
	3	to				.50	4.00
	4	to				.60	
	5	to				.75	
	6	to	8 ft.			1.25	
WW7	o mo	hilic	(Pos	Weigela). Li	wht ninl	r blogge	ma in
**.			7 to 8		Sire hitte	r, mrossc	71115 1111
	_						
		to				.40	3.50
	3	to		• • • • • • • • • • • • • • • • • • • •		.50	4.00
	5	to				.75	6.50
	J	to.	0 16.		• • • • • •	.90	
W.	cano	dida	(Sn	ow Weigela).	Large,	pure	white
	flow	ers.	June	. 7 to 8 ft.			
	2	to	3 ft.			.40	3.00
	3	to				.50	4.00
	4					.60	5.00
	5					.75	6.50
	6	to	8 ft.			1.25	
W.X.7	Evo	D o	4hlro	(Red-flowering	Minimal	a) Ca	
**.				mmer. 4 to 5		a). Ca	irmine
	2					=0	4.00
	3					.50 .60	4.00 5.00
	3 4					.90	5.00
	_						
W.	nana	va	riegata	(Dwarf Varies	gated W	eigela).	Low,
				b. Leaves att			gated;
		_		wers. June. 7			
	2					.50	4.50
	3					.60	5.00
	4	to	5 ft.	• • • • • • • • • • • • • • • • • • • •	• • • • •	.75	6.50

WEIGELA—Continued

	Each l	Per 10
W. rosea (Pink Weigela). Abundant June. 7 to 8 ft.	pink flo	wers.
2 to 3 ft	.40	3.50
3 to 4 ft	.50	4.00
4 to 5 ft	.60 .90	5.00
	•=•	
ZANTHORHIZA apiifolia (Yellowroot). suitable for sandy soil.	Ground	cover
12 to 15 in	.35	3.00
15 to 18 in	.50	4.50
Screen and Boundary P	lants	
BERBERIS thunbergi (Japanese Ba	rberry).	Low
hedge plant or for masses; scarle brilliant Autumn coloring. 4 to 5	t berries	and
	10	100
*12 to 15 in	1.20	10.00
*15 to 18 in	1.50	12.50
*18 to 24 in *24 to 30 in	$\frac{2.00}{2.50}$	15.00 20.00
LIGUSTRUM ovalifolium (California		
upright shrub; universally used fo to 15 ft.	r nedges	. 10
1½ to 2 ft	1.50	6.00
2 to 3 ft	$\frac{2.00}{2.20}$	9.00
2 to 3 ft., extra heavy	2.50	12.00
3 to 4 ft., extra heavy	3.00	14.00
· · · · · · · · · · · · · · · · · · ·	alamala la	
ROSA rugosa (Rugosa Rose). Attractive rich green foliage. Large, single		
flowers. June-September. Large red		
Useful in shrub border or as hedg		
1½ to 2 ft Each .40	3.00	
2 to 3 ft Each .60		
3 to 4 ftEach .75	6.50	

Roses

Hybrid Tea and Tea

- Sturdy, two year, pot grown plants. \$.90 each or \$7.50 per 10. Unless otherwise noted.
- Amelia Earhart. (Plant Patent No. 63. Long pointed buds, flowers exceptionally large of deep yellow. Each \$1.50.
- Better Times. (Plant Patent No. 23). Interesting long crimson buds opening to large brilliant cerise-red flowers. Each \$1.50.
- Betty Uprichard. A spectacular double-colored rose of vivid coral and silky flesh-pink.
- Chas. P. Kilham. Large beautifully shaped blooms of brilliant orange-pink, suffused with glowing yellow.
- (Plant Patent No. Countess Vandal. 38). popular of all roses. A lovely coppery-pink and gold bloom. Extra long pointed buds. Each \$1.75.
- Dame Edith Helen. Large wonderfully shaped bright pink flowers. Most fragrant.
- E. G. Hill. New. Large deep maroon blooms, velvety on inside.
- Etoile De Hollande. Brilliant red flowers of magnificent size. Very fragrant.
- *G. A. van Rossem. Buds glowing orange, opening to golden salmon.
- Gov. Alfred E. Smith. (Plant Patent No. 62). An easy rose to grow. Blooms a mixture of salmon and gold with a deeper tone on outside petals. Each \$1.50.
- Joanna Hill. New. Buff petals with indian-yellow center. Very double bloom.
- Lady Margaret Stewart. Golden yellow shaded and streaked with orange and red. Not very fragrant.
- Margaret McCredy. Orange-vermilion blooms. Buds Very persistent bloomer. upright.
- Mary Hart. (Plant Patent No. 8). Bud is maroon-red opening to well formed blossoms of velvety blood red with overglow of amber. Each \$1.00.
- Mme. Edouard Herriot. Buds coral-red and orange, opening to large semi-double flowers of orange-red and salmon.
- Mme. Jules Bouche. White flowers very lightly tinted pink on inside.
- Mrs. Erskine Pembroke Thom. Slender yellow buds and large bright canary yellow blooms.
- Mrs. Henry Bowles. Buds and flowers of clear pink. Vigorous and free flowering.

- Nigrette. (Plant Patent No. 87). "The Black Rose of Sangerhausen." Cup shaped flowers of an intensely deep maroon and blackest velvety sheen. Very fragrant. Each \$2.00.
- President Herbert Hoover. Maroon, orange, and gold.
- Radiance. Large, light silvery pink to salmon-pink flowers on long stem.
- Red Radiance. Big globular flowers of deep rose red.
- Sensation. Buds and flowers very large, scarlet crimson with maroon markings.
- Souvenir. (Plant Patent No. 25). Fragrant, golden, well shaped blooms. Tall, vigorous and ever blooming. Each \$1.00.
- Sunkist. Brownish orange sport of the well known Joanna Hill variety.
- Talisman. Brilliant red and gold buds opening to scarlet-orange and yellow blooms.
- Token. (Plant Patent No. 95). Large bud with medium full flowers of rich sun-ripened apricot, gradually finishing soft coral. Each \$1.50.
- Ville De Paris. Round buds of clear yellow, opening to same untouched hue.

Hybrid Rugosa Roses

- Sturdy, two year, pot grown plants, \$.75 each or \$6.50 per 10.
- **F. J. Grootendorst.** Bright crimson flowers. Blooms from early summer to frost.

Climbing Roses

- Sturdy, two year, pot grown plants, \$.75 each or \$6.50 per 10. Unless otherwise noted.
- American Pillar. Flowers single, brilliant pink, with white eye, borne in clusters.
- Blaze. (Plant Patent No. 10). Large, vivid scarlet, well-shaped flowers. Very hardy everblooming climber. Each \$2.00.
- Chaplins Pink Climber. Beautiful, clear-pink, semidouble, flowers in clusters.
- Climbing American Beauty. Moderately fragrant rich carmine flowers.
- **Dorothy Perkins.** Clear cherry-pink, slightly fragrant flowers, borne in great profusion.
- Dr. W. Van Fleet. Perfectly formed, long-pointed deep pink buds, opening to lighter shade of pink.

- Golden Climber. (Plant Patent No. 28). Hybrid-Tea flowered climber. The best yellow climber. Each \$2.00.
- Mme. Gregoire Staechelin. Delicate pink, stained crimson outside.
- Pauls Scarlet Climber. The brightest and purest red of all the pillar Roses. Vivid scarlet, shaded crimson semi-double flowers in clusters.
- Princess van Orange. (Plant Patent No. 106). Luminous orange-scarlet flower clusters. Each \$2.00.
- Large semi-double white and creamy flowers that are borne in great profusion.

Miscellaneous Roses

- Sturdy, two year, pot grown plants, \$.75 each or \$6.50 per 10.
- Rosa Wichuraiana (Memorial Rose). Beautiful fragrant, pure white flowers, borne in great profusion.
- Rose orders should be placed early in the season for best results.

Vines and Climbers

AKEBIA	quinata (Fi	veleaf Akebi	a).	Dainty vir	ne with
dark	green leaf	, persisting	all	Winter.	Purple
flowe	rs in May.	15 to 20 ft.			

	Lacn	rer 10
Medium plants	.50	4.00
Strong plants	.60	5.00
Extra strong plants	.80	7.00

AMPELOPSIS quinquefolia (Virginia Creeper). Foliage takes on strikingly brilliant reds in Autumn. 30 to 40 ft.

Medium plants	.35	2.70
Strong plants	.45	3.90
Extra strong plants	.60	5.40

A. tricuspidata veitchi (Japanese Creeper). Self-clinging vine; brilliant Autumn foliage. Blue berries. .50 Strong plants Extra strong plants

BIGNONIA grandiflora (Chinese Trumpetcreeper). Good foliage; deep scarlet flowers. July. 25 ft.

Strong plants75 6.00 Extra strong plants\$1.00 to 1.50 13.50

.60

C. jackmani (Jackman Clematis). Large-flowering purple Clematis. August. 18 to 20 ft.

Strong plants75 Extra strong plants in pots90

C. paniculata (Sweet Autumn Clematis). Fragrant white flowers. September. 20 to 25 ft.

Strong plants Extra strong plants in pots50 .75 7.00 EUONYMUS. (See Evergreen Shrubs)).

HEDERA. (See Evergreen Shrubs).
LONICERA japonica halliana (Hall Japanese Honeysuckle). Quick-growing vine; fragrant white flowers. June. 15 to 20 ft.
Strong plants
Extra strong plants in pots50 4.00
And strong plants in pols 30 4.00
L. sempervirens (Trumpet Honeysuckle). Quick-growing vine, bright scarlet flowers. July-September. 15 to 20 ft.
Strong plants
Extra strong plants
Entra surong plantos
PERIPLOCA graeca (Silkvine). Dark green, glossy

	ntsts	4.50 6.50
wisteria sine climber, cluster 40 to 50 ft.		U

Strong plants90 8.00 Extra strong plants 1.50 14.00

leaves, brownish purple flowers. July. 20 to 30 ft.

W. sinensis alba (White Chinese Wisteria). Same as preceding, except flowers which are white.

7.50 Strong plants 1.00 Extra strong plants 1.50 12.50

Perennials

It is no wonder that these grand, old-fashioned hardy garden flowers continue to increase in popularity. There is not a time during the whole flower season in which some hardy perennial is not in bloom.

Five plants of one variety given at 10 rate, and 25 plants of one variety given at 100 rate when 10 and 100rates are mentioned. Large clumps, 35c. up.

ACHILLEA ptarmica. Boule de Neige (Sneeze wort). White flowers. June-September. 18 in. 9.00

AMSONIA tabernaemontana (Willow Amsonia). Panicles of small, light blue flowers. May. 2 to 3 ft. 1.50

ASTILBE japonica (Japanese Astible). Plumes of white flowers. June-July. 2½ ft. .35 3.00

A. Queen Alexander. Plumes of pink flowers. July. 2 ft. .35 3.00

CHRYSANTHEMUM. Selected varieties and colors. .25 1.80 12.00

COREOPSIS grandiflora (Big Coreopsis). Yellow. June-October. 2 to 3 ft. .25 1.50 9.00

D (1 1 1 1 1 1 1 1 1	40, 411	
Fach	10	100
HELIANTHUS decapetalus (Thinleaf Su	nflower	e). Yel-
low. June-July. 4 ft25		9.00
HIBISCUS moschoutos (Common Rose-I August. 3 ft25		Pink). 12.00
HOSTA caerulca (Blue Plaintainlily). Lav July. 18 in25		lowers. 12.00
H. undulata variegata (Variegated Leaf Blue. August. 18 in25		ainlily). 12.00
IRIS germanica (German Iris). Mixed 3 ft25		May 2. 12.00
I. kaempferi (Japanese Iris). Blue and w to 4 ft.		une. 3 18.00
I. sibirica (Siberian Iris). Blue. May 2.		3 ft. 12.00
PAEONIA		
	Each	Per 10
Duchess de Nemours. Guard petals,		
lemon-yellow. Blooms early	.65	6.00
Edulis Superba. Clear deep pink;		
blooms very early	.60	5.40
Festiva Maxima. White center, crimson		
flecked. Blooms early	.50	4.50
Louis Van Houtte. Bright red to		
crimson. Blooms late	.50	4.50
Marie Lemoine. Large late bloom. Ivory white petals lightly edged with pink	.50	4.50
Mme. Chaumy. Clear pink, very full	,,,,	
and of good shape. Late	.50	4.50
Rosea plena superba. Delicate pink and salmon flowers	.50	
Rubra superba. Deep carmine-crimson.		
Very late bloom.	.75	6.50
PHLOX		
Large clumps \$.50 each; \$4.00 p	er 10	
English that the party of the p	Each	Per 10
Beacon, Red	.25	2.10
Boule de Feu. Cherry-red	.25	
Mrs. Jenkins. Pure white	.25	2.10
Pink Beauty. Pale pink	.25	
Queen. Pure white	.25	
Riverton Jewel. Pink	.25	2.10
RUDBECKIA laciniata (Golden-	10	100
glow). Yellow. August. 4		
to 5 ft	2.20	15.00
ORNAMENTAL GRASS (Eulalia). Large clumps50	4.00	30.00
Extra large clumps1:00 to 1.50	1.00	50.00

Fruit Department

Each Per 10 STANDARD APPLES \$1.00 \$ 9.00 5 1.25 11.00 to 1.50 14.00 to 3.00 to 5.00 10 to 12 ft. high. 8 to 10 yrs.... 5.00 to 10.00

SUMMER VARIETIES

- Early Harvest. Very early, pale yellow; fine flavor and productive.
- Yellow Transparent. Large, pale yellow, flesh white, tender and sweet.
- Red Astrachan. Earliest. A large red, striped table Apple of high quality.

AUTUMN VARIETIES

- Fall Pippin. Large yellow fruit.
- Gravenstein. Very large, greenish-yellow; excellent flavor.
- McIntosh. Red, extremely hardy, noted for bearing regularly.
- Wealthy. Light yellow, nearly covered with red; white juicy flesh.

WINTER VARIETIES

- Baldwin. Large, red highly colored, crisp and juicy.
- Bellflower. Very large, pale lemon yellow. Flesh tender, juicy and crisp.
- Delicious. Large; brilliant dark red Apple; flesh white, tender and juicy. Surpasses all others in flavor.
- Grimes Golden Yellow. A hardy tree that bears annually.
- Jonathan. Medium size; red; good quality. Heavy bearer.
- King. Large, red, juicy, abundant annual bearer.
- Rhode Island Greening. Large, yellow when fully ripe, tender and juicy.
- Rome Beauty. Large, yellow, striped with red, flesh yellow and rather coarse grained.
- Roxbury Russet. A standard Winter Apple, flesh greenish-white and crisp. Keeps late.
- Spitzenburg. Large, light red, flesh yellow, crisp and richly flavored.
- Stayman's Winesap. Of only fair size, but fine quality, bright red with yellow, juicy flesh.
- Tolman Sweet. Pale yellow, tinged with red; medium size, rich and sweet.
- Wagener. Yellow, highly colored with red; tender, juicy and bears early.
- Winter Banana. Golden yellow, usually shaded crimson, flesh fine grained with a very rich flavor.
- Wolf River. Greenish-yellow, shaded crimson, juicy slightly acid.
- York Imperial. Medium, whitish, shaded with red, very good quality.

DWARF VARIETIES

4	to	5 ft. high, 2 yr.	\$1.00	
5	to	6 ft. high, 4 yr.	1.75	
6	to	7 ft. high	2.00 to 5.00	

Gravenstein. Very large, greenish-yellow, crisp apple.

CRAB APPLES

5	to	7	ft.	high,	2 y	r		 		1.00	9.00
5	to	7	ft.	high,	3 y	r		 	•	1.25	11.00
6	to	8	ft.	high,	4 y	r		 	•	1.50	14.00
				high,							
10	to	12	ft.	high,	8 to	10	yr.	.5.00	to	10.00	

Hyslop. Large size, dark crimson and very showy. Transcendant. Red, showy and excellent.

STANDARD PEARS

4	to	5 ft. high, 2 yr	1.00	9.00
		6 ft. nigh, 3 yr	1.25	11.00
6	to	7 ft. high, 4 yr	1.50	14.00
		9 ft. high, 6 to 8 yr3.00 to	o 7.50	

SUMMER VARIETIES

Bartlett. Large, yellow, with red cheek; flesh rich and juicy.

Clapp (Clapp's Favorite). Large long, light yellow, with red cheek. Very juicy and rich.

AUTUMN VARIETIES

Beurre Bosc. Large and long, cinnamon-russet color; juicy and delicious.

 $2\frac{1}{2}$ to 3 ft. \$4.00

Duchess d'Angouleme. Very large, greenish-yellow; russet spots, juicy and fine.

Flemish Beauty. Large, pale yellow, mostly russeted. Flesh very juicy and sweet.
Kieffer. Large, yellow and red cheeked. Grain is coarse

and is best for canning and preserving.

Lawrence. Medium size, fine golden yellow; sugary and aromatic.

Seckel. Medium to small; yellowish brown with red cheek; very rich and delicious.

Sheldon. Large; russet with red cheek; juicy and delicious.

DWARF PEARS

6 to 7 ft. high\$3.00 to \$5.00 Each Clapp (Clapp's favorite). Large, yellowish green with dark red cheek.

CHERRIES

5	to	7 ft. high. 2 yr	\$1.00	\$ 9.00
6	to	7 ft. high, 3 yr	1.25	11.00
6	to	8 ft. high, 4 yr	1.50	14.00
		8 ft. high, 6 to 8 yr	3.00	to 7.50

SWEET VARIETIES

Black Tartarian. Large, bright purplish-black; flesh purplish, rich and delicious.

Governor Wood. Large, light yellow and red, juicy and sweet.

Windsor. Fruit large, liver-colored. Flesh firm and of fine quality.

SOUR VARIETIES

- Early Richmond. Medium size, dark red, juicy rich acid flavor.
- Montmorency. Large for a sour Cherry, dark red, popular for canning.

QUINCES

3	to	4 ft., 2 yr	\$1.00	\$ 9.00
		5 ft., 3 yr	1.25	11.00
5	to	6 ft., 4 yr	2.00	19.00
5	to	8 ft., 6 to 8 yr	3.00	to 7.50

Champion. Ripens late and bears regularly; excellent quality.

Orange. Large and fine, always bears an abundance of fruit.

PLUMS

5	to	6 ft. high, 2 yr	\$1.00	\$ 9.00
		7 ft. high, 3 yr	1.25	11.00
6	to	8 ft. high, 4 yr	2.00	18.00
7	to	8 ft. high, 6 to 8 yr	3.00	to 7.50

Green Gage. Round, greenish-yellow; rich and excellent.

PEACHES

3	to	4	ft.,	2 ;	yr.	٠.						\$.75	\$ 6.50
	to												8.50
	to												12.50

SUMMER VARIETIES

Belle of Georgia. Very large, white with red cheek, flesh white, firm and of fine flavor. Freestone.

Elberta. Large, yellow with red cheek. Juicy and of good flavor.

AUTUMN VARIETIES

Crawford's Late. Very large, yellow with dark red cheek; flesh deep yellow, red at the stone; juicy and excellent flavor.

Small Fruits

BLACKBERRIES

Medium plants	\$.10	\$.80
Strong plants		1.00

Blower. Large size, jet black, excellent quality.

Iceberg. The white Blackberry. Berries are sweet and with very few seeds.

Rathburn. A hardy, erect growing, but rather dwarf plant. Fruit very large, juicy, sweet and high flavored.

CURRANTS

Medium plants	 \$.15	\$1.00
Strong plants	 .25	2.00

Cherry . The largest of all red Currants; berries deep red, quite acid.

White Grape. Long, loose bunches of medium-sized white berries; excellent quality, mild and sweet.

RASPBERRIES

Strong plants	\$.15	\$1.00
Cuthbert. Fruit is large, firm of texture,	and of	excel-
lent quality.		

St. Regis. Bright red berries of good size and flavor; the best of the "everbearing" Raspberries.

GRAPES

Strong plants	\$.50	\$4.00
Extra strong	.75	6.50

BLACK VARIETIES

Concord. The most popular black Grape; juicy, sweet. fine flavor.

Worden. Big, compact bunches of extra large, thinskinned berries; very productive.

RED VARIETIES

Agawam. Large, dark red.

Strong plants

Catawba. Bunches medium; berries large, somewhat pulpy, juicy, aromatic and rich.

WHITE VARIETIES

Strong plants	\$.50	\$4.00
Extra strong plants		.75	6.50
Diamond. Bunch and berry large, extra	fi:	ne	quality.
Niagara. White, early. Bunch and berry	y 1	arg	e. Ex-
collent flavor		_	

STRAWBERRIES

	Per 100
Early	\$2.00
Midseason	2.00
Late	2.00
Everbearing	3.00

GOOSEBERRIES

American Varieties

\$ 20 \$1.80

20101	.16 pia.	1100				Ψ	.20	Ψ1.00
Extr	a stron	g plants					.30	2.50
Downing.	Fruit	greenish	white	, larg	e, so	ft	and	juicy.
Houghton.	Medi	um-sized	, pale	red, s	sweet	a	nd ju	licy.

NUT TREES

CORYLUS	ma	xir	na	(Gi	ant	F	ilbe	rt).	Stron	g shi	·ub
growing	to	a	he	ight	οť	5	ft.;	abu	ndant	fruit	in
October											

3	to	4	ft.	 \$1.75	
4	to	5	ft.	 2.25	
				 2.75	

JUGLANS cinera (Butternut). The large, elongated nuts are rich, sweet and of delicate flavor; very nutritious; trees are hardy and full-bearing.

uu	1010	us,	OI CC	arc	, maray	corru r	uii-bearing.	
6	to	8	ft				\$1.50	

J. nigra (Black Walnut). Relatively fast-growing; a fine specimen bearing especially tasty nuts.

 \$1.25		۰	٠	٠		٠				 It.	6	to	Ъ
 1.50							 ٠			 ft.	8	to	6
										ft.			
										ft.			

J. sieboldiana (Japanese Walnut). Hardier than the English Walnut; nuts equally delicious. Grows
quite rapidly into a broad, spreading specimen.
7 to 8 ft \$2.50 ——
8 to 10 ft
10 to 12 ft., 2 to 2½ in. cal 4.00 ————————————————————————————
ASPARAGUS Per 100
Strong plants \$2.25
Extra strong plants 3.00
Conover's Colossal. Of large size, rapid growth, and excellent quality. Green.
Palmetto. A very popular variety of best quality.
White.
RHUBARB Small plants
Medium plants
Strong plants
CALENDAR FOR SPRAYING FRUIT TREES
For general results, we recommend spraying fruit
trees as follows:
First, spray with lime sulphur solution during the Winter.
Second, spray with Pyrox after the blossoms fall.
Third, spray with Pyrox two weeks later.
This will control the most prevalent insects and fungous diseases attacking fruit trees on Long Island.
Plant fruit trees about your home grounds—for
shade or ornament and for fruits for the table.
LAWN SEED
SCOTT'S REGULAR MIXTURE
SCOTT'S REGULAR MIXTURE For sunny lawns. Contains Creeping Bent. Like all Scott mixtures, weed-free and chaff-free.
SCOTT'S REGULAR MIXTURE For sunny lawns. Contains Creeping Bent. Like all Scott mixtures, weed-free and chaff-free. 1 lb\$.60 10 lbs\$ 5.25
SCOTT'S REGULAR MIXTURE For sunny lawns. Contains Creeping Bent. Like all Scott mixtures, weed-free and chaff-free. 1 lb\$.60 10 lbs\$ 5.25 3 lbs 1.75 25 lbs 12.50
SCOTT'S REGULAR MIXTURE For sunny lawns. Contains Creeping Bent. Like all Scott mixtures, weed-free and chaff-free. 1 lb\$.60 10 lbs\$ 5.25 3 lbs\$ 1.75 25 lbs\$ 12.50 5 lbs\$ 2.75 50 lbs\$ 22.50
SCOTT'S REGULAR MIXTURE For sunny lawns. Contains Creeping Bent. Like all Scott mixtures, weed-free and chaff-free. 1 lb \$.60 10 lbs \$ 5.25 3 lbs 1.75 25 lbs 12.50 5 lbs 2.75 50 lbs 22.50 SCOTT'S SHADE MIXTURE
SCOTT'S REGULAR MIXTURE For sunny lawns. Contains Creeping Bent. Like all Scott mixtures, weed-free and chaff-free. 1 lb \$.60 10 lbs \$ 5.25 3 lbs 1.75 25 lbs 12.50 5 lbs 2.75 50 lbs 22.50 SCOTT'S SHADE MIXTURE Combination of shade tolerant grasses including three imported varieties and Creeping Bent.
SCOTT'S REGULAR MIXTURE For sunny lawns. Contains Creeping Bent. Like all Scott mixtures, weed-free and chaff-free. 1 lb \$.60 10 lbs \$ 5.25 3 lbs 1.75 25 lbs 12.50 5 lbs 2.75 50 lbs 22.50 SCOTT'S SHADE MIXTURE Combination of shade tolerant grasses including three imported varieties and Creeping Bent.
SCOTT'S REGULAR MIXTURE For sunny lawns. Contains Creeping Bent. Like all Scott mixtures, weed-free and chaff-free. 1 lb \$.60 10 lbs \$ 5.25 3 lbs 1.75 25 lbs 12.50 5 lbs 2.75 50 lbs 22.50 SCOTT'S SHADE MIXTURE Combination of shade tolerant grasses including three imported varieties and Creeping Bent.
SCOTT'S REGULAR MIXTURE For sunny lawns. Contains Creeping Bent. Like all Scott mixtures, weed-free and chaff-free. 1 lb. \$.60 10 lbs. \$ 5.25 3 lbs. 1.75 25 lbs. 12.50 5 lbs. 2.75 50 lbs. 22.50 SCOTT'S SHADE MIXTURE Combination of shade tolerant grasses including three imported varieties and Creeping Bent. 1 lb. \$.75 10 lbs. \$.6.75 3 lbs. 2.15 25 lbs. 16.25 5 lbs. 3.50 50 lbs. 30.00
SCOTT'S REGULAR MIXTURE For sunny lawns. Contains Creeping Bent. Like all Scott mixtures, weed-free and chaff-free. 1 lb\$.60 10 lbs\$ 5.25 3 lbs\$ 1.75 25 lbs\$ 12.50 5 lbs\$ 2.75 50 lbs\$ 22.50 **SCOTT'S SHADE MIXTURE** Combination of shade tolerant grasses including three imported varieties and Creeping Bent. 1 lb\$.75 10 lbs\$.6.75 3 lbs\$ 2.15 25 lbs\$ 16.25 5 lbs\$ 3.50 50 lbs\$ 30.00 **SCOTT'S CREEPING BENT SEED**
SCOTT'S REGULAR MIXTURE For sunny lawns. Contains Creeping Bent. Like all Scott mixtures, weed-free and chaff-free. 1 lb\$.60 10 lbs\$ 5.25 3 lbs\$ 1.75 25 lbs\$ 12.50 5 lbs\$ 2.75 50 lbs\$ 22.50 SCOTT'S SHADE MIXTURE Combination of shade tolerant grasses including three imported varieties and Creeping Bent. 1 lb\$.75 10 lbs\$.6.75 3 lbs\$ 2.15 25 lbs\$ 16.25 5 lbs\$ 3.50 50 lbs\$ 30.00 SCOTT'S CREEPING BENT SEED Pure. Especially recommended for thickening estab-
SCOTT'S REGULAR MIXTURE For sunny lawns. Contains Creeping Bent. Like all Scott mixtures, weed-free and chaff-free. 1 lb\$.60 10 lbs\$ 5.25 3 lbs\$ 1.75 25 lbs\$ 12.50 5 lbs\$ 2.75 50 lbs\$ 22.50 SCOTT'S SHADE MIXTURE Combination of shade tolerant grasses including three imported varieties and Creeping Bent. 1 lb\$.75 10 lbs\$.6.75 3 lbs\$.75 10 lbs\$.6.75 5 lbs\$.30.00 SCOTT'S CREEPING BENT SEED Pure. Especially recommended for thickening established turf and increasing weed resistance.
SCOTT'S REGULAR MIXTURE For sunny lawns. Contains Creeping Bent. Like all Scott mixtures, weed-free and chaff-free. 1 lb\$.60 10 lbs\$ 5.25 3 lbs\$ 1.75 25 lbs\$ 12.50 5 lbs\$ 2.75 50 lbs\$ 22.50 SCOTT'S SHADE MIXTURE Combination of shade tolerant grasses including three imported varieties and Creeping Bent. 1 lb\$.75 10 lbs\$.6.75 3 lbs\$.75 10 lbs\$.6.75 5 lbs\$.30.00 SCOTT'S CREEPING BENT SEED Pure. Especially recommended for thickening established turf and increasing weed resistance.
SCOTT'S REGULAR MIXTURE For sunny lawns. Contains Creeping Bent. Like all Scott mixtures, weed-free and chaff-free. 1 lb\$.60 10 lbs\$ 5.25 3 lbs\$ 1.75 25 lbs\$ 12.50 5 lbs\$ 2.75 50 lbs\$ 22.50 SCOTT'S SHADE MIXTURE Combination of shade tolerant grasses including three imported varieties and Creeping Bent. 1 lb\$.75 10 lbs\$.6.75 3 lbs\$ 2.15 25 lbs\$ 16.25 5 lbs\$ 3.50 50 lbs\$ 30.00 SCOTT'S CREEPING BENT SEED Pure. Especially recommended for thickening estab-
For sunny lawns. Contains Creeping Bent. Like all Scott mixtures, weed-free and chaff-free. 1 lb. \$.60 10 lbs. \$ 5.25 3 lbs. \$ 1.75 25 lbs. \$ 12.50 5 lbs. \$ 2.75 50 lbs. \$ 22.50 SCOTT'S SHADE MIXTURE Combination of shade tolerant grasses including three imported varieties and Creeping Bent. 1 lb. \$.75 10 lbs. \$.6.75 3 lbs. \$ 2.15 25 lbs. \$ 16.25 5 lbs. \$ 3.50 50 lbs. \$ 30.00 SCOTT'S CREEPING BENT SEED Pure. Especially recommended for thickening established turf and increasing weed resistance. 1 lb. \$.\$ 1.65 10 lbs. \$.515.00 3 lbs. \$ 4.75 25 lbs. \$ 36.25 5 lbs. \$ 7.75 50 lbs. \$ 70.00 SCOTT'S WHITE DUTCH CLOVER
For sunny lawns. Contains Creeping Bent. Like all Scott mixtures, weed-free and chaff-free. 1 lb. \$.60 10 lbs. \$ 5.25 3 lbs. \$ 1.75 25 lbs. \$ 12.50 5 lbs. \$ 2.75 50 lbs. \$ 22.50 SCOTT'S SHADE MIXTURE Combination of shade tolerant grasses including three imported varieties and Creeping Bent. 1 lb. \$.75 10 lbs. \$.6.75 3 lbs. \$ 2.15 25 lbs. \$ 16.25 5 lbs. \$ 3.50 50 lbs. \$ 30.00 SCOTT'S CREEPING BENT SEED Pure. Especially recommended for thickening established turf and increasing weed resistance. 1 lb. \$.\$ 1.65 10 lbs. \$.\$ 15.00 3 lbs. \$ 4.75 25 lbs. \$ 36.25 5 lbs. \$ 7.75 50 lbs. \$ 70.00 SCOTT'S WHITE DUTCH CLOVER For those who prefer to sow clover separately. Stays
For sunny lawns. Contains Creeping Bent. Like all Scott mixtures, weed-free and chaff-free. 1 lb. \$.60 10 lbs. \$ 5.25 3 lbs. \$ 1.75 25 lbs. \$ 12.50 5 lbs. \$ 2.75 50 lbs. \$ 22.50 SCOTT'S SHADE MIXTURE Combination of shade tolerant grasses including three imported varieties and Creeping Bent. 1 lb. \$.75 10 lbs. \$.6.75 3 lbs. \$ 2.15 25 lbs. \$ 16.25 5 lbs. \$ 3.50 50 lbs. \$ 30.00 SCOTT'S CREEPING BENT SEED Pure. Especially recommended for thickening established turf and increasing weed resistance. 1 lb. \$.\$ 1.65 10 lbs. \$.515.00 3 lbs. \$ 4.75 25 lbs. \$ 36.25 5 lbs. \$ 7.75 50 lbs. \$ 70.00 SCOTT'S WHITE DUTCH CLOVER
For sunny lawns. Contains Creeping Bent. Like all Scott mixtures, weed-free and chaff-free. 1 lb \$.60 10 lbs \$ 5.25 3 lbs 1.75 25 lbs 12.50 5 lbs 2.75 50 lbs 22.50 SCOTT'S SHADE MIXTURE Combination of shade tolerant grasses including three imported varieties and Creeping Bent. 1 lb \$.75 10 lbs \$.6.75 3 lbs 2.15 25 lbs 16.25 5 lbs 3.50 50 lbs 30.00 SCOTT'S CREEPING BENT SEED Pure. Especially recommended for thickening established turf and increasing weed resistance. 1 lb \$ 1.65 10 lbs \$ 15.00 3 lbs 4.75 25 lbs 36.25 5 lbs 7.75 50 lbs 70.00 SCOTT'S WHITE DUTCH CLOVER For those who prefer to sow clover separately. Stays green during drouth. Especially selected, choice seed free from weeds. ½ lb. imported quality . \$.45
For sunny lawns. Contains Creeping Bent. Like all Scott mixtures, weed-free and chaff-free. 1 lb\$.60 10 lbs\$ 5.25 3 lbs 1.75 25 lbs 12.50 5 lbs 2.75 50 lbs 22.50 SCOTT'S SHADE MIXTURE Combination of shade tolerant grasses including three imported varieties and Creeping Bent. 1 lb\$.75 10 lbs\$.6.75 3 lbs 2.15 25 lbs 16.25 5 lbs 3.50 50 lbs 30.00 SCOTT'S CREEPING BENT SEED Pure. Especially recommended for thickening established turf and increasing weed resistance. 1 lb\$1.65 10 lbs\$15.00 3 lbs 4.75 25 lbs 36.25 5 lbs 7.75 50 lbs 70.00 SCOTT'S WHITE DUTCH CLOVER For those who prefer to sow clover separately. Stays green during drouth. Especially selected, choice seed free from weeds.

SCOTT'S TURF BUILDER

High-analysis, complete food for grass.	Goes	twic	e as
far. NEW LAWNS—20 lbs. per 100	o sq.	ft.	ES-
TABLISHED LAWNS—10 lbs. per 1	000 s	q. ft.	

					 - 4		_	 -	
10	lbs.	clean	and	odorless				 . 1	\$1.25
25	lbs.	clean	and	odorless	 				2.25
50	lbs.	clean	and	odorless	 			 ٠	3.75
100	lbs.	clean	and	odorless	 		٠.		6.50

SCOTT'S TURF BUILDER SPREADERS

Bring better lawns. Enable even distribution at recommended, scientific rates. Save time, save labor, save material. Also sow seed and apply topdressing.

Senior	20 inch width	5.00
No. 16	16 inch width	10.00
No. 24	24 inch width	13.50
No. 36	36 inch width	17.50

SCOTT'S CREEPING BENT STOLONS

Chopped roots and runners. Turf in 6 to 8 weeks. Perishability requires shipment be prepaid express direct from Scott nursery on special order.

For	100	qsuare	feet	٠									\$	2.5	0
For	500	square	feet	٠		٠							1	0.0	0
For	1000	square	feet										1	7.5	0
For	5000	square	feet							٠			8	30.0	0

Seedings Rates

NEW LAWNS. Scott's Lawn Seed and Scott's Shade Mixture—4 to 6 lbs. per 1000 sq. ft. (50 ft.x20 ft.); Scott's Creeping Bent—2 to 3 lbs. for the same area

ESTABLISHED LAWNS. Sow at about one-half of rate suggested above. Seed White Clover very lightly. One pound is sufficient for several thousand square feet.

FERTILIZERS

These fertilizers are recommended for your garden and lawn. (Swift & Company Products.)

Bone meal 5 lb. pkg	
" " 100 lb. bag	2.75
Sheep manure 5 lb. pkg	.30
" " " 100 lb. bag	2.75
Cow manure 100 lb. bag	2.75
Vigoro 5 lb. pkg	.50
" 10 lb. pkg	.85
" 25 lh nkg	
" 100 lb. bag	4.00
G. P. M. Peat Moss per bale	3.00

GARDEN TOOLS

We carry a general assortment that we believe to be the best. You will find them on display at our Sales Department.

Plants for Special Locations

PLANTS SUITABLE FOR THE ROCK GARDEN

Evergreens

Chamaecyp. ob. grac. com, 4'-5' Chamaecyparis obtusa nana, 2' Daphne cneorum, 1' Juniperus chinensis sargenti, 1½' Juniperus com. suecica nana, 3' Juniperus horizontalis, 1'-1½' Juniperus sabina tamarisci, 1½' Juniperus squamata meyeri, 3'-4' Leiophyllum buxifolium, 1½' Picea excelsa maxwelli, 1'-2' Picea glauca conica, 3'

Pinus montana mughus, $2\frac{1}{2}'-3'$ Taxus bac, repandens, $1\frac{1}{2}'-2'$ Taxus canadensis, $2'-2\frac{1}{2}'$ Taxus cuspidata nana, 2'-3'Thuja orien. aurea nana, $2\frac{1}{2}'-3'$

DECIDUOUS SHRUBS

Cotoneaster horizontalis, 1½'-2' Deutzia gracilis, 3' Hypericum moserianum, 2' Viburnum op, nana, 1½'-2'

PLANTS FOR SHADED SITUATIONS

DECIDUOUS TREES AND SMALL SHRUBS

Acanthopanax pentaphylla, 7'-8' Amelanchier canadensis, 12'-15' Aronia arbutifolia, 6'-8 Aronia melanocarpa, 8'-10' Azalea arborescens, 16 Azalea nudifiora, 6'-8' Azalea vaseyi, 5'-6' Azalea viscosa, 4'-5' 10'-12' Calyanthus floridus, 4'-5' Cercis canadensis, 12'-15' Clethra alnifolia, 4'-5' Cornus alternifolia, 15'-18' Cornus florida, 15'-25' Cornus florida rubra, 15'-20' Hamamelis virginiana, 15'-20' Hydrangea arbores. grand, 4'-5' Hypericum aureum, 3'-4' Ligustrum ibota regelian., 5'-6' Lonicera fragrantissima, 6'-8' Lonicera morrowi, 7'-8' Lonicera tatarica, 9'-10' Oxydendrum arboreum, 25'-30' Philadelphus, 9'-10' Rhodotypos kerriodes, 4'-5' Symphoricarpos rasemosa, 5'-6'

Symphoricarpos vulgare, 4'-5' Viburnum dentatum, 10-'-12' Viburnum lentago, 18'-20' Zanthoriza apiifolia, 2'-3'

EVERGREENS

Azalea amonea, 2½'-3'
Azalea hindodegiri, 3'-4'
Buxus sempervirens suf., 12'-15'
Ilex crenata microphylla, 6'-8'
Ilex glabra, 5'-6'
Ilex opaca, 25'-30'
Juniperus communis, 2½'-3'
Kalmia latifolia, 5'-7'
Leucothoe catesbaei, 3'-4'
Mahonia aquifolium, 4'-5'
Mitchella repens, 3"-4"
Pachysandra terminalis, 6"-8"
Pieris floribunda, 3'-4'
Pieris japonica, 4'-5'
Rhodendron catawb., 6'-9'
Rhodendron hybrids, 3'-8'
Rhododendron maxim., 8'-12'
Taxus canadensis, 2'-2½'
Taxus cuspidata, 4'-5'
Tsuga canadensis, 75'-90'

PLANTS FOR BINDING AND COVERING SOIL ON STEEP BANKS

SHRUBS

Acanthopanax pentaphyl., 7'-8' Berberis thunbergi, 4'-5' Forsythia suspensa, 5'-6' Lonicera spinosa alberti, 3'-4' Lonicera tatarica, 9'-10' Myrica carolinensis, 4'-5' Rhus canadensis, 4'-5' Rosa rugosa, 4'-5' Rosa setigera, 5'-6' Symphoricarpos racemos, 5'-6' Smyphoricarpos vulgare, 4'-5' Zanthoriza apiifolia, 2'-3'

VINES

Celastrus scandens, 20'-25' Lonicera halleana, 15'-20' Rosa wichuriana, 15'-20'

PLANTS FOR DRY SOIL

TREES

DECIDUOUS

Betula populifolia, 30'-40' Quercus alba, 100'

EVERGREEN

Juniperus virginiana, 30'-50' Pinus resinosa, 80'-100' Pinus strobus, 80'-100' Pinus sylvestris, 70'-80'

SHRUBS

DECIDUOUS

Acanthopanax pentaphyl., 7'-8'
Lespedeza formosum, 5'-6'
Myrica carolinensis, 4'-5'
Prunus maritima, 9'-10'
Rhus canadensis, 4'-5'
Rosa setigera, 10'-12'
Symphoricarpos racemos., 5-6'
Vaccinium corymbosum, 5'-6'
Viburnum lantana, 15'-18

EVERGREEN

Juniperus sargenti, 2'-2½ Juniperus communis, 2'-2½' Juniperus comm. depressa., 1½' Juniperus horizontalis, 1'-1½'
Juniperus sabina, 6'-7'
Mahonia aquifolium, 4'-5'
Pachysandra terminalis, 8'
Pinus montana mughus, 2½'-3'

PLANTS FOR WET OR MARSHY PLACES

DECIDUOUS TREES

Acer rubrum, 50'-75'
Betula nigra, 50'-60'
Larix leptolepsis, 50'-60'
Liquidamber styraciflua, 50'-60'
Quercus palustris, 75'-90'
Salix babylonica, 50'-60'
Taxodium distichum, 100'
Ulmus americana, 80'-100'

SHRUBS

Aronia arbutifolius, 6'-8' Aronia melanocarpa, 8'-10' Abalea viscosa, 4'-5' Calyanthus fioridus, 4'-5' Clethra alnifolia, 4'-5' Cornus amomum, 8'-9' Cornus tsolonifera, 7'-8' Ilex glabra, 5'-6' Ilex verticillata, 6'-8' Viburnum dentatum, 10'-12' Viburnum lentago, 18'-20'

BERRY-BEARING TREES AND SHRUBS

Aronia arbutifolia, 8'-10' Berberis thunbergi, 4'-5' Cornus florida, 15'-25' Cotoneaster horizontalis, 1'-11/2' Cotoneaster hupehensis, 5'-6' Crataegus coccinea, 15'-20' Crataegus cordata, 12'-15' Crataegus crus-galli, 15' Euonymus alatus, 9'-10' Euonymus europaeus, 12'-14' Euonymus radicans vegetus 25'-30' Ilex opaca, Ilex verticillata, 6'-8' Lonicera maacki, 8'-9' Lonicera morrowi, 7'-8' Lonicera tatarica, 9'-10' Malus floribunda, 12'-15' Malus sargenti, 8'-9' Nyssa sylvatica, 60'-70' Rhus canadensis, 3'-5'

Rosa rugosa, 4'-5' Sorbus aucuparia, 25'-30' Symphoricarpos vulgaris, 4'-5' Viburnum opulus, 9'-10' Cornus alba sibirica, 8'-10' Cornus stolonifera, 7'-8' Myrica carolin. (gray), 2'-10' Pachysandra terminalis, 8"-10" Symphoricarpos racem., 5'-6' Amelanchier canadensis, 25' Aronia melanocarpa, 8'-10' Ilex crenata bullata, 4'-5' Ilex crenata microphylla, 6'-8' Ilex glabra, 5'-6' Ligustrum regelianum, 4'-5' Rhodotypus kerrioides, 4'-5' Viburunm lantana, 15'-18' Berberis julianae, 6,-7' Vaccinium corymbosum, 4'-12' Viburnum dentatum, 10'-12' Viburnum lentago, 25'-30'

PLANTS WITH DISTINCTIVE BARK

Acer pennsylvan (Striped bark)
Betula alba (White bark)
Carpinus bet. (Blue-gray bark)
Cornus alba sib. (Bright red bk.)
Cornus stolon. (Deep red bark)
Elaeagnus (Silvery bark)
Euonymus alatus (Corkywinged bark)

Kerria japonica (Green bark)
Laburnum vulgare (Green bark)
Liquidambar styraciflua (Corky
ridged bark)
Platanus orientalis (Spotted
creamy yellow bark)

Fagus varieties (Gray bark)

PLANTS SUITABLE FOR HEDGES

Evergreens

TALL

Berberis julianae Chamaecyparis pisifera and var. Euonymus patens Picea excelsa Pinus strobus Taxus cuspidata capitata Thuja occidentalis and varieties Tsuga canadensis

LOW

Berberis triacanthophora Berberis verruculosa Buxus

Chamaecyporis obtusa gracilis
Ilex crenata bullata
Ilex crenata microphylla
Juniperus chinensis pfitzeriana
Mahonia aquifolia
Taxus cuspidata
Taxus cuspidata nana
Taxus media
Thuja occidentalis compacta
and dwarf varieties
Thuja occ. Little Gem
Thuja orientalis nana aurea

Deciduous

TALL

Acer ginnala
Carpinus betulus
Crataegus crusgalli
Crataegus oxycantha
Euonymus alatus
Fagus sylvatica
Hibiscus syriacus
Ligustrum ovalifolium
Syringa vulgaris
Viburnum dentatum
Viburnum prunifolium

Berberis thunbergi Cydonia japonica Deutzia gracilis Ligustrum ovalifolium (c

Ligustrum ovalifolium (clipped) Ligustrum regelianum Philadelphus lem. and varieties Rhodotypos kerriodes Rosa rugosa

LOW

Spiraea Anthony Waterer Spiraea thunbergi Spiraea van houttei Stephanandra flexuosa Biburnum opulus nana

EVERGREEN CONIFERS

Tall

Abies concolor, 50'-60' Abies homolepis., 60'-80' Abies nordmanniana, 80'-100' Abies veitchi, 50'-60' Cedrus atlantica glauca, 59'-60' Cedrus Libani, 60'-80' Chamaecyparis pisifera, 30'-40' Chamaecyparis pis. aur., 30'-40' Chamaecyparis plumosa, 35'-40' Chamaecyparis plu. aur., 30'-35' Chamaecyparis squarrosa, 30'-40' Cryptomeria jap. lobbi, 50' Juniperus virginiana, 30'-50' Picea canadensis, 50'-60' Picea excelsa, 80'-100' 50'-60' Picea excelsa pyramid, 40'-50' Picea orientalis, 60'-80' Picea polita, 60'-80' Picea pungens, 70'-80' Picea pungens glauca, 70'-80' Picea pungens Kosteri, 50'-60' Pinus flexilis, 35'-40' Pinus nigra, 50'-60' Pinus resinosa, 60'-70' Pinus strobus, 80'-100' Pinus sylvestris, 40'-50' Pinus thunbergii, 60'-70' Pseudotsuga douglasi, 70'-80' Thuja occidentalis, 35'-40' Thuja occiden. pyramid. 25'-30' Tsuga canadensis, 70'-80' Tsuga caroliniana, 40'-50'

Medium Height

Chamaecyparis obtusa, 20'-25'
Chamaecyparis youngi, 20'-25'
Chamaecyparis filifera, 20'-25'
Juniperus chinensis, 18'-20'
Jun. chin. columnaris, 20'-25'
Juniperus chin. fortunei, 12'-15'
Juniperus chin. oblonga, 10'-12'
Juniperus virg. cannarti, 20'-25'
Jun. virg. elegantissima, 15'-18'
Juniperus virg. glauca, 20'-25'
Juniperus virg. keteleeri, 18'-20'
Juniperus virg. schotti, 20'-25'
Pinus cembar, 25'-30'
Sciadopitys verticillata, 20'-25'
Taxus cusp. capitata, 20'-25'
Taxus cuspidata hatfieldi, 15'
Thuja occ. doug. aurea, 15'-20'
Thuja occ. doug. pyramid. 20'-25'

Thuja occ. elegant., 15'-20'
Thuja occ. lutea, 12'-15'
Thuja occ. rosenthali, 10'-12'
Thuja occ. vervaeneana, 10'-12'
Thuja occ. wareana, 12'-15'
Thuja orient. conspicua, 10'-12'
Thuja orient. elegant., 10'-12'
Thuja standishi, 12'-15'

Shrubby

Chamaecyparis ob. comp., 3'-4'
Cham. obt. cripp., (slow) 8'-10'
Cham. obt. grac. (slow) 10'-12'
Cham. obt. grac. compacta, 6'-8'
Cham. pis. fil. aurea, 10'-12'
Juniperus chin. albo var., 8'-10'
Juniperus chin. japonica, 4'-5'
Juniperus chin. pfitzeriana, 5'-6'
Juniperus canadensis, 3'-4'
Juniperus communis, 3'-4'
Juniperus excelsa stricta, 5'-6'
Juniperus sabina, 5'-6'
Juniperus suecica nana, 3'-4'
Juniperus virg. globosa, 4'-5'
Picea excelsa conica, 6'-8'
Picea glauca conica, 5'-6'
Taxus bac. washington, 6'-8'
Taxus cupsidata, 10'-12'
Taxus cuspidata nana, 5'-6'
Taxus media, 10'-12'
Thuja occ. compacta, 4'-5'
Thuja occ. compacta, 4'-5'
Thuja occ. globosa, 3'-4'
Thuja occ. hoveyi, 3'-4'
Thuja occ. woodwardi, 3'
Thuja orient. aurea nana, 4'-5'

Low or Prostrate

Chamaecy. squarrosa nana, 2'
Chamaecyparis plu. lutescens, 3'
Chamaecyparis plu. nana, 2'
Juniperus chin. sargenti, 2'-2½'
Juniperus com. aurea, 2'-2½'
Juniperus horizontalis, 1'-1½'
Juniperus hor. hudsonica, 1'-2'
Juniperus hor. plumosa, 1'-2'
Juniperus sab. tamar., 1'-2'
Picea excel. maxwelli, 1½'-2'
Pinus mugho, 3'
Taxus bacc. repandens, 2'-2½'
Taxus canadensis, 2½'-3'

BROAD LEAVED EVERGREENS

Abelia grandiflora, 5'-6' Azalea amoena, 4'-5' Azalea hinodegiri, 4'-5' Azalea kaempferi hybrids, 3'-4' Azalea macrantha, 3'-4' Berberis julianae, 6'-7'
Cotoneatser horizontalis, 2'-2½'
Daphne cneorum, 1'
Euonymus patens, 8'-10'
Euonymus radicans, vine

Euonymus rad. coloratus, vine Euonymus radicans vegetus, vine Hedera helix and varieties, vine Mahonia aquifolium, 3'-4' Ilex crenata hullata, 3'-4'
Ilex crenata bullata, 3'-4'
Ilex crenata microphylla, 8'-10
Ilex glabra, 4'-6'
Ilex opaca, 30"-40" Kalmia latifolia, 6'-8 Leucothe catesbaei, 3'-4'

Pachysandra terminalis, 6"-9" Pieris floribunda, 4'-5' Pieris japonica, 6'-7' Rhodendron carolinian., 5 Rhodendron catawb., 8'-10' 5'-6' Rhodendron Hybrids, 4'-12' Rhodendron maxi., 12'-15' Yucca filamentosa, 2'-3'

SEASHORE PLANTING

Trees

Acer rubrum Betula populifolia Crataegus coccinea Crataegus Crusgalli Juniperus virginiana Larix europaea Picea alba Picea pungens
Picea pungens kosterl
Ttana mugl Pinus montana mughus Pinus nigra Pinus resinosa Pinus sylvestris Pinus thunbergi Platanus orientalis Populus nigra italica Quercus rubra Salix elegantissima

Shrubs

Berberis thunbergi Clethra alnifolia Hydrangea arborecsens grandifl. Hypericum Aureum Ilex verticillata Ligustrum ovalifolium Ligustrum regelianum Lonicera tatarica Myrica carolinensis Prunus maritima Rhodotypos kerroides Rhus canadensis Rosa rugosa Symphoricarpos vulgaris Viburnum dentatum Viburnum lentago

PLANTS FOR AUTUMN COLORING

Trees

Acer ginnala, 12'-20' Acer rubrum, 50'-75' Acer saccharum, 50'-75' Betula lutea, 90'-100' Cornus florida, 15'-25' Crataegus cordata, 15'-25' Liquidambar styracifl., 50'-60' Oxydendrum arboreum, 25'-30' Quercus alba, 100' Quercus coccinea, 75'-90' Quercus palustrls, 75'-90' Quercus rubra, 75'-90'

Aronia arbutifolia, 6'-8' Aronia melanocarpa, 8'-10' Berberis thunbergi, 4'-5' Berberis thunbergi, Celastrus scandens Clethra alnifolia, 7'-8' Cotoneaster ln variety Enkianthus campanul., 12'-15' Euonymus alatus, 9'-10' Mahonia aquifolia, 3'-4' Mahonia aquifolia, Rhus canadensis, 3'-4' Rhus cotinus, 12'-15' Styrax japonica, 18' Vaccinium corymbosum, 5'-6' Viburnum (all species)

INDEX

# ·	age	I.	ag
Abelia		Firethorn	5
Abies4	, 5	Flowering Peach	3
Acanthopanax	42	Forsythia	4
Acer28, 29,	30	Fraxinus	3
Achillea	62	Garland Flower	2
Aesculus		Ginkgo	21
Akebia		Gleditsia	2
		Goldenglow	2
Alder		Goldenglow	0.
Alemanchier		Goosberries	p.
Ailanthus		Grapes	6
Almond		Halesia	3
Alnus		Hamamelis	
Ampelosis	61	Hawthorn33,	3
Amsonia	62	Hedera	2
Amygdalus31.		Helianthus	6
Andromeda		Hemlock21,	2
Apples64,		Hibiscus46. 47.	2
Apricot37,		Holly24, 47,	40
Aralia		Hollygrape	2
Arborvitae19, 20,		Honey Locust	35
Aronia		Honeysuckle	6:
Arrowwood	56	Hoptree	38
Ash		Hornbeam	32
Astible	62	Horsechestnut	31
Azalea23, 42,	43	Hosta	
Barberry23, 42,	E0	Hydrangea	AF
		Time and a second	4
Bayberry		Hypericum	4
Beach Plum	51	Ilex24, 47,	48
Beauty Bush		Iris	
Beech		Ivy	
Berberis23, 43,	44	Jetbead	53
Betula		Juglans	6'
Bignonia	61	Juniperus8, 9, 10, 11,	14
Birch		Kalmia	21
		Yami'a	41
Blackberries	66	Kerria	40
Black Walnut		Koelreuteria	3
Blueberry		Kolkwitzia	48
Boxwood23,		Larch	38
Buddleia	44	Larix	35
Bushclover	48	Laurel	2
Butterfly Bush		Laurocerasus	2:
Butternut	67	Leiophyllum	2!
Buxus23,	24	Lespedeza	45
Calycanthus		Leucothoe	21
Carycallonus	22	Timestrum 40 40	20
Carpinus		Ligustrum48, 49,	90
Catalpa		Liquidambar	3;
Cedar5, 8, 10, 11,		Lilac54, 55,	5(
Cedrus	5	Linden	4(
Cercis	33	Liriodendron	36
Corylus		Locust	39
Chamaecyparis5, 6,	7	Lonicera49,	62
Cherries65,		Lycium	
Chokeberry		Magnolia	
Chrysanthemum		Mahonia	2
Clematis		Maidenhair Tree	21
Clethra		Malus36,	
Coreopsis		Maple28, 29,	
Cornus33, 44,	45	Matrimony-Vine	50
Cotoneaster24,		Mockorange50,	51
Cranberrybush	56	Morus	3
Crataegus33,	34	Mulberry	3'
Cryptomeria		Mountain Ash	39
Currants		Myrica	50
Crab		Ninebark	51
Cydonia		Nut Trees64,	65
	7	Oak38,	
Cypress5, 6,		Oline	35
Daphne		Olive	43
Deutzia		Ornamental Grass	63
Devil's Walking Stick	31	Pachysandra	26
Dogwood33, 44,	45	Paeonia	
Elder		Paulowina	37
Elm40,	41	Peaches	66
Enkianthus		Pears	65
Euonymus24,		Periploca	62
Fagus	34	Philadelphus50,	51
Filbert		Phlox	63
Fir4, 5,	16	Physocarous	E1
a 11, 0,	10	1111500a1045	01

INDEX—Continued

	ige	Pa	age
Picea12, 13, 14,	15	Sorbus	
Pieris	26	Spiraea52,	53
Pine15,	16	Spruce12, 13, 14,	
Pinus15,		Stephandra	
Plane Tree	37	St. Johnswort	47
Platanus	37	Strawberries	67
Plums	66	Styrax	53
Poplar	37	Sumac	50
Populus		Summersweet	44
Privet48, 49,	58	Sunflower	63
Prunus37, 38,	51	Sweet-Gum	35
Pseudotsuga	16	Sweetshrub	44
Ptelia		Symphoricarpos	53
Pyracantha		Syringa55,	56
Quercus38,	39	Tamarix	
Quince45,		Taxus17,	18
Raspberries	67	Thuja19, 20,	21
Redbud		Tilia	
Rhododendron26,	27	Tree of Heaven	
Rhodotypos		Trumpetcreeper	61
Robinia39,	52	Tsuga21,	
Rose-Acacia39,		Tulip-Tree	36
Roses59, 60, 61,	62	Ulmus40,	
Rudbeckia	63	Umbrella Pine	
Rugosa Rose	58	Vaccinum	
Salix		Varnish Tree	
Sambucus		Viburnum56,	
Sandmyrtle		Virginia Creeper	61
Sciadopitys	16	Wayfaring Tree	56
Silkvine		Weigela57,	58
Silverbell		Willow	
Sneezewort		Wisteria	
Snowball		Yew17,	
Snowbell		Yucca	
Snowberry	53	Zanthorhiza	58







